

Visual TikZ

Version 0.66

Jean Pierre Casteleyn
IUT Génie Thermique et Énergie
Dunkerque, France

Updated on May 31, 2018

Objectives :

- One image per command or parameter.
- the minimum amount of text possible.
- the most complete possible update after update.
- keep the same structure as VisualPSTricks

Remarks : Minimal code is given to show the effect of a command or a parameter. The effects are sometime exaggerated for clarity .To consult the documentation, I have given the number of the Section in pgfmanual

You can contact me at my personal email to

- let me know the mistakes found (please indicate the page)
- give me your commentaries, your suggestions ...

What's new :

- chains library added 67
- through library added 60
- turtle library added 185
- positioning library added 56
- Tikzsymbols package added 156
- Tikzducks package updated 150
- shapes packages updated 91

Licence :

This work may be distributed and/or modified under the conditions of the LaTeX Project Public License, either version 1.3 of this license or (at your option) any later version.

The latest version of this license is in <http://www.latex-project.org/lppl.txt> and version 1.3 or later is part of all distributions of LaTeX version 2005/12/01 or later.

This work has the LPPL maintenance status 'maintained'.

The Current Maintainer of this work is M. Jean Pierre Casteleyn.

Thanks to:

Till Tantau , Alain Matthes , Jim Diamond , Falk Rühl , Axel Kielhorn , Nils Fleischhacker , Michel Fruchart , Ben Vitecek

Contents

1	Tikz loading	10
2	Basic figures	10
3	Path and edge	13
3.1	Path	13
3.2	Pathes in a path : edge	14
4	Parameters	15
4.1	Line width	15
4.2	Dimensions available	15
4.3	Terminators	15
4.4	Lines junction	16
4.5	Line styles	16
4.6	Fillings	17
4.7	Filling rule	18
4.8	Filling with an image	18
4.9	Shading	19
4.9.1	Shadings available	19
4.9.2	Shading library	20
4.10	Extremities	21
4.10.1	TikZ package	21
4.10.2	“library arrow.meta ”	21
	Parameter sep	22
	Parameter length	23
	Parameter width	24
	Parameter inset	25
	Parameter angle	26
	Parameter scale	26
	Parameter arc	26
	Parameter slant	26
	Parameter reversed	27
	Parameter left	28
	Parameter right	28
	Parameter harpoon	28
	Parameter color	29
	Parameter fill	29
	Parameter open	30
	Parameter line cap : round or butt	30
	Parameter line join : round or miter	30
	Parameter round	31
	Parameter sharp	31
	Parameter line width	32
	Parameter line width'	33
	Parameter quick	33
	Parameter bending	34
	Parameter cap angle	34
5	Small pictures	35
5.1	Own small pictures	35
5.2	Drawing angles	37

6	Coordinates	39
6.1	Grid	39
6.2	Coordinates	40
6.2.1	Canvas coordinates	40
6.2.2	Polar coordinates	40
6.2.3	xyz coordinates	40
6.2.4	Coordinate system xyz polar	41
6.2.5	Barycentric coordinates	41
6.2.6	Named coordinates: nodes	42
6.2.7	Coordinates relative to a node	42
6.2.8	Coordinates relative to two points	43
6.2.9	Coordinates relative to an intersection	43
6.2.10	Calculated positions with “pgfmath ”	45
6.2.11	Calculated positions with “calc library calc ”	45
6.2.12	Tangents with “calc library ”	45
6.2.13	Percentage position	46
6.2.14	Position at a given distance	46
6.2.15	Relative coordinates	47
	Cartesian coordinates	47
	Polar	47
	Relative polar coordinate	47
7	Nodes	49
7.1	Creation of nodes	49
7.2	Node name	49
7.3	Node contents	50
7.4	Behind or in front	50
7.5	Name prefix or name suffix	50
7.6	Links	51
7.7	Node labels	53
7.8	The Pin Option	54
7.9	Nodes on a path	55
7.10	Nodes on an edge	56
7.11	Positionnement relatif de nœuds	56
7.12	Fitting nodes	58
7.13	Circle defined by two points	60
7.14	Matrices and Alignment	61
	7.14.1 Cell Pictures	61
	7.14.2 Cell Styles and Options	62
	7.14.3 Anchoring a Matrix	64
	7.14.4 Considerations Concerning Active Characters	64
7.15	Matrix Library	64
	7.15.1 Characters in Matrices of Nodes	66
	7.15.2 Delimiters	66
7.16	Chaîne de nœuds	67
	7.16.1 Starting and Continuing a Chain	67
	7.16.2 Nodes on a Chain	68
	7.16.3 Joining Nodes on a Chain	69
	7.16.4 Branches	70
8	Transformations	71

9	Placing the picture	72
9.1	In the text	72
9.1.1	Without offset	72
9.1.2	With zero offset	72
9.1.3	With an offset	72
9.2	In a tikzpicture environment	73
9.3	In a fbox environment	73
9.4	Bounding box	73
9.5	Clipping the picture	75
9.6	Partial clipping	75
9.6.1	Scaling	75
10	Scope	76
10.1	Environment Scope	76
10.2	library scopes	76
10.2.1	Shorthand for Scope Environments	76
10.2.2	Single Command Scopes	77
11	Absolute position on a page	78
12	Background	79
12.1	Framing	79
12.1.1	Options	79
12.1.2	Style	79
12.2	Partial framing	79
12.2.1	Style	80
12.2.2	Gridding	80
12.2.3	Style	80
12.2.4	Framing and gridding	80
13	Defining your own colors	81
13.1	Basic colors	81
13.2	Colors mixing	81
13.3	Naming a color	81
13.3.1	Percentage of red , green and blue	81
13.3.2	From existing color	81
14	Opacity	82
14.1	Blend Modes	83
14.2	Fading	84
14.2.1	Preset patterns	84
14.2.2	Own patterns of fading with tikzfadingfrompicture	84
14.3	Creating fading patterns with tikzfading	86
14.3.1	Modification of the fading pattern	86
14.4	Transparency Groups	87
15	Create command	88
16	Creating styles	89
16.1	Styles without variable	89
16.2	Styles with variable	89

17 Text highlighting	90
17.1 In a TikZ node	90
17.1.1 Options	90
17.1.2 Minimum size	90
17.2 Geometric Shapes nodes	91
17.2.1 Available shapes	91
17.2.2 Options	91
17.3 Symbol Shapes nodes	94
17.3.1 Available shapes	94
17.3.2 Options	94
17.4 Arrow Shapes nodes	96
17.4.1 Available shapes	96
17.4.2 Options	96
17.5 Callout Shapes nodes	98
17.5.1 Available shapes	98
17.5.2 Options	98
17.6 Miscellaneous Shapes nodes	100
17.6.1 Available shapes	100
17.6.2 Options	100
Options for “rounded rectangle ”	100
Options for “chamfered rectangle ”	100
17.7 Shapes with Multiple Text Parts	102
17.8 Text attributes	104
17.8.1 Position	104
17.8.2 Colors and Fonts	105
17.8.3 Font Sizes	105
17.9 Positions on a node	106
17.9.1 For all types of node	106
17.9.2 Specific to a node	107
18 Decorations	116
18.1 Library “decorations.pathmorphing ”	116
18.1.1 “lineto ”	116
18.1.2 “straight zigzag ”	116
18.1.3 “random steps ”	116
18.1.4 “saw ”	117
18.1.5 “zigzag ”	118
18.1.6 “bent ”	118
18.1.7 “bumps ”	119
18.1.8 “coil ”	119
18.1.9 “curveto ”	120
18.1.10 “snake ”	120
18.2 Library “decorations.pathreplacing ”	122
18.2.1 “border ”	122
18.2.2 “brace ”	122
18.2.3 ” expanding waves ”	123
18.2.4 “moveto ”	123
18.2.5 “ticks ”	123
18.2.6 ” waves ”	124
18.2.7 “show path construction ”	125
18.3 Library “decorations.markings ”	127
18.3.1 Personal mark at one position	127
18.3.2 Marks between positions with step size	127
18.3.3 Marks with a text node	127
18.3.4 Mark with a picture node	128

18.3.5	Numbered marks	128
18.3.6	Marks info	128
18.3.7	Mark with a connection node	129
18.3.8	Arrow Tip Markings	129
18.4	Library “decorations.footprints ”	130
18.5	Library “decorations.shapes ”	131
18.5.1	Introduction	131
18.5.2	“shape backgrounds ”	131
	Orientation	132
18.6	Library “decorations.text ”	135
18.7	Library “decorations.fractals ”	137
18.8	Applications	138
18.8.1	Node decoration	138
18.8.2	Node link decoration	138
18.8.3	Graph decoration	139
18.8.4	Various decoration	139
18.8.5	Partial decoration	139
18.8.6	Global and partial parameters	141
18.8.7	Path and its decoration “Postaction ”	141
19	Pictures in a TikZ picture	142
19.0.1	In a node	142
19.0.2	With pgfdeclareimage	142
20	Freehand drawing	142
21	Special effect	143
21.1	Tikzpeople	143
21.1.1	available characters	143
21.1.2	Options	144
21.1.3	Anchor specific	144
21.1.4	Colors	144
21.2	Ducks	150
21.2.1	Options	150
21.2.2	Random ducks	153
21.2.3	Coordinates	154
21.2.4	Stripes	154
21.3	symbol	156
22	Creating Graphs	160
22.1	Graph with TikZ	160
22.1.1	From a list of points	160
22.1.2	From a data file	160
22.1.3	Graph types	161
22.1.4	Graph of a function	163
22.1.5	Parametric function	163
22.2	Marks	163
22.2.1	Marks with TikZ	163
22.2.2	Marks with text mark	164
22.2.3	Marks with plotmarks library	165
22.3	Graph with Gnuplot	165

23 Creation of a graph with pgfplots	166
23.1 2D Graph	166
23.1.1 Axes	166
23.2 Drawing of the graph	166
23.2.1 Xunit and Yunit	167
23.2.2 Graph type	167
23.3 Graph information	170
23.3.1 Titles	170
23.3.2 Legend	170
23.3.3 Size of the graph	171
23.3.4 Grids	171
24 3D graph	173
24.0.1 Axes	173
24.0.2 Graph drawing	174
24.0.3 Aspect	174
24.0.4 Viewpoint	176
25 Table of a function variation	177
25.1 Creation of the table	177
25.1.1 Options	177
25.2 Creation of a sign row	178
25.3 Creation of a variation row	179
26 Repetitions	183
26.1 One variable repetition	183
26.2 Two variables repetition	183
26.3 Nested loops	184
27 turtle graphics	185
28 Tree diagram	187
28.1 Structure	187
28.2 Orientation	187
28.3 Distance	188
28.4 Parent-child distance	188
28.5 Two children distance	189
28.6 Nodes customization	190
28.6.1 Nodes name	190
28.6.2 Missing a node	191
28.6.3 Attachment point modification	191
28.6.4 Links	192
28.6.5 Labels on link	192
28.6.6 Links customization	193
28.7 More options with « library trees »	194
28.7.1 One child and two childrenn position	194
28.7.2 Angular linking	194
28.7.3 Forking links	195
29 Electrical Engineering Circuits	196
29.1 Symbols	196
29.2 Annotations	198
29.3 Example	202
30 Logical circuits	202

31 Optics	206
31.1 Optic components	206
31.1.1 Components available	206
31.1.2 Parameters	206
31.1.3 Anchors	209
31.2 Lights and sensors	210
31.2.1 Available	210
31.2.2 Parameters	211
31.2.3 Anchors	212
31.3 Tools	213
31.3.1 Marks on the ray	213
31.3.2 Dimensions indicating	214
32 Animate a TikZ picture	216
32.1 Animation from picture files	216
32.2 Animateinline	216
32.3 Multiframe	217
33 Packages studied in this document	218

1 Tikz loading

```
Load package : \usepackage{tikz}
```

2 Basic figures



<code>\draw (0,0) -- (2,1);</code> <small>PGFmanual section : 14-2</small>	<code>\draw (0,0) - (2,1);</code>	<code>\draw (0,0) -(2,1);</code>



<code>\draw (0,2) .. controls (3,0) .. (2,2);</code> <small>PGFmanual section : 14-3</small>		
<code>\draw</code>	<code>\fill</code>	<code>\filldraw</code>




<code>\draw (0,2) .. controls (3,0) and (-1,0) .. (2,2);</code> <small>PGFmanual section : 14-3</small>		
<code>\draw</code>	<code>\fill</code>	<code>\filldraw</code>



<code>\draw (0,0) rectangle (3,2);</code> <small>PGFmanual section : 14-4</small>		
<code>\draw</code>	<code>\fill</code>	<code>\filldraw</code>




<code>\draw (1,1) circle (1);</code> <small>PGFmanual section : 14-6</small>		
<code>\draw</code>	<code>\fill</code>	<code>\filldraw</code>



<code>\draw (1,1) circle [radius=1cm];</code>	<code>\draw (1,1) ellipse [x radius=2cm,y radius=1cm]</code>
	
radius=1cm	x radius=2cm,y radius=1cm




<code>\draw (1,1) circle (2 and 1);</code>	<code>\draw (1,1) ellipse (2 and 1);</code>
	







<code>\draw (-2,0) arc (180:-45:2);</code> PGFmanual section : 14-7		
		
<code>\draw</code>	<code>\fill</code>	<code>\filldraw</code>

<code>\draw (-2,0) arc [start angle=180, end angle=-45,radius=1]</code>	<code>\draw (-2,0) arc (180:-45:2 and 1)</code>
	
radius=1	x radius=1,y radius=.5




<code>\draw (0,0) parabola (3,2);</code> PGFmanual section : 14-9		
		
<code>\draw</code>	<code>\fill</code>	<code>\filldraw</code>




	
<code>\draw(0,1) parabola bend (1,0) (4,4);</code>	<code>\draw(0,0) parabola[bend pos=0.25] (4,4);</code>

<code>\draw(0,1) parabola [parabola height=2cm] (3,0);</code>	<code>\draw(0,0) parabola[bend at start] (3,2);</code>	
		
	<code>[bend at start]</code>	<code>[bend at end]</code>

<code>\draw (0,0) sin (1.57,2);</code> PGFmanual section : 14-10		
		
<code>\draw</code>	<code>\fill</code>	<code>\filldraw</code>
		
<code>\draw (0,0) cos (1.57,2);</code>		

[PGFmanual section : 14-13](#)



		
<code>\draw (0,0) to (3,2);</code>	<code>\draw[out=0] (0,0) to (3,2);</code>	<code>\draw[in=-90] (0,0) to (3,2);</code>
see section 7.6 page 51		



Drawing with plot PGFmanual section : 14-12 PGFmanual section : 22		
list of coordinates	file of coordinates	mathematical equation
		
plot coordinates <code>{(2,0) (3,1) (4,1) (5,2)}</code>	plot file <code>{table.dat}</code>	plot <code>(\x,{sin(\x)})</code>
voir page 160		

3 Path and edge



3.1 Path





PGFmanual section : 14

	
<code>\draw (0,0) -- (2,1) -- (3,0) ;</code>	<code>\draw (0,0) -- (2,1) -- (3,0) -- cycle ;</code>



<code>\draw (0,0) -- (2,1) -- (3,3) arc (135:-20:1) .. controls (6,0) and (4,0) .. (5,2) sin (6.57,0) cos (7.57,2) ;</code>	
	
<code>\draw</code>	<code>\filldraw</code>

PGFmanual section : 14-5



	
<code>\draw [rounded corners] (0,0) -- (2,1) -- (3,0) ;</code>	<code>\draw [sharp corners] (0,0) -- (2,1) -- (3,0) ;</code>

	<code>\draw [rounded corners=0.5cm] (0,0) -- (1,1.732) -- (2,0) -- cycle ;</code>
	<code>\draw (0,0) -- (1,1.732) [rounded corners=0.5cm] -- (2,0) -- cycle ;</code>
	<code>\draw (0,0) -- (1,1.732) -- (2,0)[rounded corners=0.5cm] -- cycle ;</code>
	<code>\draw [rounded corners=0.5cm] (0,0) -- (1,1.732)[sharp corners] -- (2,0) -- cycle ;</code>

PGFmanual section : 14-2-2





Path interrupted PGFmanual section : 14-1



3.2 Pathes in a path : edge









PGFmanual section : 17-12








4 Parameters





4.1 Line width

PGFmanual section : 15-3-1




<code>\tikz \draw[line width=.2cm] (0,0) - - (1,1);</code>			
			
<code>[line width=.2cm]</code>	<code>[ultra thin]</code> (0.1pt)	<code>[very thin]</code> (0.2pt)	<code>[thin]</code> (0.4pt)
			
<code>[semithick]</code> (0.6pt)	<code>[thick]</code> (0.8pt)	<code>[very thick]</code> (1.2pt)	<code>[ultra thick]</code> (1.6pt)

4.2 Dimensions available




	<code>\draw[line width=10pt] (2,0) to (2,1);</code>
	<code>\draw[line width=10bp] (2,0) to (2,1);</code>
	<code>\draw[line width=10mm] (2,0) to (2,1);</code>
	<code>\draw[line width=1cm] (2,0) to (2,1);</code>
	<code>\draw[line width=1in] (2,0) to (2,1);</code>




	<code>\draw[line width=1ex] (0,0.5) to (4,.5);</code>
	<code>\Huge \draw[line width=1ex] (0,0.5) to (4,.5);</code>
	<code>\draw[line width=1em] (2,0) to (2,1);</code>
	<code>\Huge \draw[line width=1em] (2,0) to (2,1);</code>

4.3 Terminators

		
<code>[line cap=rect]</code>	<code>[line cap=butt]</code>	<code>[line cap=round]</code>














4.4 Lines junction



<code>\draw[line join=round] (0,0) - - (2,1) - - (0,2);</code>		
		
<code>[line join=round]</code>	<code>[line join=bevel]</code>	<code>[line join=miter]</code>

<code>\draw[miter limit=1] (0,0) - - (2,1) - - (0,2);</code> (By default : miter limit=10)		
		
<code>miter limit=1</code>	<code>miter limit=2</code>	<code>miter limit=3</code>





4.5 Line styles



PGFmanual section : 15-3-2

<code>\tikz \draw[solid,line width=2mm] (0,0) - - (2,1);</code>		
		
<code>[solid]</code>		
		
<code>[dotted]</code>	<code>[densely dotted]</code>	<code>[loosely dotted]</code>
		
<code>[dashed]</code>	<code>[densely dashed]</code>	<code>[loosely dashed]</code>
		
<code>[dash dot]</code>	<code>[densely dash dot]</code>	<code>[loosely dash dot]</code>
		
<code>[dash dot dot]</code>	<code>[densely dash dot dot]</code>	<code>[loosely dash dot dot]</code>


<code>[dash pattern=on 1cm off 0.25cm on 0.25cm off 0.5cm]</code>

<code>[dash pattern=on 1cm off .25cm on .25cm off .5cm,dash phase=1cm]</code>

PGFmanual section : 15-3-4

<code>\tikz \draw[line width=.2cm,double] (0,0) - - (1,1);</code>			
			
double	<code>draw=blue,double=red</code>	<code>double distance=.3cm</code>	<code>double distance between line centers=.3cm</code>













<code>\Huge = \tikz \draw[double equal sign distance] (0,0) - - (4,0);</code>	
	
<code>\Huge</code>	<code>\large</code>

4.6 Fillings









PGFmanual section : 15-5-1

PGFmanual section : 60

Load package : `\usetikzlibrary{patterns}`







<code>\draw[pattern= dots] (0,0) - - (3,1);</code>		
		
dots	fivepointed stars	sixpointed stars
		
grid	horizontal lines	vertical lines
		
north east lines	north west lines	rosshatch
		
crosshatch dots	bricks	checkerboard


<code>\draw[pattern=fivepointed stars,pattern color=red] (0,0) rectangle (3,1);</code>

<code>\draw [pattern=checkerboard light gray] (0,0) -- ((3,2) ;</code>		
		
checkerboard light gray	horizontal lines light gray	horizontal lines gray
		
horizontal lines dark gray	horizontal lines light blue	horizontal lines dark blue
		
crosshatch dots gray	crosshatch dots light steel blue	




4.7 Filling rule






PGFmanual section : 15-5-2

nonzero rule (By default)			
			
<code>\filldraw [fill=green!20] (0,0) -- (0,3) -- (3,3) -- (3,0) -- cycle (1,1) -- (1,2) -- (2,2) -- (2,1) -- cycle ;</code>		<code>\filldraw [fill=green!20] (0,0) -- (0,3) -- (3,3) -- (3,0) -- cycle (1,1) -- (2,1) -- (2,2) -- (1,2) -- cycle;</code>	
even odd rule			
<code>\[fill=[green] (0,0) -- (2,1) -- (1,2) circle (.5cm);</code>		<code>\filldraw[fill=green] (0,0) -- (2,1) -- (1,2) circle (.5cm);</code>	
			
<code>[fill=green]</code>	<code>[even odd rule,fill=green]</code>	<code>[fill=green]</code>	<code>[even odd rule,fill=green]</code>

4.8 Filling with an image

PGFmanual section : 15-6



<code>\draw [path picture={ \node at (path picture bounding box.center) {\includegraphics[height=3cm]{tiger}};}] (0,1) circle (1);</code>		
		
<code>(0,1) circle (1)</code>	<code>(0,0) -- (-1,1) -- (0,2) -- (1,1) -- cycle</code>	<code>(1,0) parabola[parabola height=2cm] (3,0)</code>




<pre>\draw [path picture={ \node at (path picture bounding box.north) {\includegraphics[height=3cm]{tiger}};}] (0,1) circle (1);</pre>				
				
north	south	east	west	south east



4.9 Shading




4.9.1 Shadings available




PGFmanual section : 15-7

	
<code>\shade (0,0) rectangle (3,1);</code>	<code>\shadedraw (0,0) rectangle (3,1);</code>

<code>\shadedraw[shading=axis](0,0) rectangle (3,1);</code>		
		
axis	radial	ball

		
<code>[left color=red]</code>	<code>[right color=green]</code>	<code>left color=red,right color=green</code>
		
<code>[top color=red]</code>	<code>[bottom color=green]</code>	<code>middle color=red</code>

		
<code>shading angle=90</code>	<code>right color=green</code> <code>[shading angle=45]</code>	<code>left color=red</code> <code>shading angle=-45</code>






		
<code>inner color=red</code>	<code>outer color=green</code>	<code>inner color=red outer color=green</code>

4.9.2 Shading library




PGFmanual section : 65


Load package : `\usetikzlibrary{shadings}`

`\shadedraw[upper left=red] (0,0) rectangle (2,2) ;`

				
<code>upper left=red</code>	<code>upper right=green</code>	<code>lower left=blue</code>	<code>lower right=yellow</code>	













`\shadedraw[shading=color wheel] (0,0) rectangle (2,2) ;`

		
<code>shading=color wheel</code>	<code>shading=color wheel black center</code>	<code>shading=color wheel white center</code>


<code>shading=Mandelbrot set</code>






















4.10 Extremities






4.10.1 TikZ package




<code>\tikz \draw[->,line width=.2cm,blue] (0,0) -- (1.5,1);</code>			
			
<code>[->]</code>	<code>[<-]</code>	<code>[<->]</code>	<code>[>->]</code>
			
<code>[-to]</code>	<code>[-to reversed]</code>	<code>[-o]</code>	<code>[-]</code>
			
<code>[-latex]</code>	<code>[-latex reversed]</code>	<code>[-stealth]</code>	<code>[-stealth reversed]</code>











4.10.2 “library arrow.meta”

Load package : `\usetikzlibrary{arrows.meta}`



















<code>\tikz \draw[-Arc Barb,line width=.2cm,blue] (0,0) -- (1.5,1);</code>				
				
<code>-Arc Barb</code>	<code>-Bar</code>	<code>-Bracket</code>	<code>-Hooks</code>	<code>-Stealth</code>
				
<code>-Parenthesis</code>	<code>-Straight Barb</code>	<code>-Tee Barb</code>	<code>-Classical TikZ Rightarrow</code>	<code>-Square</code>
				
<code>-Circle</code>	<code>-Implies, double</code>	<code>-Rectangle</code>	<code>-Computer Modern Rightarrow</code>	<code>-Turned Square</code>
				
<code>-Diamond</code>	<code>-Ellipse</code>	<code>-Kite</code>	<code>[-To]</code>	<code>[-Latex]</code>
				<code>-Triangle</code>



















<code>\tikz \draw[-Butt Cap,line width=.2cm,blue] (0,0) -- (1.5,1);</code>				
				
<code>-Butt Cap</code>	<code>-Fast Round</code>	<code>-Fast Triangle</code>	<code>-Round Cap</code>	<code>-Triangle Cap</code>

<code>\tikz \draw[Triangle-Circle,line width=.2cm,blue] (0,0) - - (3.5,1) ;</code>		
		
<code>Triangle-Circle</code>	<code>{Circle[] Triangle[]}</code>	<code>{Circle[] . Triangle[] Triangle[] }</code>













<code>\tikz \draw[-Rays,line width=.1cm,blue] (0,0) - - (1.5,1);</code>				
				
<code>Rays</code>	<code>{Rays[n=2]}</code>	<code>{Rays[n=3]}</code>	<code>{Rays[n=4]}</code>	<code>{Rays[n=5]}</code>
				
<code>{Rays[n=6]}</code>	<code>{Rays[n=7]}</code>	<code>{Rays[n=8]}</code>	<code>{Rays[n=9]}</code>	<code>{Rays[n=10]}</code>



Parameter sep PGFmanual section : 16-4-2



<code>\tikz \draw[-{Arc Barb[sep=.25cm] Arc Barb[]},line width=.1cm,blue] (0,0) - - (1.5,1);</code>					
					
<code>Arc Barb</code>	<code>Bracket</code>	<code>Hooks</code>	<code>Parenthesis</code>	<code>Classical TikZ Rightarrow</code>	<code>Rays</code>
					
<code>Straight Barb</code>	<code>Tee Barb</code>	<code>Circle</code>	<code>Ellipse</code>	<code>Computer Modern Rightarrow</code>	<code>Triangle</code>
					
<code>Latex</code>	<code>Kite</code>	<code>Rectangle</code>	<code>Square</code>	<code>Stealth</code>	<code>Turned Square</code>

<code>\tikz \draw[-{Arc Barb[sep=.25cm] • Arc Barb[]},line width=.1cm,blue] (0,0) - - (1.5,1);</code>					
					
<code>Arc Barb</code>	<code>Bracket</code>	<code>Hooks</code>	<code>Parenthesis</code>	<code>Classical TikZ Rightarrow</code>	<code>Rays</code>
					
<code>Straight Barb</code>	<code>Tee Barb</code>	<code>Circle</code>	<code>Ellipse</code>	<code>Computer Modern Rightarrow</code>	<code>Triangle</code>
					
<code>Latex</code>	<code>Kite</code>	<code>Rectangle</code>	<code>Square</code>	<code>Stealth</code>	<code>Turned Square</code>











Parameter length PGFmanual section : 16-3-1



<code>\tikz \draw[-{Arc Barb[length=1cm]},line width=.2cm,blue] (0,0) -- (1,1);</code>					
					
Arc Barb	Hooks	Straight Barb	Tee Barb	Latex	Classical TikZ Rightarrow
					
Straight Barb	Diamond	Ellipse	Kite	Circle	Computer Modern Rightarrow



<code>\tikz \draw[-{Arc Barb[length=0cm 10]},line width=.1cm,blue] (0,0) -- (3,1);</code>	
	
<code>[length=0cm 10]</code>	<code>[length=.5cm 5]</code>
$0\text{cm} + 10 \times .1\text{cm} = 1\text{cm}$	$.5\text{cm} + 5 \times .1\text{cm} = 1\text{cm}$



<code>\tikz \draw[-{Arc Barb[length=0cm 5]},line width=.1cm,blue,double,double distance = 2 mm] (0,0) -- (3,1);</code>	
	
<code>[length=0cm 5]</code>	<code>[length=0cm 5 .6]</code>
$0\text{cm} + 5 \times (.1\text{cm} + 2\text{ mm} + .1\text{cm}) = 2\text{cm}$	$0\text{cm} + 5 \times (.6 \times .1\text{cm} + (1-.6)(.1\text{cm} + 2\text{ mm} + .1\text{cm})) = 11\text{ mm}$

Parameter width PGFmanual section : 16-3-1

<code>\tikz \draw[-{Arc Barb[width=2cm]},line width=.2cm,blue] (0,0) -- (1,1);</code>				
				
Arc Barb	Hooks	Straight Barb	Tee Barb	Classical TikZ Rightarrow
				
Straight Barb	Diamond	Ellipse	Kite	Computer Modern Rightarrow

<code>\tikz \draw[-{Arc Barb[width=0cm 10]},line width=.1cm,blue] (0,0) -- (3,1);</code>	
	
<code>[width=0cm 10]</code>	<code>[width=.5cm 5]</code>
$0\text{cm} + 10 \times .1\text{cm} = 1\text{cm}$	$.5\text{cm} + 5 \times .1\text{cm} = 1\text{cm}$

<code>\tikz \draw[-{Arc Barb[width=0cm 5]},line width=.1cm,blue,double,double distance = 2 mm] (0,0) -- (3,1);</code>	
	
<code>[width=0cm 5]</code>	<code>[width=0cm 5 .6]</code>
$0\text{cm} + 5 \times (.1\text{cm} + 2\text{ mm} + .1\text{cm}) = 2\text{cm}$	$0\text{cm} + 5 \times (.6 \times .1\text{cm} + (1-.6)(.1\text{cm} + 2\text{ mm} + .1\text{cm})) = 11\text{ mm}$

<code>\tikz \draw[-{Arc Barb[length=1cm,width=0cm 1.5]},line width=.1cm,blue] (0,0) -- (3,1);</code>	
	
<code>[width'=0cm 1.5]</code>	<code>[width'=.5cm .5]</code>
$0\text{cm} + 1.5 \times 1\text{cm} = 1.5\text{cm}$	$.5\text{cm} + .5 \times 1\text{cm} = 1\text{cm}$

<code>\tikz \draw[-{Arc Barb[length=1cm,width'=0cm 1.5]},line width=.1cm,blue,double,double distance = 2 mm]</code>	
<code>[width'=0cm 1.5]</code>	<code>[width'=0cm 1.5 .6]</code>
$0\text{cm} + 1.5 \times 1\text{cm} = 1.5\text{cm}$	$0\text{cm} + 1.5 \times (.6 \times 1\text{cm} + (1-.6)(1\text{cm} + 2\text{ mm} + 1\text{cm})) = 11\text{ mm}$

Parameter inset [PGFmanual section : 16-3-1](#)

<code>\tikz \draw[-{Tee Barb[inset=0pt]},line width=.2cm,blue] (0,0) - - (1,1);</code>		
<code>Tee Barb[inset=0pt]</code>	<code>Kite[inset=0pt]</code>	<code>Stealth[inset=0pt]</code>
<code>Tee Barb[inset=1cm]</code>	<code>Kite[inset=1cm]</code>	<code>Stealth[inset=.5cm]</code>

<code>\tikz \draw[-{Fast Round[inset=1cm]},line width=.2cm,blue] (0,0) - - (1,1);</code>			
<code>Fast Round[inset=1cm]</code>	<code>Fast Round[inset=2cm]</code>	<code>Fast Triangle[inset=1cm]</code>	<code>Fast Triangle[inset=2cm]</code>

<code>inset=1cm 1</code>	<code>inset=1cm 2</code>	<code>inset=1cm 4</code>	<code>inset=1cm .2</code>

<code>inset=0cm 1</code>	<code>inset=0cm 2</code>	<code>inset=0cm 4</code>	<code>inset=0cm .2</code>

<code>inset=0cm .2</code>	<code>inset=0cm .2 2</code>	<code>inset=0cm .2 10</code>	<code>inset=0cm 2 .5</code>

inset=0cm .2	inset=0cm .2 2	inset=0cm .2 10	inset=0cm 2 .5

Parameter angle [PGFmanual section : 16-3-1](#)

<code>\tikz \draw[-{Straight Barb[angle=60:.5cm 1]},line width=.2cm,blue] (0,0) -- (1,1);</code>				
[angle=60:.5cm 1]	[angle=60:.5cm 1]	[angle=60:.5cm 20]	[angle=60:.5cm 5]	[angle=90:.5cm 5]

<code>\tikz \draw[-{Triangle[angle=60:.5cm 1]},line width=.2cm,blue] (0,0) -- (1,1);</code>				
[angle=60:.5cm 1]	[angle=60:.5cm 1]	[angle=60:.5cm 20]	[angle=60:.5cm 5]	[angle=90:.5cm 5]

Parameter scale [PGFmanual section : 16-3-2](#)





















<code>\tikz \draw[-{Arc Barb[scale=4]},line width=.1cm,blue] (0,0) -- (3,0);</code>		
scale=4	scale length=4	scale width=4

Parameter arc [PGFmanual section : 16-3-3](#)









<code>\tikz \draw[-{Arc Barb[arc=270]},line width=.2cm,blue] (0,0) -- (3,1);</code>			
Arc Barb[arc=270]	Arc Barb[arc=360]	Hooks[arc=270]	Hooks[arc=360]





Parameter slant [PGFmanual section : 16-3-4](#)

<code>\tikz \draw[-{Arc Barb[slant=.3]},line width=.2cm,blue] (0,0) -- (1,1);</code>				
slant=0	slant=0.3	slant=0.5	slant=0.8	slant=1

<code>\tikz \draw[-{Arc Barb[slant=.5]},line width=.2cm,blue] (0,0) - - (1,1);</code>				
				
Arc Barb	Bracket	Hooks	Parenthesis	Classical TikZ Rightarrow
				
Straight Barb	Tee Barb	Circle	Diamond	Ellipse
				
Kite	Latex	Rectangle	Square	Stealth
				
Turned Square	Fast Round	Fast Triangle	Round Cap	Triangle Cap

Parameter reversed [PGFmanual section : 16-3-5](#)

<code>\tikz \draw[-{Arc Barb[reversed]},line width=.2cm,blue] (0,0) - - (2,1) ;</code>			
			
Arc Barb	Bracket	Hooks	Classical TikZ Rightarrow
			
Straight Barb	Tee Barb	Parenthesis	Computer Modern Rightarrow

<code>\tikz \draw[-{Fast Round[reversed]},line width=.5cm,blue] (0,0) - - (2,1);</code>			
			
Fast Round	Fast Triangle	Round Cap	Triangle Cap

Parameter left PGFmanual section : 16-3-5

<code>\tikz \draw[-{Arc Barb[left]},line width=.2cm,blue] (0,0) -- (1.5,1);</code>					
Arc Barb	Bracket	Hooks	Parenthesis	Classical TikZ Rightarrow	Triangle
Straight Barb	Tee Barb	Circle	Diamond	Ellipse	Turned Square
Kite	Latex	Rectangle	Square	Stealth	Rays

Parameter right PGFmanual section : 16-3-5




<code>\tikz \draw[-{Arc Barb[right]},line width=.2cm,blue] (0,0) -- (1.5,1);</code>					
Arc Barb	Bracket	Hooks	Parenthesis	Classical TikZ Rightarrow	Triangle
Straight Barb	Tee Barb	Circle	Diamond	Ellipse	Turned Square
Kite	Latex	Rectangle	Square	Stealth	Rays



















Parameter harpoon PGFmanual section : 16-3-5

<code>\tikz \draw[-{Arc Barb[harpoon]},line width=.2cm,blue] (0,0) -- (1,1);</code>						
Arc Barb	Bracket	Hooks	Parenthesis	Classical TikZ Rightarrow	Straight Barb	Tee Barb











<code>\tikz \draw[-{Arc Barb[harpoon,swap]},line width=.2cm,blue] (0,0) -- (1,1);</code>						
Arc Barb	Bracket	Hooks	Parenthesis	Classical TikZ Rightarrow	Straight Barb	Tee Barb











Parameter color [PGFmanual section : 16-3-6](#)

<code>\tikz \draw[-{Arc Barb[color=red],line width=.2cm,blue} (0,0) -- (1,1);</code>		
		
Bracket[color=red]	Bracket[color=green]	Bracket[red]











<code>\tikz \draw[-{Arc Barb[red],line width=.2cm,blue} (0,0) -- (1,1);</code>				
				
Arc Barb	Bracket	Hooks	Parenthesis	Classical TikZ Rightarrow
				
Straight Barb	Tee Barb	Circle	Diamond	Ellipse
				
Kite	Latex	Rectangle	Square	Stealth
				
Triangle	Turned Square	Rays		

Parameter fill [PGFmanual section : 16-3-6](#)

















<code>\tikz \draw[-{Circle[fill=red],line width=.2cm,blue} (0,0) -- (1,1);</code>				
				
Circle	Diamond	Ellipse	Kite	Triangle
				
Latex	Rectangle	Square	Stealth	Turned Square

















<code>\tikz \draw[-{Circle[fill=none],line width=.2cm,blue} (0,0) -- (1,1);</code>				
				
Circle	Diamond	Ellipse	Kite	Triangle
				
Latex	Rectangle	Square	Stealth	Turned Square

Parameter open PGFmanual section : 16-3-6

















<code>\tikz \draw[-{Circle[open]},line width=.2cm,blue] (0,0) -- (1.5,1) ;</code>				
				
Circle	Diamond	Ellipse	Kite	Triangle
				
Latex	Rectangle	Square	Stealth	Turned Square

















Parameter line cap : round or butt PGFmanual section : 16-3-7

<code>\tikz \draw[-{Arc Barb[line cap=butt]},line width=.2cm,blue] (0,0) -- (1,1);</code>							
							
Arc Barb	Bracket	Hooks	Parenthesis	Ellipse	Rectangle	Square	Stealth
							
Straight Barb	Tee Barb	Diamond	Kite	Latex	Triangle	Turned Square	Rays

















<code>\tikz \draw[-{Arc Barb[line cap=round]},line width=.2cm,blue] (0,0) -- (1,1);</code>							
							
Arc Barb	Bracket	Hooks	Parenthesis	Ellipse	Rectangle	Square	Stealth
							
Straight Barb	Tee Barb	Diamond	Kite	Latex	Triangle	Turned Square	Rays

Parameter line join : round or miter PGFmanual section : 16-3-7





<code>\tikz \draw[-{Arc Barb[line join=miter]},line width=.2cm,blue] (0,0) -- (1,1);</code>							
							
Arc Barb	Bracket	Hooks	Parenthesis	Ellipse	Rectangle	Square	Stealth
							
Straight Barb	Tee Barb	Diamond	Kite	Latex	Triangle	Turned Square	Rays

<code>\tikz \draw[-{Arc Barb[line cap=round]},line width=.2cm,blue] (0,0) - - (1,1);</code>							
							
Arc Barb	Bracket	Hooks	Parenthesis	Ellipse	Rectangle	Square	Stealth
							
Straight Barb	Tee Barb	Diamond	Kite	Latex	Triangle	Turned Square	Rays








Parameter round [PGFmanual section : 16-3-7](#)



<code>\tikz \draw[-{Arc Barb[round]},line width=.2cm,blue] (0,0) - - (1,1);</code>							
							
Arc Barb	Bracket	Hooks	Parenthesis	Ellipse	Rectangle	Square	Stealth
							
Straight Barb	Tee Barb	Diamond	Kite	Latex	Triangle	Turned Square	Rays



Parameter sharp [PGFmanual section : 16-3-7](#)

<code>\tikz \draw[-{Classical TikZ Rightarrow[sharp]},line width=.2cm,blue] (0,0) - - (2,0) ;</code>			
<code>-{Classical TikZ Rightarrow[sharp]}</code>	<code>-{Computer Modern Rightarrow[sharp]}</code>	<code>-{Classical TikZ Rightarrow[sharp]}</code>	<code>-{Computer Modern Rightarrow[sharp]}</code>
			
sharp	[]	sharp	[]








Parameter line width PGFmanual section : 16-3-7



<code>\tikz \draw[-{Arc Barb[line width=.2cm]},line width=.4cm,blue] (0,0) - - (2,0);</code>			
			
Arc Barb	Hooks	Classical TikZ Rightarrow	Straight Barb
			
Straight Barb	Tee Bar	Computer Modern Rightarrow	

<code>\tikz \draw[-{Arc Barb[line width=0cm 10]},line width=.1cm,blue] (0,0) - - (3,1);</code>	
	
[length=0cm 10]	[length=.5cm 5]
$0\text{cm} + 10 \times .1\text{cm} = 1\text{cm}$	$.5\text{cm} + 5 \times .1\text{cm} = 1\text{cm}$



<code>\tikz \draw[-{Arc Barb[length=0cm 5]},line width=.1cm,blue,double,double distance = 2 mm] (0,0) - - (3,1)</code>	
	
[length=0cm 5]	[length=0cm 5 .6]
$0\text{cm} + 5 \times (.1\text{cm} + 2\text{ mm} + .1\text{cm}) = 2\text{cm}$	$0\text{cm} + 5 \times (.6 \times .1\text{cm} + (1-.6)(.1\text{cm} + 2\text{ mm} + .1\text{cm})) = 11\text{ mm}$

Parameter line width' PGFmanual section : 16-3-7

<code>\tikz \draw[-{Arc Barb[line width'=.2cm]},line width=.4cm,blue] (0,0) -- (1,1);</code>			
			
Arc Barb	Hooks	Classical TikZ Rightarrow	Straight Barb
			
Straight Barb	Tee Bar	Computer Modern Rightarrow	

<code>\tikz \draw[-{Arc Barb[length=0cm 10]},line width'=.1cm,blue] (0,0) -- (3,1);</code>	
	
[length=0cm 10]	[length=.5cm 5]
$0\text{cm} + 10 \times .1\text{cm} = 1\text{cm}$	$.5\text{cm} + 5 \times .1\text{cm} = 1\text{cm}$


Parameter quick PGFmanual section : 16-3-8

<code>\tikz \draw[-{Stealth[length=1cm,open,quick]}] (0,0) .. controls (1,-1) and (2,1) .. (3,1);</code>	
	
[-Stealth[length=1cm,open,quick]]	[-Stealth[length=1cm,open]]


Parameter bending PGFmanual section : 16-3-8

Load package : `\usetikzlibrary{bending}`


```
\tikz \draw[-{Stealth[length=1cm,open,flex=0}}] (0,0) .. controls (1,-1) and (2,1) .. (3,1);
```



```
\tikz \draw[-{Stealth[length=1cm,open,flex'=0}}] (0,0) .. controls (1,-1) and (2,1) .. (3,1);
```




```
\tikz \draw[-{Stealth[length=1cm,open,bend}}] (0,0) .. controls (1,-1) and (2,1) .. (3,1);
```



Parameter cap angle PGFmanual section : 16-5-4

```
\tikz \draw[-{Fast Round[cap angle=60}},line width=.2cm,blue] (0,0) - - (3,1);
```










5 Small pictures




5.1 Own small pictures


PGFmanual section : 14-19



PGFmanual section : 18

Création	Utilisation
<pre>\tikzset{dfr/.pic={\filldraw[blue] (-2pt,0) rectangle (0,5pt) ; \filldraw[fill=white] (0,0) rectangle (2pt,5pt); \filldraw[fill=red] (2pt,0) rectangle (4pt,5pt);}}</pre>	<pre>\tikz \pic {dfr};</pre> 

Positioning	
	
<code>\pic at (1,1) [pic type = dfr];</code>	<code>\pic at (1,1) {dfr};</code>
	
<code>\path (1,1) pic [pic type= dfr];</code>	<code>\path (1,1) pic {dfr};</code>
	
<code>\pic [at={{(1,1)}}] [pic type= dfr];</code>	<code>\pic [at={{(1,1)}}] {dfr};</code>

<code>\pic[scale=3] at (1,1) {dfr};</code>		
		
<code>[scale=3]</code>	<code>[scale=3,rotate=45]</code>	<code>[scale=3,red]</code>






<pre>\tikz [scale=4] \pic at (0,0) {dfr}; \pic at (.5,0) [transform shape] {dfr};</pre>	
---	---

On a path
<pre>\tikz \draw (0,0) to [out=10,in=170] pic [near start] {dfr} pic {dfr} pic [sloped, near end] {dfr} (10,0);</pre>

<pre>\draw (0,0) to [out=10,in=170] pic [pos=.3] {code={\draw circle [radius=3mm];}} (10,0) ;</pre>


Définition :

```
\tikzset{ my pic/.pic = {
\path [pic actions] (0,0) circle[radius=3mm];
\draw (-3mm,-3mm) rectangle (3mm,3mm); } }
```



Utilisation : `\pic [red] {my pic}`

				
[red]	[draw]	[draw=red]	[draw, shading=ball]	[fill=red!50]


```
\tikz \pic foreach \x in {1,1.5,...,10} at (\x,0) {dfr};
```




```
\fill [green] (0,0) - - (1,0)pic [behind path,scale=3] {dfr} - (1,1) - (0,1) - cycle ;
```

	
[behind path,scale=3]	[scale=3]


```
\tikzset{ pics/mon cercle/.style = { background code =
{ \fill circle [radius=#1]; } } }
\tikz [fill=green] \draw[line width=3pt] (0,0) pic {mon
cercle=2mm} - - (1,1) pic {mon cercle=5mm};
```




```
\tikzset{ pics/mon cercle/.style = { foreground code =
{ \fill circle [radius=#1]; } } }
\tikz [fill=green] \draw[line width=3pt] (0,0) pic {mon
cercle=2mm} - - (1,1) pic {mon cercle=5mm};
```




```
\fill [green](-1,0) - - (1,0)
pic [pics/background code={\fill[blue] (0.5,0.5) circle (1cm );}
, pics/code=\fill[red] (-1,-.5) rectangle (0.5,0.5); ]
{} - - (1,2) - - (-1,2) - - cycle ;
```




```
\fill [green] (-1,0) - - (1,0)
pic [pics/foreground code={\fill[blue] (0.5,0.5) circle (1cm );}
,pics/code={\fill[red] (-1,-.5) rectangle (0.5,0.5); } ]
{} - - (1,2) - - (-1,2) - - cycle ;
```



```
\fill [green](-1,0) - - (1,0)
pic [pics/background code={\fill[blue] (0.5 , 0.5) circle (1cm
);}
,pics/code={\fill[red] (-1 , -0.5) rectangle (0.5 , 0.5);},behind
path ]
{} - - (1,2) - - (-1,2) - - cycle ;
```



```
\fill [green] (-1,0) - - (1,0)
pic [pics/foreground code={\fill[blue] (0.5 , 0.5) circle (1cm );}
, pics/code={\fill[red] (-1,-.5) rectangle (0.5 , 0.5);},behind
path ]
{} - - (1,2) - - (-1,2) - - cycle ;
```



5.2 Drawing angles

PGFmanual section : 39

Load package : `\usetikzlibrary{angles}`



```
\tikz \draw (2,0) coordinate (A) - - (0,0) coordinate (B)
- - (1,1) coordinate (C) pic [draw] {angle};
```



pic [draw] {angle}

pic [fill] {angle}

```
\tikz \draw (2,0) coordinate (X) - - (0,0) coordinate (Y)
- - (1,1) coordinate (Z) pic [draw] {angle= X- -Y- -Z};
```




pic [draw] {angle= X- -Y- -Z}

pic [fill] {angle = Z- -Y- -X}

By default : angle= A- -B- -C



```
\tikz \draw (2,0) coordinate (A) - - (0,0) coordinate (B)
- - (1,1) coordinate (C) pic [draw,->] {angle};
```



pic [draw,->] {angle}

pic [fill,fill=red!50] {angle}

```
\tikz \draw (2,0) coordinate (A) - - (0,0) coordinate (B)
- - (1,1) coordinate (C) pic [draw,angle radius=1cm] {angle};
```




pic [draw,angle radius=1cm] {angle}

pic [fill,angle radius=1cm] {angle}



By default : angle radius=5mm

Load package : `\usetikzlibrary{quotes}`

```
\tikz \draw (3,0) coordinate (A) - - (0,1) coordinate (B) - - (1,2) coordinate (C)
pic [draw,"$\alpha$ " ] {angle};
```



```
\tikz \draw (2,0) coordinate (A)
- - (0,0) coordinate (B) - - (1,2) coordinate (C)
pic [draw, " $\alpha$", angle eccentricity=1] {angle};
```




angle eccentricity=1

angle eccentricity=1.5


By default : angle eccentricity= 0.6





```
\tikz { \draw (2,0) coordinate (A) - - (0,0) coordinate (B) - - (1,2) coordinate (C)
pic (xxx) [draw,"$\alpha$",angle radius= 1cm ] {angle};
\draw (xxx)circle [radius=5pt] ; }
```





6 Coordinates

6.1 Grid

		
<code>\draw (0,0) grid (2,2);</code> PGFmanual section : 14-8		



<code>\draw (0,0) grid [step=.75cm] (0,0) grid (3,3);</code>			
			
<code>step=.75cm</code>	<code>x step=.75cm</code>	<code>y step=.75cm</code>	<code>step=(45:1)</code>

<code>\draw[red] (0,0) grid [rotate=45] (3,3);</code>	<code>\draw[help lines] (0,0) grid (3,3);</code>
	



6.2 Coordinates


PGFmanual section : 13-2-1

6.2.1 Canvas coordinates



explicit	implicit
	
<code>\fill (canvas cs:x=2cm,y=1.5cm) circle (2pt);</code>	<code>\fill (2cm,1.5cm) circle (2pt);</code>

6.2.2 Polar coordinates

explicit	implicit
	
<code>\fill (canvas polar cs:angle=45,radius=2cm) circle (2pt);</code>	<code>\fill (45:2cm) circle (2pt);</code>


<code>\fill (canvas polar cs:angle=45,x radius=3cm,y radius=2cm) circle (2pt);</code>

6.2.3 xyz coordinates

	
<code>\draw (0,0) - - (xyz cs:x=1);</code> <code>\draw[red] (0,0) - - (xyz cs:y=1);</code> <code>\draw[magenta] (0,0) - - (xyz cs:z=1);</code>	<code>\draw (0,0) - - (1,0,0);</code> <code>\draw[red] (0,0) - - (0,1,0);</code> <code>\draw[magenta] (0,0) - - (0,0,1);</code>

6.2.4 Coordinate system xyz polar

explicit	implicit
<code>\fill (xyz polar cs:angle=45,radius=2) circle (2pt);</code>	<code>\fill (45:2cm) circle (2pt);</code>

<code>\fill (xyz polar cs:angle=45,x radius=3,y radius=2) circle (2pt);</code>

<code>\begin{tikzpicture}[x=1.5cm,y=1cm]</code>	
<code>\fill (xyz polar cs:angle=45,radius=2) circle (2pt);</code>	<code>\fill (45:2cm) circle (2pt);</code>

<code>\begin{tikzpicture}[x={(0cm,1cm)},y={(-1cm,0cm)}]</code>	
<code>\fill (xyz polar cs:angle=45,radius=2) circle (2pt);</code>	<code>\fill (45:2cm) circle (2pt);</code>

6.2.5 Barycentric coordinates

[PGFmanual section : 13-2-2](#)

<code>\node [circle,fill=red!20] at (barycentric cs:A=0.6,B=0.3) {X};</code>		
A=0.3,B=0.3	A=0.4,B=0.4,C=.4	A=0.5,B=0.5,C=.5,D=.5
A=0.6,B=0.3	A=0.2,B=0.4,C=.6	A=0.2,B=0.4,C=.6,D=.8

6.2.6 Named coordinates: nodes

[PGFmanual section : 13-2-3](#)

	<pre>\coordinate (centre) at(1.5,1.5) ; \coordinate (A) at (.5,.5) ; \coordinate (B) at (2.5,2.5) ; \fill (centre) circle (3pt); \draw[red] (A) rectangle (B) ;</pre>
--	--

see also page 49

6.2.7 Coordinates relative to a node

<pre>\node [draw,fill=green!20,] (A) at (1,1) {\huge noeud}; \fill[red] (node cs:name=A,anchor=south) circle (3pt);</pre>			
name=A,anchor=south	name=A,anchor=west	name=A,anchor=north	name=A,anchor=east

<pre>\node [draw,fill=green!20,] (A) at (1,1) {\huge noeud}; \fill[red] (A.south) circle (3pt);</pre>			
A.south	A.west	A.north	A.east

<pre>\fill[red] (node cs:name=A,angle=0) circle (3pt);</pre>			
name=A,angle=0	name=A,angle=-30	name=A,angle=-90	name=A,angle=-150

<pre>\fill[red] (A.0) circle (3pt);</pre>			
A.0	A.-30	A.-90	A.-150

see also page 106

6.2.8 Coordinates relative to two points

PGFmanual section : 13-3-1

<code>\node [circle,fill=red!20] at (1,1 - 3,3) {X}</code>	
at (1,1 - 3,3)	at (1,1 - 3,3)

6.2.9 Coordinates relative to an intersection

PGFmanual section : 13-3-2

Load package : `\usetikzlibrary{intersections}`

```
\draw [name path=XXX] (2,1) circle (1cm);
\draw [name path=YYY] (0.5,0.5) rectangle +(3,1);
\fill [red,name intersections={of=xxx and YYY}] (intersection-1) circle (2pt)
```

intersection-1	intersection-2	intersection-3	intersection-4

```
\fill [red, name intersections={of=XXX and YYY}]
(intersection-1) circle (2pt) node[black,above right] {point a} ;
```

--

```
\fill [red, name intersections={of=XXX and YYY, name=ZZZ}];
\draw [red] (ZZZ-1) - - (ZZZ-3); \draw [green] (ZZZ-2) - - (ZZZ-4);
```

--


```
\fill [red, name intersections={of=XXX and YYY, by={a,b,c,d}}];
\draw [red] (a) - - (c); \draw [green] (b) - - (d);
```

--

```

\fill [name intersections={of=XXX and YYY, name=i, total=\t}] [red]
\foreach \s in {1,...,\t} {(i-\s) circle (2pt) node[black,above right] {\s}}

```



6.2.10 Calculated positions with “pgfmath”

PGFmanual section : 13-2-1

Package automatically loaded with Tikz

<code>explicit : \fill [red] (canvas cs:x=2cm+1.5cm,y=1.5cm-1cm) circle (3pt);</code>	
<code>implicit : \fill [red] (2cm+1.5cm,1.5cm-1cm) circle (3pt);</code>	

	<pre> \draw[dashed] (2,2) circle (2); \fill [red](2+ 2*cos 30 , 2+2*sin 30) circle (3pt); \fill[magenta] (2+2*cos{(120)} , 2+2*sin{(120)}) circle (3pt); </pre>
--	---

6.2.11 Calculated positions with “calc library calc”

PGFmanual section : 13-5

Load package : `\usetikzlibrary{calc}`

	<pre> \node (a) at (1,1) {A}; \fill [red] (\$(a) + 2/3*(1cm,0)\$) circle (2pt); \fill [red] (\$(a) + 4/3*(1cm,0)\$) circle (2pt); </pre>
--	--



6.2.12 Tangents with “calc library”

PGFmanual section : 13-2-4

<pre> \node[fill=green!20] (a) at (3,1.5) {A}; \fill[red] (tangent cs:node=c,point={A},solution=1); </pre>	
solution=1	solution=2



6.2.13 Percentage position

PGFmanual section : 13-5-3



6.2.14 Position at a given distance

PGFmanual section : 13-5-4



6.2.15 Relative coordinates

Cartesian coordinates

[PGFmanual section : 13-4-1](#)

relative to the origin	relative to a position	relative to the last position
<code>(0,0) -- (1,0)</code> <code>-- (2,1) -- (2,-1)</code>	<code>(0,0) -- (1,0)</code> <code>-- +(2,1) -- +(2,-1)</code>	<code>(0,0) -- (1,0)</code> <code>-- ++(2,1) -- ++(2,-1)</code>

<code>\draw (0,0) rectangle (1,1)</code> <code>rectangle (2,2) rectangle (3,3);</code>	<code>\draw (0,0) rectangle (1,1)</code> <code>rectangle +(2,2) rectangle +(3,3);</code>	<code>\draw (0,0) rectangle (1,1)</code> <code>rectangle ++(2,2) rectangle ++(3,3);</code>



Polar




relative to the origin	relative to a position	relative to the last position
<code>(0:0) -- (0:1)</code> <code>-- (30:2) -- (-30:2)</code>	<code>(0:0) -- (0:1)</code> <code>-- +(30:2) -- +(-30:2)</code>	<code>(0:0) -- (0:1)</code> <code>-- ++(30:2) -- ++(-30:2)</code>

Relative polar coordinate

[PGFmanual section : 13-4-2](#)

<code>\draw[blue,very thick] (0,0) -- (2,1) -- ([turn]-45:1cm);</code>	
<code>([turn]-45:1cm)</code>	<code>([turn]45:1cm)</code>

	
<code>\draw (4,0) arc (0 :120 :2) -- ([turn]90:2cm) ;</code>	<code>\draw (0,0) to [bend left] (2,2) -- ([turn]0:2cm);</code>

<code>\draw(1,2) .. controls ([turn]0:2cm) .. ([turn]-90:2cm);</code>		
		
<code>([turn]0:2cm) .. ([turn]-90:2cm)</code>	<code>([turn]30:2cm) .. ([turn]-90:2cm)</code>	<code>([turn]0:2cm) .. ([turn]90:2cm)</code>

7 Nodes

7.1 Creation of nodes

<code>\draw (1,1) node[fill=red!20] {};</code>				
By default	<code>node[draw]</code>	<code>node[circle]</code>	<code>node[circle,draw]</code>	<code>node[coordinate]</code>

<code>\node at (1,1) [fill=red!20] {};</code>			
<code>[fill=red!20]</code>	<code>[draw]</code>	<code>[circle,fill=red!20]</code>	<code>[circle,draw]</code>

Other type of nodes see page 90

<code>\draw (0,0) node at (1,0) {1} node at (2,0) {2}</code> <code>node at (3,0) {3} node at (4,0) {4} node at (5,0) {5};</code>	<code>\draw(0,0) node foreach \x in {1,2,...,5}</code> <code>at (\x,0) {\x};</code>
1 2 3 4 5	1 2 3 4 5

<code>\draw[every node/.style={draw,red}](0,0) node foreach \x in {1,2,...,5}</code> <code>at (\x,0) {\x};</code>



<code>\draw[every rectangle node/.style={draw,red},</code> <code>every circle node/.style={draw,double}]</code> <code>(0,0) node at (1,0) {1} node[circle] at (2,0) {2}</code> <code>node[circle] at (3,0) {3} node at (4,0) {4} node at (5,0) {5};</code>



7.2 Node name

<code>\node[name=A] at (0,0) {}</code> <code>\draw (A) circle (.5);</code>	<code>\node[name=A,alias=B] at (0,0) {}</code> <code>\draw (B) circle (.5);</code>	<code>\node(C) at (0,0) {}</code> <code>\draw (C) circle (.5);</code>



7.3 Node contents

PGFmanual section : 17-2-1



<code>\node at (1,1) [fill=red!20]{XXX} ;</code>	<code>\node at (1,1) [fill=red!20,node contents=XXX] {};</code>
	

<code>\node[red] at (1,1) [fill=blue!20] {XXX} ;</code>	<code>\node[red] at (1,1) [fill=blue!20,node contents=XXX] {};</code>
	













7.4 Behind or in front

<pre>\tikz \fill [fill=blue!50, draw=blue, very thick] (0,0) node [behind path, fill=red!50] {XXXXX} -- (1.5,0) -- (1.5,1) -- (0,1) ;</pre>	
	
behind path	in front of path

7.5 Name prefix or name suffix

	<pre>\draw[name prefix = top-] node (A) at (1,1) {A} node (B) at (2,1) {B} node (C) at (3,1) {C}; \draw[name prefix = bottom-] node (1) at (1,0) {1} node (2) at (2,0) {2} node(3) at (3,0) {3}; \draw [red] (top-A) - (bottom-3);</pre>
	<pre>\draw[name suffix = -top] node (A) at (1,1) {A} node (B) at (2,1) {B} node (C) at (3,1) {C}; \draw[name suffix = -bottom] node (1) at (1,0) {1} node (2) at (2,0) {2} node(3) at (3,0) {3}; \draw [red] (A -top) - - (3 -bottom);</pre>

7.6 Links

<code>\node[draw] (A) at (0,0) {A};</code>	<code>\node[draw] (B) at (1.5,1.5) {B};</code>	<code>\draw (A) - - (B)</code>
		
<code>(A) - - (B)</code>	<code>(A) - (B)</code>	<code>(A) - (B)</code>
		
<code>(A) to [bend right] (B)</code>	<code>(A) to [bend left] (B)</code>	<code>(A) to [bend left=0] (B)</code>
		
<code>(A) to [bend left=120] (B)</code>	<code>(A) to [bend left=45] (B)</code>	<code>(A) to [bend left=90] (B)</code>
		
<code>(A) to [out=90] (B)</code>	<code>(A) to [out=30] (B)</code>	<code>(A) to [in=-90] (B)</code>

<code>\draw (A) .. controls +(right:2cm) and +(down:2cm) .. (B);</code>	
<code>controls +(right:2cm) and +(down:2cm)</code>	<code>controls +(up:1cm) and +(left:1cm)</code>
<code>controls +(right:1cm) and +(right:2cm)</code>	<code>controls +(up:1cm) and +(right:2cm)</code>
<code>controls +(120:2cm) and +(200:1cm)</code>	<code>controls +(120:2cm) and +(200:1cm)</code>
<code>controls +(C) and +(D)</code>	<code>controls +(D)</code>

<pre> \node[draw] (A) at (0,0) {A} \node[draw] (B) at (2,2) {B} \draw[red, ->] (A); </pre> <p style="text-align: center; color: red; border: 1px solid red; padding: 2px;">PGFmanual section : 17-12-1</p>		
<code>[->]</code>	<code>[red]</code>	<code>[dashed]</code>

7.7 Node labels

\fill(0,0) circle (2pt) node[above] {texte} ; PGFmanual section : 17-5-2			
[above]	[below]	[left]	[right]
[above left]	[below left]	[above right]	[below right]
[anchor=south]	[anchor=west]	[anchor=north]	[anchor=east]
[anchor=south east]	[anchor=south west]	[anchor=north west]	[anchor==north east]

\fill(0,0) circle (2pt) node[above=.3cm] {texte} ; PGFmanual section : 17-5-2			
[above=.3cm]	[below=.3cm]	[left=.3cm]	[right=.3cm]
[above left=.3cm]	[below left=.3cm]	[above right=.3cm]	[below right=.3cm]

<code>\shorthandoff{:}</code> ¹ <code>\node [draw,label=right:texte] {}</code> <code>\shorthandon{:}</code>				
label=right	label=left	label=above	label=below	label=45

<code>\fill(0,0) circle (2pt) node[below right=.3cm,draw,label=45:étiquette] {texte};</code>

7.8 The Pin Option

[PGFmanual section : 17-10-3](#)

<code>\shorthandoff{:}</code> <code>\node[circle,draw,blue,pin=texte] {}</code> ; <code>\shorthandon{:}</code> ¹		
[circle,pin=texte]	[circle,pin=60:texte]	[circle,pin=right:texte]

<code>\tikz[pin position=60] \node [circle,pin=texte] {};</code>		
[pin position=60]	[pin distance=0 cm]	[pin distance=2 cm]
By default : above	By default : 3 ex	

¹Only useful when the package babel is loaded with the frenchb option

7.9 Nodes on a path

PGFmanual section : 17-8

<code>\draw(0,0) .. controls (1,2) and (2,-1) .. (4,0) node[at end] {texte} ;</code>		
pos=0	pos=.33	at end (pos=1)
very near end (pos=0.875.)	near end (pos=0.75)	midway (pos=0.5)
near start (pos=0.25)	very near start (pos=0.125)	at start (pos=0)

<code>\draw(0,0) .. controls (1,2) and (2,1) .. (4,0) node[sloped,midway] {texte} ;</code>		
sloped	above	below

<code>\draw(0,0) .. controls (1,2) and (2,1) .. (5,0) node[sloped,midway,allow upside down] {texte} ;</code>		
sloped	above	below

<code>\draw(A) to [bend right] node [bend right] {texte} (B);</code>		
<code>[bend right]</code>	<code>[auto,bend right]</code>	<code>[auto,swap,bend right]</code>

7.10 Nodes on an edge

<code>\draw(0,0) edge ["abc", ->] (4,0);</code> <small>PGFmanual section : 17-12-2</small>		
<code>["abc", ->]</code>	<code>["abc", near start]</code>	<code>["abc", style={auto=right}]</code>
<code>[font=\Large,"abc"]</code>	<code>["abc" color=red]</code>	<code>["abc" fill=yellow]</code>
<code>["abc" draw]</code>	<code>["abc" inner sep=0pt]</code>	<code>["abc" fill ,fill=yellow]</code>

<code>\draw[every edge quotes/.style={fill=yellow}] (0,0) edge ["abc"] (4,0);</code>

7.11 Positionnement relatif de nœuds

Load package : `\usetikzlibrary{positioning}`

PGFmanual section : 17-5-3

<code>\node (a) at (1,0) [above=.4cm+.6cm,draw] {XXX};</code>		
<code>above = 0.4cm+0.6cm</code>	<code>above = .5+sin(60)</code>	<code>above = 1</code>

<code>\node (a) at (1,0) [above right=3cm and 2cm,draw] {XXX};</code>	
above right=3cm and 2cm	below right=3cm and 2cm

	<pre>\node (a) at (1,1) {node a}; \node (b) [above=2cm of a.north east] {XXX};</pre>
--	--

<pre>\node (a) at (1,0) {node a}; \node (b) [above=1cm of a] {node b}; \node (c) [above=1cm of b] {node c};</pre>	<pre>\node (a) at (1,0) {node a}; \node (b) [on grid,above=1cm of a] {node b}; \node (c) [on grid,above=1cm of b] {node c};</pre>


	<pre>\begin{tikzpicture}[every node/.style=draw,node distance=1mm] \node (a) at (1,0) {node a}; \node (b) [above=of a] {node b}; \node (c) [above=of b] {node c}; \end{tikzpicture}</pre>
--	---


<pre>\node[draw] (X) at (0,0) {X}; \node[draw] (a) [right=of X] {a}; \node[draw] (y) [right=of a] {y};</pre>	<pre>\node[draw] (X) at (0,0) {X}; \node[draw] (a) [base right=of X] {a}; \node[draw] (y) [base right=of a] {y};</pre>

7.12 Fitting nodes




Load package : `\usetikzlibrary{fit}`

PGFmanual section : 52



	<pre>\fill (.5,1) circle (3pt); \fill (2,.25) circle (3pt); \fill (1,2) circle (3pt); \fill (1.25,0.25) circle (3pt); \fill (1.75,1.5) circle (3pt); \node[draw=red,ultra thick,fit={(.5,1) (2,.25) (1,2) (1.25,0.25) (1.75,1.5) }] {} ;</pre>
---	--

	<pre>[dot/.style={inner sep=0pt,draw,circle,blue}] \node[dot] (a) at (.5,1) {a}; \node[dot] (b) at (2,.25) {b}; \node[dot] (c) at (1,2) {c}; \node[dot] (d) at (1.25,0.25) {d}; \node[dot] (e) at (1.75,1.5) {e}; \node[draw=red,ultra thick,fit=(a) (b) (c) (d) (e)] {}</pre>
---	--




```
\node[draw=red,ultra thick,fit=(a) (b) (c) (d) (e)] (xxx) {}
\node at (xxx.east) [fill=green!20] {x};
```



		
xxx.east	xxx.north east	xxx.center

```
\node [draw=green,fit=(a) (b) (c) (d) (e)] ;
\node [inner sep=0pt,draw=red,fit=(a) (b) (c) (d) (e)] ;
```

	
inner sep=0pt	inner sep=.5cm

```
\node[circle,draw=red,inner sep=0pt,fit=(a) (b) (c) (d) (e)] {};
```

		
circle	ellipse	shape=starburst (see section 17)


<code>\node[draw=red, rotate fit=45, fit=(a) (b) (c) (d) (e)] {};</code>	
	
rotate fit=45	ellipse, rotate fit=45

7.13 Circle defined by two points

Load package : `\usetikzlibrary{through}`

PGFmanual section : 71

```
\node [draw] at (2,1) [circle through={(1,2)}] {c};
```



7.14 Matrices and Alignment

PGFmanual section : 20

	<pre>\node [matrix,fill=red!10,draw=blue,very thick] at (2,1) { \draw (0,0) circle (4mm); & \node [rotate=45] Hello; \\ \draw (0.2,0) circle (2mm); & \fill[red] (0,0) circle (3mm); \\ };</pre>
--	--

	<pre>\matrix [fill=red!10,draw=blue,very thick] { \draw (0,0) circle (4mm); & \node [rotate=45] Hello; \\ \draw (0.2,0) circle (2mm); & \fill[red] (0,0) circle (3mm); \\ };</pre>
--	--

7.14.1 Cell Pictures



PGFmanual section : 20-3



anchor=base	anchor=north



anchor=base	anchor=north	


	<pre>\matrix [draw=red,nodes=draw] { \node[left] A; \fill[blue] (0,0) circle (2pt); \\ \node B; \fill[blue] (0,0) circle (2pt); \\ \node[right] C; \fill[blue] (0,0) circle (2pt); \\ };</pre>
--	--

<pre>\matrix [draw,column sep=1cm,nodes=draw]</pre>	
column sep=1cm	column sep={1cm,between origins }


<code>\matrix [draw,row sep=1cm,nodes=draw]</code>	
	
<code>row sep=1cm</code>	<code>row sep={1cm,between origins }</code>

<code>\matrix [row sep=5mm,draw,nodes=draw]</code> <code>{ \node {1}; & \node {2}; & \node {3}; \\</code> <code>\node {4}; & \node {5}; & \node {6}; \\ [1cm]</code> <code>\node {7}; & \node {8}; & \node {9}; \\ }</code>	
	
<code>[1cm]</code>	<code>[1cm,between origins]</code>

<code>\matrix [column sep=5mm,draw,nodes=draw]</code> <code>{ \node {1}; & \node {2}; & \node {3}; \\</code> <code>\node {4}; & \node {5}; & [1cm]\node {6}; \\</code> <code>\node {7}; & \node {8}; & \node {9}; \\ }</code>	
	
<code>[1cm]</code>	<code>[1cm,between origins]</code>



7.14.2 Cell Styles and Options

<code>\matrix [nodes=draw,nodes={fill=blue!10,minimum size=1cm}]</code>		
		

\matrix[row 2/.style={red}]		
8 1 6 3 5 7 4 9 2	8 1 6 3 5 7 4 9 2	8 1 6 3 5 7 4 9 2
row 2/.style={red}	column 2/.style={red}	row 2 column 2/.style={red}

\matrix[column 1/.style={anchor=west}]		
12345 67890 123 67 1 6	12345 67890 123 67 1 6	12345 67890 123 67 1 6
[column 1/.style=anchor=west]	[column 1/.style=anchor=east]	[column 1/.style=anchor=base]

\matrix[matrix of nodes, every odd column/.style=red]			
a b c d e f g h i j k l	a b c d e f g h i j k l	a b c d e f g h i j k l	a b c d e f g h i j k l
every odd column	every even column	every odd row	every even row




\matrix [draw,matrix of nodes,execute at begin cell={({})]
(1 (2 (4 (6 (9



\tikz [matrix of nodes/.style={ execute at begin cell=\node\bgroup , execute at end cell=\$m^2\$\egroup; }] \matrix [draw,matrix of nodes]
1 m ² 2 m ² 4 m ² 6 m ² 8 m ² 9 m ²


\matrix [raw,matrix of nodes, execute at empty cell=\node{- -};]
1 2 - 4 - 6 - - 9

7.14.3 Anchoring a Matrix

PGFmanual section : 20-4


<code>\matrix [draw=red,nodes=draw,matrix anchor=east](XXX) at (1,1)</code>		
		
matrix anchor=west	matrix anchor=east	matrix anchor=south

<code>\matrix [draw=red,nodes=draw,anchor=west]</code>	
	
anchor=west	anchor=east

	<code>\matrix[draw=red,nodes=draw, matrix anchor=inner node.south, anchor=base, row sep=5mm,column sep=5mm] at (2,1) { \node {a}; & \node {b}; & \node {c}; & \node {d}; \\ \node {a}; & \node {b}; & \node(inner node){c}; & \node {d}; \\ \node{a}; & \node {b}; & \node{c}; & \node {d}; \\ };</code>
--	--

7.14.4 Considerations Concerning Active Characters

PGFmanual section : 20-5

	<code>\tikz \matrix [ampersand replacement=] { \draw (0,0) circle (4mm); \node[rotate=10] {Hello}; \\ \draw (0.2,0) circle (2mm); \fill[red] (0,0) circle (3mm); \\ };</code>
---	---

7.15 Matrix Library

Load package : `\usetikzlibrary{matrix}`

PGFmanual section : 57-1

<code>\begin{tikzpicture}</code>	<code>\matrix [matrix of nodes]</code>
<code>{</code>	<code>{</code>
<code>1 2 3</code>	<code>1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \\ };</code>
<code>4 5 6</code>	
<code>7 8 9</code>	
<code>};</code>	<code>\end{tikzpicture}</code>

	<pre> \begin{tikzpicture} \matrix (XXX) [matrix of nodes,column sep=.5cm,row sep=.5cm,every node/.style=draw] { 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \\ }; \draw[thick,red,->] (XXX-1-1) -- (XXX-2-3) ; \end{tikzpicture} </pre>
--	--

	<pre> 1 & 2 & 3 \\ 4 & 5 & [red] 6 \\ 7 & 8 & 9 </pre>
--	--

	<pre> AAA & [circle] BBB \\ CCC & [isosceles triangle] DDD \\ [ellipse] EEE & FFF </pre>
--	--

	<pre> \matrix [matrix of nodes,column sep=.5cm,row sep=.5cm,every node/.style=draw] { [a] AAA & [b] BBB \\ [c] CCC & [d] DDD \\ [e] EEE & [f] FFF \\ }; \draw (a) -- (d); \draw (d) -- (f); </pre>
--	--

	<pre> 1 & [1cm] 2 & [5mm] [red] 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 </pre>
--	--

	<pre> \matrix [matrix of math nodes] { A_1 & A_2 & A_3 \\ a_4 & a_5 & a_6 \\ a^7 & a^8 & a^9 \\ }; </pre>
--	---

	<pre>\matrix [matrix of math nodes,nodes=circle,draw] { A_1 & & A_3 \\ a_4 & & a_6 \\ a_7 & a_8 & \\ };</pre>
--	---

	<pre>\matrix [matrix of math nodes,nodes=circle,draw ,nodes in empty cells] { A_1 & & A_3 \\ a_4 & & a_6 \\ a_7 & a_8 & \\ };</pre>
--	---

7.15.1 Characters in Matrices of Nodes

[PGFmanual section : 57-2](#)

	<pre>\matrix [matrix of nodes,nodes={text width=2cm,draw}] { aaa & bbb \\ ccc \\ eee & fff \\ };</pre>
--	---

	<pre>\matrix [matrix of nodes,nodes={text width=2cm,draw}] { 1 & & {aaa \\ bbb \\ ccc} \\ 2 & & ddd \\ };</pre>
--	--

7.15.2 Delimiters

[PGFmanual section : 57-3](#)

\matrix [matrix of math nodes,left delimiter=(]			
$\left(\begin{matrix} a_1 & a_2 & a_3 \\ a_4 & a_5 & a_6 \\ a_7 & a_8 & a_9 \end{matrix} \right)$	$\begin{matrix} a_1 & a_2 & a_3 \\ a_4 & a_5 & a_6 \\ a_7 & a_8 & a_9 \end{matrix} \right\}$	$\begin{matrix} a_1 & a_2 & a_3 \\ a_4 & a_5 & a_6 \\ a_7 & a_8 & a_9 \end{matrix}$	$\begin{matrix} a_1 & a_2 & a_3 \\ a_4 & a_5 & a_6 \\ a_7 & a_8 & a_9 \end{matrix}$
left delimiter=(right delimiter=}	above delimiter=	below delimiter=\rmoustache

```
\tikz \node [fill=red!20,text width=2cm,left delimiter=\{ ]
{Ceci est une démonstration d'un texte sur une largeur de 2cm.};
```

7.16 Chaîne de nœuds

7.16.1 Starting and Continuing a Chain

Load package : `\usetikzlibrary{chains}`

PGFmanual section : 46-2

```
\begin{tikzpicture}[start chain]
\node [on chain] {A};
\node [on chain] {B};
\node [on chain] {C};
\end{tikzpicture}
```

A B C

```
\begin{tikzpicture}[start chain, node distance= 0.5 cm]
```

A B C

```
\begin{tikzpicture}[start chain=going below ]
```

A

B

C

```
\begin{tikzpicture}[start chain=going left ]
```

C B A

```
\begin{tikzpicture}[start chain, every node/.style=draw ]
```

A B C

```
\begin{tikzpicture}[start chain=1 going right ,
start chain=2 going left]
\node [draw,on chain=1] {A};
\node [draw,on chain=1] {B};
\node[draw,on chain=1] {C};
\node [draw,on chain=2] at (3,1) {0};
\node [draw,on chain=2] {1};
\node [draw,on chain=2] {2};
\node[draw,on chain=1] {D};
\end{tikzpicture}
```

2

1

0

A

B

C

D

	<pre> \begin{tikzpicture}[start chain going right] \node [draw,on chain] {A}; \node [draw,on chain] {B}; \node [draw,continue chain=going below,on chain] {C}; \node[draw,on chain] {D}; \node [draw,continue chain=going right,on chain] {E}; \end{tikzpicture} </pre>
--	---

	<pre> \begin{tikzpicture}[start chain going right] { [start chain=1] \node [draw,on chain] {A}; \node [draw,on chain] {B}; \node [draw,on chain] {C}; } { [start chain=2] \node[draw,on chain=2] {0}; \node[draw,on chain=2] {1}; \node[draw,on chain=2] {2}; } { [continue chain=1] \node [draw,on chain] {D}; } \end{tikzpicture} </pre>
--	--



7.16.2 Nodes on a Chain

[PGFmanual section : 46-3](#)

	<pre> \begin{tikzpicture}[start chain=XXX placed {at=(\tikzchaincount*-30+90:1.5)}] \foreach \i in {1,...,12} \node [on chain] {\i}; \draw (0,0) - (XXX-10); \draw (0,0) - (XXX-2); \end{tikzpicture} </pre>
--	--





	<pre> \begin{tikzpicture}[start chain] \node [draw,on chain] {A}; \node [draw,on chain] {B}; \node [draw,on chain=going below] {C}; \node [draw,on chain] {D}; \node [draw,on chain] {E}; \end{tikzpicture} </pre>
--	--

	<pre> \begin{tikzpicture}[start chain=going {at=(\tikzchainprevious,shift=(30:1)}] \node [draw,on chain] {A}; \node [draw,on chain] {B}; \node [draw,on chain] {C}; \node [draw,on chain] {D}; \end{tikzpicture} </pre>
--	---



7.16.3 Joining Nodes on a Chain

[PGFmanual section : 46-4](#)



7.16.4 Branches

PGFmanual section : 46-5

	<pre> \begin{tikzpicture} { [start chain=XXX] \node [draw,on chain] {A}; \node [draw,on chain] {B}; { [start branch=YYY going below] \node [draw,on chain] {1}; \node [draw,on chain] {2}; \node [draw,on chain] {3}; } \node [draw,on chain,join=with XXX/YYY-end, join=with XXX/YYY-2] {C}; } \end{tikzpicture} </pre>
--	---









<pre> \begin{tikzpicture}[node distance=.2cm and 3cm] </pre>	

	<pre> \begin{tikzpicture}[node distance=2mm and 1cm] { [start chain=XXX] \node [draw,on chain] {A}; \node [draw,on chain] {B}; { [start branch=YYY going below] \node [draw,on chain] {1}; \node [draw,on chain] {2}; \node [draw,on chain] {3}; } \node [draw,on chain,join=with XXX/YYY-end] {C}; { [continue branch=YYY] \node [on chain] {4}; \node [on chain] {5}; } } \end{tikzpicture} </pre>
--	---

	<pre> \begin{tikzpicture}[node distance=2mm and 1cm, every node/.style=draw] { [start chain] \node [on chain] {1}; \node [on chain] {2}; { [start branch=XXX going below] } \node [on chain] {3}; { [start branch=YYY going above] } \node [on chain] {4}; { [continue branch=XXX] } \node [on chain] {a}; \node [on chain] {b};} { [continue branch=YYY] } \node [on chain] {A}; \node [on chain] {B}; } </pre>
--	--

8 Transformations

[PGFmanual section : 25-3](#)


\draw[rotate,blue] (0,0) rectangle (2,2) ;			
			
rotate=40	x=1cm,y=0.5cm	xslant=0.75	yslant=0.75
			
scale=1.5	scale=-1	xshift=0.5cm	yshift=0.5cm

9 Placing the picture

9.1 In the text


9.1.1 Without offset

[PGFmanual section : 12-2](#)




picture in the text here is the following code : `\tikz \draw (0,0) rectangle(2,2);\tikz \draw (0,0) circle (1);`

9.1.2 With zero offset



picture in the text here is the following code : `\tikz[baseline=0pt] \draw (0,0) rectangle(2,2);\tikz[baseline=0pt] \draw (0,0) circle (1);`


9.1.3 With an offset





picture in the text here is the following code : `\tikz[baseline=1cm] \draw (0,0) rectangle(2,2);\tikz[baseline=1cm] \draw (0,0) circle (1);`

9.2 In a tikzpicture environment


[PGFmanual section : 12-1](#)

	<pre>text before \tikzpicture[blue] \draw (0,0) rectangle(2,2); \draw (0,0) circle (1); \end{tikzpicture} text after</pre>
---	--

	<pre>text before \begin{tikzpicture}[blue,baseline=0pt] \draw (0,0) rectangle(2,2); \draw (0,0) circle (1); \end{tikzpicture} text after</pre>
---	--



	<pre>text before \begin{tikzpicture}[blue,baseline=1cm] \draw (0,0) rectangle(2,2); \draw (0,0) circle (1); \end{tikzpicture} text after</pre>
--	--



9.3 In a fbox environment


	<pre>text before \fbbox{ \begin{tikzpicture}[blue,baseline=0pt] \draw (0,0) rectangle(2,2); \draw (0,0) circle (1); \end{tikzpicture} } text after</pre>
---	--


9.4 Bounding box


[PGFmanual section : 15-8](#)


<pre>\draw [use as bounding box] (1,0) rectangle (2,1); \draw[blue] (-1,0) - - (3,1);</pre>	
	
<pre>(1,0) rectangle (2,1)</pre>	<pre>(0,0) rectangle (0,0)</pre>

<pre> texte avant. \begin{tikzpicture} [trim left=1cm] \draw[blue] (-1,0) -- (3,1); \draw[red] (0,0) grid (2,1); \end{tikzpicture}texte après </pre>	
 <pre> [trim left=1cm] </pre>	 <pre> [trim right= 1cm] </pre>

<pre> text before \begin{tikzpicture}[blue] \draw [red,use as bounding box] (-1.5,-1.5) rectangle (2.5,2.5); \draw (0,0) rectangle(2,2); \draw (0,0) circle (1); \end{tikzpicture} text after </pre>	
--	---


<pre> text before \begin{tikzpicture}[blue,baseline=0pt] \draw [red,use as bounding box] (-1.5,-1.5) rectangle (2.5,2.5); \draw (0,0) rectangle(2,2); \draw (0,0) circle (1); \end{tikzpicture} text after </pre>	
---	--

<pre> text before \begin{tikzpicture}[blue,baseline=0pt] \useasboundingbox (-1.5,-1.5) rectangle (2.5,2.5); \draw (0,0) rectangle(2,2); \draw (0,0) circle (1); \end{tikzpicture} text after </pre>	
---	---


	<pre> \begin{tikzpicture}[blue] \fill (0,0) circle (5pt); \fill (2,1) circle (5pt); \draw[red] (current bounding box.south west) rectangle (current bounding box.north east); \end{tikzpicture} </pre>
---	--

9.5 Clipping the picture


PGFmanual section : 15-9



9.6 Partial clipping




9.6.1 Scaling



10 Scope

10.1 Environment Scope

[PGFmanual section : 12-3](#)


<pre>\begin{tikzpicture}[line width = 3mm] \draw (0.5,6) - - (2.5,6); \scope[red] \draw (0.5,5) - - (2.5,5); \draw (0.5,4) - - (2.5,4); \end{scope} \draw (0.5,3) - - (2.5,3); \scope[green] \draw (0.5,2) - - (2.5,2); \draw [red] (0.5,1) - - (2.5,1); \draw (0.5,0) - - (2.5,0); \end{scope} \end{tikzpicture}</pre>	
--	--

10.2 library scopes



10.2.1 Shorthand for Scope Environments

[PGFmanual section : 12-3-2](#)

Load package : `\usetikzlibrary{scopes}`

<pre>\begin{tikzpicture}[line width = 3mm] \draw (0.5,6) - - (2.5,6); { [red] \draw (0.5,5) - - (2.5,5); \draw (0.5,4) - - (2.5,4); } \draw (0.5,3) - - (2.5,3); { [green] \draw (0.5,2) - - (2.5,2); \draw [red] (0.5,1) - - (2.5,1); \draw (0.5,0) - - (2.5,0); } \end{tikzpicture}</pre>	
--	--

10.2.2 Single Command Scopes

	
<pre>\node [fill=white] at (1,1) {\DFR}; \scoped [on background layer] \draw (0,0) grid (3,2);</pre>	<pre>\node [fill=white] at (1,1) {\DFR}; \draw (0,0) grid (3,2);</pre>

North west

North

North east

11 Absolute position on a page

```

\begin{tikzpicture}[remember picture,overlay]
\fill(current page.north) circle (5pt) node[below left=4mm] \Huge north ;
\fill(current page.north east) circle (5pt) node[below left=4mm] \Huge north east ;
\fill(current page.north west) circle (5pt) node[below right=4mm] \Huge north west ;
\fill(current page.east) circle (5pt) node[above left=4mm] \Huge east ;
\fill(current page.center) circle (5pt) node[above left=4mm] \Huge center ;
\fill(current page.west) circle (5pt) node[above right=4mm] \Huge west ;
\fill(current page.south) circle (5pt) node[above right=4mm] \Huge south ;
\fill(current page.south west) circle (5pt) node[above right=4mm] \Huge south west ;
\fill(current page.south east) circle (5pt) node[above left=4mm] \Huge south east ;
\end{tikzpicture}

```

```


\begin{tikzpicture}[remember picture,overlay]
\node [opacity=.15] at (current page.center) {\includegraphics[width=8cm]{tiger} };
\end{tikzpicture}

```

```

\begin{tikzpicture}[remember picture,overlay]
\draw[dotted,opacity=.4] (current page.south west) -- (current page.north east)
node[near start] {\Huge TIKZ} ;
\end{tikzpicture}

```



West

center

East

TIKZ


South west

South







South east

12 Background






12.1 Framing

	¹ <code>\begin{tikzpicture}[show background rectangle]</code> <code>\filldraw[fill=yellow] (0,0) ellipse (1 and .5);</code> <code>\end{tikzpicture}</code> <i>Other syntax :</i> <code>\begin{tikzpicture}[framed]</code>
---	--

12.1.1 Options

<code>[show background rectangle,inner frame xsep=1cm]</code>		
		
<code>inner frame xsep=1cm</code>	<code>inner frame ysep=1cm</code>	<code>inner frame sep=1cm</code>
By default: inner frame xsep=1ex , inner frame ysep=1ex		
		
<code>tight background</code>	<code>loose background</code>	<code>rounded corners</code>
(inner frame sep = 0pt)	(inner frame sep = 2ex)	




12.1.2 Style

<code>[background rectangle/.style={double,draw=blue},framed]</code>				
				
<code>double</code>	<code>fill=green</code>	<code>top color=green</code>	<code>line width=4pt</code>	<code>rounded corners=0.5cm</code>





12.2 Partial framing

			
<code>show background top</code>	<code>show background bottom</code>	<code>show background left</code>	<code>show background right</code>


¹`\tikzset{background rectangle/.style={fill=cyan!20,draw=blue,line width=2pt}}`

<code>[framed,show background top,outer frame xsep=1cm]</code>		
		
<code>outer frame xsep=1cm</code>	<code>outer frame ysep=1cm</code>	<code>outer frame sep=1cm</code>




12.2.1 Style

<code>\begin{tikzpicture}[show background left, [background left/.style={double,ultra thick,draw=blue}]</code>			
			
<code>double</code>	<code><-></code>	<code>line width=10pt</code>	<code>dashed</code>


12.2.2 Gridding

	<pre>\begin{tikzpicture}[show background grid] \filldraw[fill=yellow] (0,0) ellipse (2 and 1); \end{tikzpicture}</pre> <p><i>Other syntax :</i> <code>\begin{tikzpicture}[gridded]</code></p>
--	--

12.2.3 Style




















<code>[background grid/.style={ultra thick,draw=blue},show background grid]</code>		
		
<code>ultra thick ,draw=blue,draw=blue</code>	<code>draw=red</code>	<code>step=.5cm,draw=blue</code>

12.2.4 Framing and gridding

	<pre>\begin{tikzpicture}[framed , gridded] \filldraw[fill=yellow] (0,0) ellipse (2 and 1); \end{tikzpicture}</pre>
---	---

13 Defining your own colors

13.1 Basic colors

				
black	blue	brown	cyan	darkgray
				
gray	green	lightgray	lime	magenta
				
olive	orange	pink	purple	red
				
teal	violet	white	yellow	

				
[blue!10]	[blue!30]	[blue!50]	[blue!70]	[blue!90]


13.2 Colors mixing

			
[blue!30!red]	[red!80!blue!20]	[red!80!blue!50]	[red!80!blue!50!black!40]



13.3 Naming a color

[PGFmanual section : 15-2](#)

13.3.1 Percentage of red , green and blue






	<pre>\definecolor{macouleur}{rgb}{.75,0.5,0.25} (75% de rouge 50% de vert 25% de bleu) \fill [macouleur] (0,0) rectangle (2,1);</pre>
---	---













13.3.2 From existing color






	<pre>\colorlet{monrouge}{red!25} \fill [monrouge] (0,0) rectangle (2,1);</pre>
	<pre>\colorlet{monviolet}{red!25!blue} \fill [monviolet] (0,0) rectangle (2,1);</pre>

14 Opacity

[PGFmanual section : 23-2](#)













<code>\draw[red] (0,0) - (2,1);</code>		<code>\draw [blue,draw opacity=0] (0,1) - - (2,0);</code>		
				
<code>draw opacity=0</code>	<code>draw opacity=0.25</code>	<code>draw opacity=0.5</code>	<code>draw opacity=0.75</code>	<code>draw opacity=1</code>

<code>\fill[red] (0,0) rectangle (1,1);</code>		<code>\fill[blue,transparent] (0.5,0) rectangle (1.5,1);</code>	
			
<code>transparent</code>	<code>ultra nearly transparent</code>	<code>very nearly transparent</code>	<code>nearly transparent</code>
			
<code>semitransparent</code>	<code>nearly opaque</code>	<code>very nearly opaque</code>	<code>ultra nearly opaque</code>
			
<code>opaque</code>	<code>fill opacity=.25</code>	<code>fill opacity=.5</code>	<code>fill opacity=.75</code>

<code>\node at (1,1) [text opacity=1] { \Huge texte} ;</code>				
				
<code>text opacity=1</code>	<code>text opacity=0.75</code>	<code>text opacity=0.5</code>	<code>opacity=0.25</code>	<code>text opacity=0</code>

14.1 Blend Modes

PGFmanual section : 23-3

		
<code>blend group=normal</code>	<code>blend group=multiply</code>	<code>blend group=screen</code>
		
<code>blend group=overlay</code>	<code>blend group=darken</code>	<code>blend group=lighten</code>
		
<code>blend group=difference</code>	<code>blend group=exclusion</code>	<code>blend group=hue</code>
		
<code>blend group=saturation</code>	<code>blend group=color</code>	<code>blend group=luminosity</code>









Error message Unknow blend mode !			
<code>blend group=colordodge</code>	<code>blend group=colorburn</code>	<code>blend group=hardlight</code>	<code>blend group=softlight</code>

14.2 Fading

Load package : `\usetikzlibrary{fadings}`



14.2.1 Preset patterns









PGFmanual section : 51



<code>\fill [blue,path fading=north] (-1,-1) rectangle (1,1);</code>			
			
path fading=north	path fading=south	path fading=east	path fading=west
			
path fading=circle with fuzzy edge 10 percent		path fading=circle with fuzzy edge 15 percent	
			
path fading=circle with fuzzy edge 20 percent		path fading=fuzzy ring 15 percent	

14.2.2 Own patterns of fading with tikzfadingfrompicture





PGFmanual section : 23-4-1

<i>Creation</i>	<i>Visualization</i>
<pre>\tikzfadingfrompicture[name=filtre] \shade[left color=yellow,right color=blue!100] (0,0) rectangle (2,2); \fill[blue!50] (1,1) circle (0.7); \end{tikzfadingfrompicture}</pre>	
<pre>\tikzfadingfrompicture[name=tikz] \node [draw,text=transparent!20] {\fontfamily{ptm}\fontsize{25}{25}\bfseries\selectfont TikZ}; \end{tikzfadingfrompicture}</pre>	

Use in a frame	
<code>\fill[path fading=filtre] (-2,-1) rectangle (2,1);</code>	
	
<code>[path fading=filtre]</code>	<code>[path fading=tikz]</code>
	
<code>[path fading=filtre ,fit fading=false]</code>	<code>[path fading=tikz,fit fading=false]</code>
	
<code>left color=blue,right color=red</code>	<code>[path left color=blue,right color=red]</code>
	
<code>[path fading=filtre ,red]</code>	<code>[path fading=tikz,red]</code>




Use in an ellipse	
<code>\fill[path fading=filtre] (-2,-1) ellipse (2 and 1);</code>	
	
<code>[path fading=filtre]</code>	<code>[path fading=tikz]</code>

14.3 Creating fading patterns with tikzfading


<pre>\tikzfading[name=fade right, left color=transparent!0, right color=transparent!100]</pre> <pre>\tikz \filldraw [red,path fading=fade right] (-1,-1) rectangle (1,1);</pre>	
<pre>\tikzfading[name=fade out, inner color=transparent!0, outer color=transparent!100]</pre> <pre>\tikz \filldraw [blue,path fading=fade out] (-1,-1) rectangle (1,1);</pre>	
<pre>\tikzfading[name=fade inside, inner color=transparent!80, outer color=transparent!10]</pre> <pre>\tikz \filldraw [blue,path fading=fade inside] (-1,-1) rectangle (1,1);</pre>	
<pre>\tikzfading[name=middle, top color=transparent!80, bottom color=transparent!80, middle color=transparent!20]</pre> <pre>\tikz \filldraw [blue,path fading=middle] (-1,-1) rectangle (1,1);</pre>	

14.3.1 Modification of the fading pattern

[PGFmanual section : 23-4-2](#)

<pre>\fill [blue,path fading=north,fading transform={yshift=-.5cm}] (-1,-1) rectangle (1,1);</pre>		
		
fading transform={yshift=-.5cm}	fading transform={yshift=-.5cm}	fading angle=30



[PGFmanual section : 23-4-3](#)


<pre>\begin{tikzpicture} \draw (-1,-1) rectangle (1,1); \path [scope fading=east] (-1,-1) rectangle (1,1); \fill[red] (90:1) circle (1); \fill[green] (210:1) circle (1); \fill[blue] (330:1) circle (1); \end{tikzpicture}</pre>	
--	--

<pre>\tikz \node [black,scope fading=south,fading angle=45,text width=5cm] { VisualTIKZ VisualTIKZ VisualTIKZ Visu- alTIKZ VisualTIKZ VisualTIKZ VisualTIKZ VisualTIKZ VisualTIKZ VisualTIKZ Visu- alTIKZ VisualTIKZ VisualTIKZ };</pre>	<pre>VisualTIKZ VisualTIKZ VisualTIKZ VisualTIKZ VisualTIKZ VisualTIKZ VisualTIKZ VisualTIKZ VisualTIKZ VisualTIKZ VisualTIKZ VisualTIKZ VisualTIKZ</pre>
--	---

14.4 Transparency Groups

[PGFmanual section : 23-5](#)

<pre>\begin{tikzpicture}[opacity=.5] \draw [line width=1cm] (0,0) – (2,2); \draw [line width=1cm] (0,2) – (2,0); \end{tikzpicture}</pre>	
	
[opacity=.5]	[opacity=.5,transparency group]

Not working !	
<pre>\begin{tikzpicture} \shade [left color=red,right color=blue] (-2,-1) rectangle (2,1); \begin{scope}[transparency group=knockout] \fill[white] (-1.9,-.9) rectangle (1.9,.9); \node [opacity=0] TikZ; \end{scope} \end{tikzpicture}</pre>	

15 Create command

Load package : **Warning: the creation of the command must be placed before `\begin{document}` !**

syntax : `\newcommand{\name}[number of variables]{Description}`

Example : command with one variable :

Creation

```
\newcommand
{\maboite}[1]{
\begin{center}
\tikzpicture \node[fill=yellow
,text centered
,text width=.5\linewidth]
#1} ; \end{center}
}
```

% command named "maboite" with one variable
% centering the box
% a yellow text box
% centering the text in the box
% to set the width of the box
% #1 will be replaced by the variable

Utilisation : `\maboite{contenu}`

Load package : contenu

Example : command without variable :


creation

```
\newcommand{\DFR}{\tikzpicture[scale=.25] \draw [fill=blue](0,0) rectangle (3,1.5);
\draw [fill=white](1,0) rectangle (2,1.5); \draw[fill=red](2,0) rectangle (3,1.5);\endtikzpicture }
```



Utilisation : `\DFR` 

16 Creating styles

16.1 Styles without variable





	<pre>\begin{tikzpicture} [mon style/.style={draw=blue, fill=red!20, very thick}] \draw (0,0) circle (2cm); \draw[mon style] (0,0) circle (1cm); \end{tikzpicture}</pre>
---	---

16.2 Styles with variable









	<pre>\begin{tikzpicture} [mon style/.style={draw=#1, thick, fill=#1!50, scale=.5}] \filldraw [mon style=red] (0,0) rectangle (2,1); \filldraw [mon style=blue] (3,0) rectangle (5,1); \end{tikzpicture}</pre>
<p>With a default value</p>	
	<pre>\begin{tikzpicture} [mon style/.style={draw=#1,fill=#1!20,very thick}, mon style/default=black] \filldraw [mon style] (0,0) rectangle (2,1); \filldraw [mon style=blue] (3,0) rectangle (5,1); \end{tikzpicture}</pre>





17 Text highlighting





17.1 In a TikZ node

\tikz \draw (0,0) grid (2,2) (1,1) node[fill=red!20] {texte};			
			
node[fill=red!20]	node[fill=red!20,draw]	node[fill=red!20,circle]	node[fill=red!20,circle,draw]





17.1.1 Options

\tikz \draw node[draw,double,blue] {texte};							
							
double	rounded corners	ultra thick	dashed	red	rotate=45	shading=radial	text=red

\tikz \draw node[draw,inner sep=0pt] {texte}; PGFmanual section : 17-2-3			
			
inner sep=0pt	inner sep=1cm	inner xsep=1cm	inner ysep=1cm
By default : 0.3333em			

\node [fill=red!20,outer sep=1cm] (A) at (1,1) {texte}; PGFmanual section : 17-2-3 \fill (node cs:name=A,anchor=east) circle (3pt); \fill (node cs:name=A,anchor=south) circle (3pt);			
			
outer sep=1cm	outer sep=0pt	outer xsep=1cm	outer ysep=1cm
By default : 0.5\pgflinewidth			

17.1.2 Minimum size

\draw((0,0) node[fill=blue!20,minimum height=1.5cm,draw] {texte} ; PGFmanual section : 17-2-3	
	
minimum height=1.5cm	minimum width=3cm
	
minimum size=1.5cm,draw	minimum size=1.5cm,circle

17.2 Geometric Shapes nodes

Load package : `\usetikzlibrary{shapes.geometric}`












PGFmanual section : 67-3

17.2.1 Available shapes







2 syntaxes :




`\tikz \node[fill=green!20,shape=diamond,draw,blue] {texte};`




`\tikz \node[fill=green!20,diamond,draw] {texte};`




			
diamond	ellipse	trapezium	semicircle
			
star	regular polygon	isosceles triangle	kite
			
dart	circular sector	cylinder	




17.2.2 Options





<code>\node [trapezium,draw, trapezium left angle=90,draw,blue] {texte};</code>		
		
trapezium left angle=90	trapezium right angle=90	trapezium angle=120
		
minimum height=1.5cm trapezium stretches=true	minimum height=1.5cm trapezium stretches=false	minimum width=1.5cm trapezium stretches





<code>\tikz \node [fill=green!20,star,star points=6,draw] {texte};</code>		
		
star points=7 By default 5	star point height = 2cm By default .5cm	star point ratio = 3 By default 1.5


<code>\node [isosceles triangle,isosceles triangle apex angle=90,draw,blue] {texte};</code> <code>\node [regular polygon, regular polygon sides=6,draw,blue] {texte};</code>		
		
isosceles triangle apex angle=90	isosceles triangle stretches	regular polygon sides=6

<code>\node [kite,kite upper vertex angle=90,draw,blue] {texte};</code>		
		
kite upper vertex angle=90 initially 120	kite lower vertex angle=90 initially 60	kite vertex angles=90

<code>\node [dart,dart tip angle=90,draw,blue] {texte};</code>		
		
dart tip angle=90 initially 45	dart tail angle=90 initially 135	circular sector angle=90 initially 60

<code>\node [cylinder,aspect=2,draw,blue] {texte};</code>	
	
<code>aspect=2</code>	<code>aspect=4</code>
	
<code>cylinder uses custom fill, cylinder end fill=yellow</code>	<code>cylinder uses custom fill, cylinder body fill=yellow</code>

<code>\draw(0,0) node[shape aspect=1,diamond,draw] {texte} ;</code>			
			
<code>shape aspect=1</code>	<code>shape aspect=2</code>	<code>shape aspect=3</code>	<code>shape aspect=4</code>







<code>\draw node[shape border rotate=30,shape=dart, draw, shape border uses incircle] {texte};</code>	
	

17.3 Symbol Shapes nodes




```
Load package : \usetikzlibrary{shapes.symbols}
```





PGFmanual section : 67-4





17.3.1 Available shapes




		
forbidden sign	magnifying glass	cloud
		
starburst	signal	tape





17.3.2 Options





<code>\node[magnifying glass,magnifying glass handle angle=45,draw,blue] {texte} ;</code>		
		
magnifying glass handle angle=45 By default : -45	magnifying glass handle aspect=3 By default : 1.5	line width=1ex



<code>\node [cloud,cloud puffs=5,draw,blue] {texte};</code>			
			
cloud puffs=5 By default: 10	cloud puff arc=270 By default: 135	cloud ignores aspect=false	cloud ignores aspect=true By default: true







<code>\node [starburst,starburst points=5,draw,blue] {texte};</code>			
			
starburst points=5	starburst point height=1cm	random starburst=50	random starburst=0


<code>\node [signal,signal pointer angle=45,draw,blue] {texte};</code>		
		
<code>signal pointer angle=45</code>	<code>signal pointer angle=10</code>	<code>signal pointer angle=300</code>
By default : <code>signal pointer angle= 90</code>		

<code>\node [signal,signal to=above,draw,blue] {texte};</code>			
			
<code>signal to=above</code>	<code>signal to=below</code>	<code>signal to=right</code>	<code>signal to=above</code>

<code>\tikz [signal to=nowhere] \node [signal,signal from=above=45,draw,blue] {texte};</code>			
			
<code>signal from=above</code>	<code>signal from=below</code>	<code>signal from=right</code>	<code>signal from=above</code>

	
<code>signal from=east , signal to=west</code>	<code>signal from=south, signal to=north</code>

<code>\tikz \node [tape, draw,tape bend top=out and in] {texte};</code>		
		
<code>tape bend top=out and in</code>	<code>tape bend bottom=out and in</code>	<code>tape bend bottom=in and in</code>
		
<code>tape bend top=none</code>	<code>tape bend bottom=out and in tape bend top=out and in</code>	<code>tape bend bottom=in and out tape bend top=in and out (By default)</code>




<code>\tikz \node [tape, draw, tape bend height=1cm,blue] {texte};</code>

By default : <code>tape bend height = 5pt</code>

17.4 Arrow Shapes nodes






Load package : `\usetikzlibrary{shapes.arrows}`





PGFmanual section : 67-5






17.4.1 Available shapes





		
single arrow	double arrow	arrow box





17.4.2 Options

<code>\node[single arrow,draw,angle=45] {texte};</code>				
<code>\node[single arrow,draw,angle=120] {texte};</code>				
				
angle=45	angle=120	extend=.75cm]	extend=0cm	extend=-1mm
By default: single arrow tip angle= 90			By default: single arrow head extend=0.5cm	

<code>\node[minimum size=2cm,single arrow,draw,angle=45,indent=1cm,blue] {texte};</code>				
				
indent=1cm	indent=10pt	indent=1ex	indent=-1ex	

<code>\node[minimum size=2cm,double arrow,draw,angle=45] {texte};</code>				
<code>\node[minimum size=2cm,double arrow,draw,angle=120] {texte};</code>				
<code>\node[minimum size=2cm,double arrow,draw,extend=1ex] {texte};</code>				
				
angle=45	angle=120	extend=1ex	extend=0	indent=1ex

<code>\node [arrow box, draw, arrow box arrows={north:.25cm}] {texte};</code>			
			
{north:.25cm}	{west:.25cm}	{south:.25cm}	{east:.25cm}
By default : 0.5 cm			




<code>\node [arrow box, draw, arrow box tip angle=45] {texte};</code>	
	
arrow box tip angle=45	arrow box head extend=.25cm
By default: 90	By default: 0.125cm
	
arrow box head indent=.25cm	arrow box shaft width=.25cm
By default : 0cm	By default : 0.125cm

17.5 Callout Shapes nodes









Load package : `\usetikzlibrary{shapes.callouts}`




PGFmanual section : 67-7




17.5.1 Available shapes







		
ellipse callout	rectangle callout	cloud callout

17.5.2 Options

<code>\node [rectangle callout,draw,callout absolute pointer=(0,1)] at (2,1) {texte};</code>			
			
<code>callout relative pointer={{(0,1)}}</code>		<code>callout absolute pointer={{(0,1)}}</code>	
			
<code>callout pointer shorten=.5cm</code>			

<code>\node [ellipse callout,draw,callout pointer arc=1] at (0,1.5) {texte};</code>		
		
<code>callout pointer arc=1</code>	<code>callout pointer arc=30</code>	<code>callout pointer arc=90</code>
By default : <code>callout pointer arc=15</code>		

<code>\node[draw,cloud callout, aspect=2.5] {texte};</code>		
		
<code>cloud puffs=5</code>	<code>aspect=2.5</code>	<code>cloud puff arc=120</code>

<code>\node [draw,cloud callout,callout pointer start size=.1] {texte};</code>		
		
<code>callout pointer start size=.1</code>	<code>start size=.8cm</code>	<code>start size=20pt and 1pt</code>
By default : callout pointer start size =.2 of callout		
		
<code>callout pointer end size=.5</code>	<code>callout pointer end size=.8cm</code>	<code>callout pointer segments=3</code>
By default : callout pointer start size = .1 of callout		By default : segments=2

17.6 Miscellaneous Shapes nodes

Load package : `\usetikzlibrary{shapes.misc}`

PGFmanual section : 67-8

17.6.1 Available shapes

cross out	strike out	rounded rectangle	chamfered rectangle

17.6.2 Options

Options for “rounded rectangle” :

<code>\node [draw, rounded rectangle,rounded rectangle arc length=270] {texte};</code>				
270	180	120	90	45

<code>\node [draw, rounded rectangle,rounded rectangle west arc=concave] {texte};</code>				<code>\node [draw, rounded rectangle,rounded rectangle left arc=concave] {texte};</code>	
concave	convex	none			






<code>\node [draw, rounded rectangle,rounded rectangle east arc=concave] {texte};</code>		<code>\node [draw, rounded rectangle,rounded rectangle right arc=concave] {texte};</code>		
concave	convex			none




Options for “chamfered rectangle” :

<code>\node [draw, chamfered rectangle,chamfered rectangle angle=30] {texte};</code>			
10	30	60	80
By default: 45			

<code>\node [draw, chamfered rectangle,chamfered rectangle xsep=10pt] {texte};</code>				
xsep=0pt	xsep=5pt	xsep=10pt	xsep=-10pt	xsep=2cm
By default: 0.666ex				

<code>\node [draw, chamfered rectangle,chamfered rectangle ysep=10pt] {texte};</code>				
ysep=0pt	ysep=5pt	ysep=10pt	ysep=-10pt	ysep=1cm





<code>\node [draw, chamfered rectangle,chamfered rectangle ysep=10pt] {texte};</code>				
				
sep=0pt	sep=5pt	sep=10pt	sep=-10pt	sep=1cm


<code>\node [draw, chamfered rectangle,chamfered rectangle corners=north west] {texte};</code>		
		
north west	{north east, south east}	{north east, south west}


17.7 Shapes with Multiple Text Parts


Load package : `\usetikzlibrary{shapes.multipart}`



PGFmanual section : 67-6



<code>\node [circle split,draw,fill=green!20]{haut \nodepart{lower} bas };</code>			
			
circle split	circle solidus	ellipse split	rectangle split





	<code>\node[rectangle split,rectangle split parts=5,draw]{texte 1\nodepart{second} texte 2\nodepart{four} texte 3};</code> By default: <code>rectangle split parts=4</code>
---	--



<code>\node [rectangle split,rectangle split parts=3,rectangle split horizontal,draw,blue]{texte1\nodepart{two}texte2\nodepart{three}texte3};</code>




	<code>\node[rectangle split,rectangle split parts=5,draw]{texte 1\nodepart{second} texte 2a \\texte 2b \\texte 2c\nodepart{three} texte 3a \\ texte 3b };</code>
---	--


<code>\node[rectangle split, draw,blue,minimum size = 2cm,rectangle split draw splits= true]{texte 1 \nodepart{two} texte 2 \nodepart{three} texte 3 \nodepart{four} texte 4};</code>	
	
rectangle split draw splits= true By default	rectangle split draw splits= false

<code>\node [rectangle split,rectangle split parts=3,draw,rectangle split ignore empty parts=false]{texte 1 \nodepart{second} \nodepart{third}texte 3};</code>	
	
rectangle split ignore empty parts=false	rectangle split ignore empty parts=true

<code>\node [rectangle split,rectangle split parts=3,draw,rectangle split empty part depth=1cm] {texte 1 \nodepart{second} \nodepart{third}texte 3};</code>	
	
<code>rectangle split empty part depth=1cm</code>	<code>text depth=1cm</code>
By default: 0ex	By default: 0ex
	
<code>rectangle split empty part height=1cm</code>	<code>text height=1cm</code>
By default: 1ex	By default: 1ex

<code>\node [rectangle split,rectangle split parts=3,draw,rectangle split empty part width=1cm] {};</code>	
	
<code>rectangle split empty part width=2cm</code>	By default: 1ex

	<code>\node[rectangle split, draw,blue,minimum size = 2cm, rectangle split part align={center, left,right}] {texte 1 \nodepart{two} texte 2 \nodepart{three} texte 3 \nodepart{four} texte 4};</code>
	<code>\node[rectangle split, draw,blue,minimum size = 2cm, rectangle split horizontal, rectangle split part align={center,base, top,bottom}] {texte 1 \nodepart{two} texte 2 \nodepart{three} texte 3 \nodepart{four} texte 4};</code>

	<code>\node[rectangle split, draw,blue, minimum width=1cm, rectangle split part fill={red, green,cyan}]{};</code>
---	---

17.8 Text attributes

17.8.1 Position

PGFmanual section : 17-4-3

<pre>\tikz \draw (0,0) node[fill=blue!10,text width=2cm,text justified] {Ceci est une démonstration d'un texte sur une largeur de 2cm};</pre>			
without option	text justified	text centered	text ragged
text badly ragged	text badly centered	align=center	align=flush center
align=justify	align=flush right	align=right	align=flush left

	<pre>\tikz \node [draw] { \begin{tabular}{ c c } \hline AAA & BBB \\ \hline CCC & DDD \\ \hline \end{tabular} };</pre>
--	--

<pre>\tikz[align=left] \node[draw] {AAA \ \ BBBBBBBB \ \ CC};</pre>		
[align=left]	[align=center]	[align=right]

<code>\tikz[align=left] \node[draw] {AAA \ \ [1cm] BBBBBBBB };</code>	
<code>[1cm]</code>	<code>[-1cm]</code>

17.8.2 Colors and Fonts

Texte.	<i>Texte.</i>	<i>Texte.</i>	<i>Texte.</i>	<i>Texte.</i>	<i>Texte.</i>
<code>[text= red]</code>	<code>[font=\itshape]</code>	<code>[font=\slshape]</code>	<code>[font=\scshape]</code>	<code>[font=\upshape]</code>	<code>[font=\bfseries]</code>

17.8.3 Font Sizes

<code>\tikz \draw (0,0) node[font=\tiny]{Texte.}</code>						
<small>Texte.</small>	<i>Texte.</i>	<i>Texte.</i>	<i>Texte.</i>	<i>Texte.</i>	Texte.	Texte.
<code>\tiny</code>	<code>\footnotesize</code>	<code>\small</code>	<code>\large</code>	<code>\Large</code>	<code>\huge</code>	<code>\Huge</code>




















PGFmanual section : 17-4-4

<code>text height=1cm</code>	<code>text depth=1cm</code>	<code>text height=0.5cm, text depth=0.5cm</code>

17.9 Positions on a node




17.9.1 For all types of node

PGFmanual section : 17-5-1


			
north west	north	north east	text
			
west	mid west	base west	base
			
east	mid esat	base east	mid
			
south east	south	south west	center
			
0	120	-60	

17.9.2 Specific to a node


see [PGFmanual section : 67](#)




shape=semicircle,shape border rotate=0









shape=regular polygon









shape=star



















shape=ellipse callout





shape=cloud callout



shape=cross out





18 Decorations

18.1 Library “decorations.pathmorphing”

PGFmanual section : 48-2

18.1.1 “lineto”

(0,0) - - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2)

18.1.2 “straight zigzag”

<code>\draw[decorate,decoration=straight zigzag] (0,0) - - (2,2) ;</code>		
(0,0) - - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2);

<code>\draw[decorate,decoration={straight zigzag,meta-segment length=2cm}] (0,0) - - (10,0);</code>	By default
<code>meta-segment length=2cm</code>	1cm
<code>amplitude=0.5cm</code>	2.5pt
<code>segment length=1cm</code>	10pt

<code>\draw[decorate,decoration={straight zigzag,meta-segment length=0.5cm}] (1,1) circle (1);</code>		
<code>meta-segment length=2cm</code>	<code>amplitude=0.5cm</code>	<code>segment length=5pt</code>

18.1.3 “random steps”

<code>\draw[decorate,decoration=random steps] (0,0) - - (2,2) ;</code>		
(0,0) - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2)

<code>\draw[decorate,decoration={random steps,segment length=2cm}] (0,0) - - (10,0);</code>		By default
<code>segment length=2pt</code>		10pt
<code>segment length=1cm</code>		
<code>amplitude=0.5cm</code>		2.5pt
<code>amplitude=0.5cm</code> <code>,segment length=1cm</code>		

<code>\draw[decorate,decoration={random steps,segment length=2cm}] (1,1) circle (1);</code>		
<code>meta-segment length=2cm</code>	<code>amplitude=0.5cm</code>	<code>segment length=5pt</code>

18.1.4 “saw”

<code>\draw[decorate,decoration=saw] (0,0) - - (2,2) ;</code>		
<code>(0,0) - - (2,2)</code>	<code>(1,1) circle (1)</code>	<code>(0,0) arc (0:180:3 and 2);</code>

<code>\draw[decorate,decoration={saw,meta-segment length=0.5cm}] (0,0) - - (10,0);</code>		By default
<code>segment length=0.5cm</code>		10 pt
<code>segment length=2cm</code>		
<code>amplitude=0.5cm</code>		2.5 pt

<code>\draw[decorate,decoration={saw,segment length=20pt}] (1,1) circle (1);</code>		
<code>segment length=20pt</code>	<code>segment length=5pt</code>	<code>amplitude=0.5cm</code>

18.1.5 “zigzag”

<code>\draw[decorate,decoration=zigzag] (0,0) -- (2,2);</code>		
<code>(0,0) -- (2,2)</code>	<code>(1,1) circle (1)</code>	<code>(0,0) arc (0:180:3 and 2);</code>




<code>\draw[decorate,decoration={zigzag,meta-segment length=2cm}] (0,0) -- (10,0);</code>		By default
<code>segment length=0.5cm</code>		10pt
<code>segment length=2cm</code>		
<code>amplitude=0.5cm</code>		2.5 pt

<code>\draw[decorate,decoration={saw,segment length=20pt}] (1,1) circle (1);</code>		
<code>segment length=20pt</code>	<code>segment length=5pt</code>	<code>amplitude=0.5cm</code>




18.1.6 “bent”



<code>(0,0) -- (2,2)</code>	<code>(1,1) circle (1)</code>	<code>(0,0) arc (0:180:3 and 2);</code>




<code>\draw[decorate,decoration={bent,amplitude=0.5cm}] (0,0) -- (10,0);</code>		By default
<code>amplitude=0.5cm</code>		2.5 pt
<code>aspect=0.1 (en bleue)</code> <code>aspect=0.9 (en vert)</code> <code>amplitude=0.5cm</code>		0.5

		
<code>amplitude=1cm</code>	<code>amplitude=0.5cm</code>	<code>aspect=0.25</code>




18.1.7 “bumps”

<code>\draw[decorate,decoration=bumps] (0,0) - - (2,2) ;</code>		
		
<code>(0,0) - - (2,2)</code>	<code>(1,1) circle (1)</code>	<code>(0,0) arc (0:180:3 and 2)</code>

<code>\draw[decorate,decoration={bumps,amplitude=0.5cm}] (0,0) - - (10,0);</code>		By default
<code>amplitude=0.5cm</code>		2.5 pt
<code>segment length=1cm</code>		10 pt

<code>\draw[decorate,decoration={bumps,amplitude=10pt}] (1,1) circle (1);</code>		
		
<code>amplitude=10pt</code>	<code>amplitude=0.5cm</code>	<code>segment length=20pt</code>

18.1.8 “coil”

<code>\draw[decorate,decoration=coil] (0,0) - - (2,2) ;</code>		
		
<code>(0,0) - - (2,2)</code>	<code>(1,1) circle (1)</code>	<code>(0,0) arc (0:180:3 and 2)</code>

<code>\draw[decorate,decoration={coil,amplitude=0.5cm}] (0,0) - - (10,0);</code>		By default
<code>amplitude=0.5cm</code>		2.5 pt
<code>segment length=1cm</code>		10 pt
<code>aspect=0.1</code> (<code>amplitude=0.5cm</code>)		0.5
<code>aspect=0.3</code>		
<code>aspect=0.9</code>		

<code>\draw[decorate,decoration={coil,amplitude=0.5cm}] (1,1) circle (1);</code>		
<code>amplitude=0.5 cm</code>	<code>segment length=1cm</code> <code>amplitude=0.5cm</code>	<code>aspect=0.25</code> <code>amplitude=0.5cm</code>

18.1.9 “curveto”




<code>(0,0) - - (2,2)</code>	<code>(1,1) circle (1)</code>	<code>(0,0) arc (0:180:3 and 2)</code>

18.1.10 “snake”

<code>\draw[decorate,decoration=snake] (0,0) - - (2,2) ;</code>		
<code>(0,0) - - (2,2)</code>	<code>(1,1) circle (1)</code>	<code>(0,0) arc (0:180:3 and 2)</code>

<code>\draw[decorate,decoration={snake,segment length=2cm}] (0,0) - - (10,0);</code>		By default
<code>amplitude=0.5cm</code>		2.5 pt
<code>segment length=1cm</code>		10 pt


```
\draw[decorate,decoration= snake, amplitude=5pt] (1,1) circle (1);
```




		
amplitude=5pt	amplitude=0.5cm	segment length=5pt




18.2 Library “decorations.pathreplacing”




Load package : `\usetikzlibrary{decorations.pathreplacing}`

PGFmanual section : 48-3


18.2.1 “border”





<code>\draw[decorate,decoration=border] (0,0) - - (2,2) ;</code>		
		
(0,0) - - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2)

<code>\draw[decorate,decoration={border,amplitude=0.5cm}] (0,0) - - (10,0);</code>		By default
amplitude=0.5cm		2.5 pt
segment length=1cm , amplitude=0.5cm		10 pt
angle=90 , amplitude=0.5cm		45


<code>\draw[decorate,decoration= {border,amplitude=0.5cm}] (1,1) circle (1);</code>		
		
amplitude=0.5cm	segment length=1cm ,amplitude=0.5cm	angle=90 ,amplitude=0.5cm



18.2.2 “brace”

	<code>\draw [decorate,decoration=brace] (0,0) - - (3,1);</code>
---	--

<code>\draw[decorate,decoration= {brace,amplitude=0.5cm}] (1,1) circle (1); ;</code>			
			
amplitude=0.5cm	aspect=0.65 ,amplitude = 0.5cm	raise= 0.25cm ,amplitude = 0.5cm	mirror ,amplitude = 0.5cm
By default: 2.5	By default: 0.5	By default: 0	

18.2.3 "expanding waves"




	<pre>\draw [dashed,red](0,0) -- (20:2) ; \draw [dashed,red](0,0) -- (-20:2) ; \draw [decorate,decoration={expanding waves}](0,0) -- (2,0) ;</pre>
---	---



<pre>\draw[decorate,decoration= {expanding waves,segment length=0.5cm}] (1,1) circle (1);</pre>	
	
segment length=0.5cm By default: 10pt	angle=45 By default: 20




18.2.4 "moveto"

see page 140




18.2.5 "ticks"




<pre>\draw[decorate,decoration=ticks] (0,0) -- (2,2) ;</pre>		
		
(0,0) -- (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2)




<pre>\draw[decorate,decoration={ticks,amplitude=0.5cm}] (0,0) -- (10,0);</pre>		By default
amplitude=0.5cm		2.5 pt
segment length=1cm		10 pt

<pre>\draw[decorate,decoration= {ticks,segment length=1cm}] (1,1) circle (1);</pre>		
		
segment length=1cm (1,1) circle (1)	segment length=pi*8 (1,1) circle (32pt)	amplitude=0.5cm (1,1) circle (1)


18.2.6 "waves"


<code>\draw[decorate,decoration=waves] (0,0) -- (2,2);</code>		
		
<code>(0,0) -- (2,2)</code>	<code>(1,1) circle (1)</code>	<code>(0,0) arc (0:180:3 and 2)</code>


<code>\draw[decorate,decoration={waves,angle=60,radius=1cm}] (0,0) -- (10,0);</code>		By default
<code>angle=60</code>		45
<code>segment length=1cm</code>		10 pt
<code>radius=2cm</code>		10 pt


<code>\draw[decorate,decoration={waves,segment length=pi*8,radius=1cm}] (1,1) circle (32pt);</code>		
		
<code>segment length = pi*8</code>	<code>angle=60</code> <code>, segment length = pi*8</code>	<code>radius=2cm</code> <code>, segment length = pi*8</code>

18.2.7 “show path construction”

<i>path to decorate</i>
<code>\draw [blue,dashed] (0,0) - - (2,1) arc (-20:135:1) - - cycle (3,2) .. controls (7,0) and (2,0) .. (5,2) - - (6,2) sin (7.57,0) - - (8,3) ;</code>



Linear components : “lineto”
<code>decoration={ show path construction, lineto code={ \draw [red,ultra thick,-> (\tikzinputsegmentfirst) - - (\tikzinputsegmentlast); },}</code>


Path terminations : “closepath”
<code>decoration={ show path construction, closepath code={ \draw [red,ultra thick,-> (\tikzinputsegmentfirst) - - (\tikzinputsegmentlast); },}</code>



Broken paths : “moveto”
<code>decoration={ show path construction, moveto code={ \draw [red,ultra thick,-> (\tikzinputsegmentfirst) - - (\tikzinputsegmentlast); },}</code>


Curved segments : "curveto"


```
decoration={ show path construction,
curveto code={ \draw [red,ultra thick,->]
(\tikzinputsegmentfirst) -- (\tikzinputsegmentlast); },}
```




```
decoration={ show path construction,
curveto code={ \draw [red,ultra thick,->]
(\tikzinputsegmentfirst) -- (\tikzinputsegmentsupporta); },}
```



```
decoration={ show path construction,
curveto code={ \draw [red,ultra thick,->]
(\tikzinputsegmentlast) -- (\tikzinputsegmentsupportb); },}
```



```
decoration={ show path construction,
curveto code={ \draw [red,ultra thick,->]
(\tikzinputsegmentfirst) .. controls (\tikzinputsegmentsupporta)
and (\tikzinputsegmentsupportb) .. (\tikzinputsegmentlast) ; },}
```




.. controls (7,0) and (2,0) .. (5,2) don't work !

18.3 Library “decorations.markings”





```
Load package : \usetikzlibrary{decorations.markings}
```

[PGFmanual section : 48-4](#)







18.3.1 Personal mark at one position

<pre>\draw [decorate,decoration={markings,mark=at position 1cm with { \draw[red] (-2pt,-2pt) - - (2pt,2pt); \draw[red](2pt,-2pt) - - (-2pt,2pt); \draw[red] (-2pt,-2pt) rectangle (2pt,2pt); }}] (1,1) circle (1);</pre>






18.3.2 Marks between positions with step size

<pre>\draw[decorate,{markings,mark=between positions 0 and 1 step 5mm with ... }] (1,1) circle (1);;</pre>	
	
mark=between positions 0 and 1 step 5mm	between positions 0 and 0.5 step 5mm
	
mark= between positions 0 and 1 step 1/10	between positions 0 and 1 step0.1



18.3.3 Marks with a text node

<pre>decoration={markings,mark=at position 1cm with \node[red]{texte}}</pre>		
		
at position 1cm	at position 0.5	at position -1cm
		
at position 1cm/2	at position 0.5/2	at position -0.5/2


18.3.4 Mark with a picture node

<code>\draw [decorate,decoration={markings,mark=at position 1cm with \node{\DFR}; }] (1,1) circle (1);</code>	
	
<code>\node{\DFR}</code>	<code>\node[transform shape]{\DFR}</code>
	
<code>\node{\includegraphics[width=0.5cm]{tiger} }</code>	<code>\node[transform shape]{\includegraphics[width=0.5cm]{tiger} }</code>

18.3.5 Numbered marks

	<code>decoration={markings, mark=between positions 0 and 1 step 0.2 with { \node [draw , circle ,fill=white, name= marque-\pgfkeysvalueof{/pgf/decoration/mark info/sequence number} , transform shape] {\pgfkeysvalueof{/pgf/decoration/mark info/sequence num- ber}};}}</code>
	<code>\draw [red,ultra thick] (marque-3) - - (marque-5);</code>

18.3.6 Marks info


<code>decoration={markings, mark=between positions 0 and 1 step 40pt with { \node [red,draw,ellipse,fill=white,font=\tiny] {\pgfkeysvalueof{/pgf/decoration/mark info/distance from start} } ;} }</code>

`/pgf/decoration/reset marks` (no value)

`/pgf/decoration/mark connection node=node name` (no default, initially empty)

18.3.7 Mark with a connection node

	<pre>\draw [decorate,decoration={markings, mark connection node=mon noeud,mark=at position 0.4 with {\node [draw,ellipse,blue,transform shape] (mon noeud) {texte};}}] (0,0) -- (3,2) ;</pre>
--	---

18.3.8 Arrow Tip Markings

<pre>\draw[decorate,decoration={ markings,mark=at position 1cm with {\arrow[blue,line width=2mm]{>}};}] (1,1) circle (1);</pre>			
{>}	{stealth }	{}	{diamond}
Other possibilities see page 21			

<pre>\draw[decorate,decoration={markings,mark=at position 1cm with {\arrowreversed[blue,line width=2mm]{>}};}] (1,1) circle (1);</pre>			
{>}	{stealth }	{}	{diamond}

18.4 Library “decorations.footprints”

Load package : `\usetikzlibrary{decorations.footprints}`

PGFmanual section : 48-5-2

<code>\tikz \draw[decorate,decoration=footprints] (0,0) - (10,0);</code>

<code>\draw[decorate,decoration={footprints,foot of = gnome}] (0,2.5) - - (3,2.5);</code>			
foot of = gnome	foot of = human (By default)	foot of = bird	foot of = felis silvestris

<code>\fill[decorate,decoration={footprints,foot of = gnome}] (0,2.5) - - (3,2.5);</code>			
foot of = gnome	foot of = human	foot of = bird	foot of = felis silvestris

<code>\fill[decorate,decoration={footprints,foot length=20pt}] (0,2.5) - - (3,2.5);</code>	
foot length=1cm By default : 10pt	stride length=2cm By default : 30pt
foot sep=1cm By default : 4pt	foot angle = 45 By default : 10




<code>\fill[decorate,decoration={footprints,foot length=20pt}] (0,2.5) - - (3,2.5);</code>			
foot length=20pt By default : foot length=10pt	foot length=1cm By default : foot length=10pt	stride length=15pt By default : stride length=30pt	stride length=2cm By default : stride length=30pt
foot sep=10pt By default : foot sep=4pt	foot sep=1cm By default : foot sep=4pt	foot angle = -45 By default : foot angle=10	foot angle = 45 By default : foot angle=10





18.5 Library “decorations.shapes”

18.5.1 Introduction









Load package : `\usetikzlibrary{decorations.shapes}`









PGFmanual section : 48-5-3









<code>\draw[decorate,decoration=crosses] (0,0) - - (3,0);</code>		
		
crosses	triangles	shape backgrounds



<code>\draw[decorate,decoration={crosses,segment length=1cm}](0,0) - - (10,0);</code>	
segment length = 1cm	
shape width = 1cm	
shape height = 1cm	
shape size = 1cm	
By default: shape width = shape height = 2.5pt	



18.5.2 “shape backgrounds”



<code>\draw[decorate with=dart] (0,2.5) - - (3,2.5);</code>			
			
dart	diamond	rectangle	circle
			
star	regular polygon	signal	kite
Other possibilities or parameters see from page 91			

Shapes available	
<i>Syntax</i>	<code>\draw[decorate,decoration={ shape backgrounds,shape=dart, shape size=.5cm,shape sep=1cm}] (0,0) - - (10,0);</code>
<i>Other syntax</i>	<code>\draw[decorate with=dart,decoration={shape size=.5cm,shape sep=1cm}] (0,0) - - (10,0);</code>
dart	
rectangle	
cloud	
star	
starburst	
tape	
kite	
signal	
By default: shape= circle	
Other possibilities see page 91	




Parameters			
<code>\draw[decorate with=star,star points=3,decoration={shape size=.5cm,shape sep=1cm}] (0,2.5) - - (3,2.5);</code>			
			
star points=3	star points=4	star points=5	star points=8
<code>\draw[decorate with=star,paint=green,decoration={shape size=.5cm,shape sep=1cm}] (0,2.5) - - (3,2.5);</code>			
			
paint=green	double	ultra thick	star point ratio = 3



Spacing	
<code>\draw[decorate with=dart,decoration={shape size=.5cm,shape sep=1cm}] (0,2.5) - - (10,2.5);</code>	
shape sep={1cm}	
shape sep={2cm}	
By default: shape sep= 0.25cm	

Type of spacing	
<code>\draw[decorate with=dart,decoration={shape size=.5cm,shape sep={1cm,between centers}}] (0,2.5) - - (10,2.5);</code>	
between centers	
between borders	
By default: between centers	

Automatic spacing	
<code>\draw[decorate with=dart,decoration={shape size=.5cm,shape evenly spread=5}] (0,0) - - (10,0);</code>	
shape evenly spread=5	
shape evenly spread=10	

Orientation :

" shape border rotate "	
shape border rotate=90	
shape border rotate=45	
shape border rotate=180	







"shape sloped"	
<code>\draw[decorate with=dart,decoration={shape width=.5cm,shape sep=1cm,shape sloped=true}] (0,0) - - (3,3);</code>	
	
shape sloped=true	shape sloped=false
By default: shape sloped=true	

<code>\draw[decorate with=dart,decoration={shape width=.5cm,shape sep=1cm, shape sloped=true}] (0,0) arc (0:180:3 and 2);</code>	
shape sloped=true	shape sloped=false
By default: shape sloped=true	

<code>\draw[decorate with=dart,decoration={shape width=.5cm,shape sep=1cm, shape border rotate=90,shape sloped=true }] (0,0) - - (3,3);</code>	
shape sloped=true	shape sloped=false

“shift only”	
<code>decoration= transform={shift only},shape width=5mm,segment length=.5cm,shape sep=1cm</code>	
avec	sans







Dimensions	
<code>\draw[decorate with=dart,decoration={shape size=.5cm, shape height= 1cm }] (0,0) - - (10,0);</code>	
shape height=1cm	
shape width=1cm	
shape size=1cm	

$\backslash\text{draw}[\text{decorate with}=\text{dart},\text{decoration}=\{\text{shape size}=.5\text{cm},$ $\text{shape start size}=\text{1cm},\text{shape scaled }\}\] (0,2.5) - - (10,2.5);$	
shape start size=1cm	
shape start height=1cm	
shape start width=1cm	
shape end size=1cm	
shape end height=1cm	
shape end width=1cm	

18.6 Library “decorations.text”

Load package : `\usetikzlibrary{decorations.text}`

PGFmanual section : 48-6



Text orientation
<code>\draw[decorate,decoration={text along path,text={texte},text color=blue,reverse path}] (1,1) circle (1);</code>

Text position		
<code>\draw[decorate,decoration={text along path,text={texte},text align={align=left}}] (1,1) circle (1);</code>		
<code>align={align=left }</code>	<code>align={align=center }</code>	<code>align={align=right }</code>

<code>\draw[decorate,decoration={text along path,text={texte},text align={align=left,left indent=1cm}}] (1,1) circle (1);</code>	
<code>align={align=left,left indent=1cm}</code>	<code>align={align=right,right indent=1cm}</code>





Fit to path	
<code>\draw [decoration={text along path, text={Un deux trois quatre },text align={fit to path}}, decorate] (1,1) circle (1);</code>	





Fit to path stretching spaces	
<code>\draw [decoration={text along path, text={Un deux trois quatre },text align={fit to path stretching spaces}}, decorate] (1,1) circle (1);</code>	





18.7 Library “decorations.fractals”





Load package : `\usetikzlibrary{decorations.fractals}`

PGFmanual section : 48-7

<code>\draw[decorate,decoration=Koch curve type 1] (0,0) - - (3,0);</code>			
			
Koch curve type 1	Koch curve type 2	Koch snowflake	Cantor set







<code>\begin{tikzpicture}[decoration=Koch curve type 1] \draw decorate { decorate { (0,0) - (3,0) } }; \end{tikzpicture}</code>			
			
Koch curve type 1	Koch curve type 2	Koch snowflake	Cantor set

<code>\draw decorate { decorate { decorate { (0,0) - - (3,0) } } };</code>			
			
Koch curve type 1	Koch curve type 2	Koch snowflake	Cantor set







			
sans	1 decorate	2 decorate	3 decorate

18.8 Applications

18.8.1 Node decoration

<code>\node [draw,decorate,decoration={bumps, minimum height=2cm, minimum width=3cm}] {texte};</code>	
	
<code>decoration=bumps</code>	<code>decoration=footprints</code>
	
<code>decoration={random steps , amplitude = 1pt }</code>	<code>starburst,decoration={random steps, segment length=3pt , amplitude=2pt}</code>
	
<code>ellipse,decoration=zigzag</code>	<code>decoration= {text along path,text= {Un Deux Trois Quatre Cinq Six Sept Huit Neuf} }</code>

18.8.2 Node link decoration

<code>\draw [decorate,decoration=snake](A) - (B);</code>		
		
<code>decoration=snake (A) - - (B)</code>	<code>decoration=coil (A) - (B)</code>	<code>decoration=footprints (A) - (B)</code>
		
<code>decoration=coil (A) to [bend right] (B)</code>	<code>decoration=zigzag (A) to [bend left=120] (B)</code>	<code>decoration=ticks (A) to [out=30] (B)</code>

18.8.3 Graph decoration




<code>\draw [decorate,decoration=footprints] plot coordinates (0,0) (2,1) (4,-2) (6,1) ;</code>	
plot coordinates (0,0) (2,1) (4,-2) (6,1)	plot (\x,{sin(\x r)})




18.8.4 Various decoration




<code>\draw [decorate, decoration={zigzag,pre=footprints,pre length=5cm}](0,0) – (10,0);</code>	
decoration={zigzag,pre=footprints,pre length=5cm}	
decoration={zigzag,post=footprints,post length=5cm}	
decoration={zigzag,pre=footprints,pre length=3cm, ,post=expanding waves,post length=3cm}	

18.8.5 Partial decoration


	<code>\draw [decorate,decoration=zigzag] (0,0) – (2,0) – (2,1) – (0,1)– cycle;</code>
	<code>\draw [decoration=zigzag] (0,0) – (2,0) decorate{– (2,1)} – (0,1)– cycle;</code>
	<code>\draw [decorate,decoration=zigzag] (0,0) – (2,0) – (2,1) – decorate{(0,1)}– cycle;</code>
	<code>\draw [decorate,decoration=zigzag] (0,0) decorate{– (2,0)} – (2,1) – decorate{(0,1)}– cycle;</code>

<code>"lineto" \draw [decorate, decoration={zigzag,lineto,pre length=5cm}](0,0) - (10,0);</code>

<code>decoration={ zigzag,pre=lineto,pre length=5cm }</code>

<code>decoration={ zigzag,post=lineto,post length=5cm }</code>

<code>decoration={ zigzag,pre=lineto,pre length=3cm, ,post=curveto,post length=3cm }</code>

<code>"curveto"</code>
<code>\draw [decorate, decoration={zigzag,pre=curveto,pre length=5cm}](0,0) - (10,0);</code>

<code>decoration={ zigzag,pre=curveto,pre length=5cm }</code>

<code>decoration={ zigzag,post=curveto,post length=5cm }</code>

<code>decoration={ zigzag,pre=curveto,pre length=3cm, ,post=curveto,post length=3cm }</code>

<code>"moveto"</code>
<code>\draw [decorate, decoration={zigzag,pre=moveto,pre length=5cm}](0,0) - (10,0);</code>

<code>decoration={ zigzag,pre=moveto,pre length=5cm }</code>

<code>decoration={ zigzag,post=moveto,post length=5cm }</code>

<code>decoration={ zigzag,pre=moveto,pre length=3cm, ,post=moveto,post length=3cm }</code>

18.8.6 Global and partial parameters




```

\begin{tikzpicture}[baseline=0pt,ultra thick,
decoration={straight zigzag,amplitude=0.5cm,segment length=1cm}]
\draw[red!20,ultra thin] (0,-2) grid (10,3);
\draw[magenta] (0,2) - (10,2);
\draw[blue,decorate] (0,1) - (10,1);
\draw[red,{decorate,decoration=saw}] (0,0) - (10,0);
\draw[cyan,decorate,decoration=meta-segment length=2cm] (0,-1) - (10,-1);
\end{tikzpicture}

```

18.8.7 Path and its decoration "Postaction"




```

\draw [postaction={decorate,blue,draw,ultra
thick,
decoration={straight zigzag,ampli-
tude=0.5cm}}]
[red,line width = 10pt ] (0,0) arc (0:180:3 and
2);


```

19 Pictures in a TikZ picture

19.0.1 In a node




	<pre> \begin{tikzpicture} \draw (0,0) grid (5,3); \node [fill=green!20,trapezium,draw] at (1,2) {\DFR }; 88 \node [draw] at (3,1) {\includegraphics[width=1cm]{tiger} }; \end{tikzpicture} </pre>
---	---

19.0.2 With pgfdeclareimage

	<pre> \pgfdeclareimage[width=3cm]{ttt}{tiger} \begin{tikzpicture} \draw (0,0) grid (5,5); \draw (3,2) node {\pgfimage{ttt}} ; \end{tikzpicture} </pre>
--	---

20 Freehand drawing

see page 116

	<pre> \draw[decorate,decoration={random steps, amplitude=1pt,segment length=3pt}] (0,0) arc (0:320:2.5 and 1.5); </pre>
	<pre> \draw[decorate,decoration={random steps, amplitude=1pt,segment length=3pt}] plot coordinates (0,0) (1,1) (2,0) (3,1) (4,1) (5,2); </pre>
	<pre> \draw[decorate, decoration={random steps, amplitude=1pt,segment length=3pt}] plot (\x,\sin(\x r)); </pre>

21 Special effect

21.1 Tikzpeople

Load package : `\usepackage{tikzpeople}` [4] ^a


























^a conflit `\usetikzlibrary{patterns}` page 17 : placer cette commande en premier

`\tikz \node[alice] at (0,0) ;`








21.1.1 available characters


`\tikz \node[alice,minimum size=1.5cm] at (0,0) ;`

						
alice	bob	bride	builder	businessman	charlie	chef
						
conductor	cowboy	criminal	dave	graduate	groom	guard
						
jester	judge	mexican	nun	nurse	physician	pilot
						
police	priest	sailor	santa	surgeon		





21.1.2 Options





<code>\tikz \node[businessman,evil,minimum size=1.5cm] at (0,0) ;</code>				
				
evil	female	good	mirrored	monitor






21.1.3 Anchor specific






	<pre> \begin{tikzpicture}[blue] \node[name=a,shape=bob,minimum size=1.5cm] {}; \node at (1.25,.5) [ellipse callout, draw, callout absolute pointer{(a.mouth)}, font=\tiny] Hey!; \end{tikzpicture} </pre>
---	---







21.1.4 Colors





<code>\tikz \node[alice,hair=red,minimum size=1.5cm] at (0,0) ;</code>			
			
hair=red	skin=red	shirt=red	details=red






<code>\tikz \node[bob,hair=red,minimum size=1.5cm] at (0,0) ;</code>			
			
hair=red	skin=red	shirt=red	details=red










<code>\tikz \node[bride,hair=red,minimum size=1.5cm] at (0,0) ;</code>				
				
hair=red	skin=red	shirt=red	pearls=red	veil=red

<code>\tikz \node[builder,hair=red,minimum size=1.5cm] at (0,0) ;</code>				
				
hair=red	skin=red	shirt=red	trousers=red	hat=red

<code>\tikz \node[businessman,hair=red,minimum size=1.5cm] at (0,0) ;</code>					
					
<code>hair=red</code>	<code>skin=red</code>	<code>shirt=red</code>	<code>tie=red</code>	<code>undershirt=red</code>	<code>monogram=red</code>

<code>\tikz \node[charlie,hair=red,minimum size=1.5cm] at (0,0) ;</code>			
			
<code>hair=red</code>	<code>skin=red</code>	<code>shirt=red</code>	<code>buttons=red</code>

<code>\tikz \node[chef,hair=red,minimum size=1.5cm] at (0,0) ;</code>				
				
<code>hair=red</code>	<code>skin=red</code>	<code>shirt=red</code>	<code>hat=red</code>	<code>details=red</code>

<code>\tikz \node[conductor,hair=red,minimum size=1.5cm] at (0,0) ;</code>				
				
<code>hair=red</code>	<code>skin=red</code>	<code>shirt=red</code>	<code>hat=red</code>	<code>hatshield=red</code>
				
<code>undershirt=red</code>	<code>shirt=red</code>	<code>hatbadge=red</code>	<code>badge=red</code>	

<code>\tikz \node[cowboy, hair=red, minimum size=1.5cm] at (0,0) ;</code>			
<code>hair=red</code>	<code>skin=red</code>	<code>shirt=green</code>	<code>hat=red</code>
<code>patches=red</code>	<code>tie=green</code>	<code>stitching=red</code>	<code>vest=red</code>

<code>\tikz \node[criminal, hat=red, minimum size=1.5cm] at (0,0) ;</code>			
<code>hat=red</code>	<code>skin=red</code>	<code>shirt=red</code>	<code>details=red</code>

<code>\tikz \node[dave, hair=red, minimum size=1.5cm] at (0,0) ;</code>				
<code>hair=red</code>	<code>skin=red</code>	<code>shirt=red</code>	<code>undershirt=green</code>	<code>tie=green</code>

<code>\tikz \node[graduate, hair=red, minimum size=1.5cm] at (0,0) ;</code>					
<code>hair=red</code>	<code>skin=red</code>	<code>shirt=red</code>	<code>undershirt=red</code>	<code>stripes=red</code>	<code>hat=red</code>

<code>\tikz \node[groom, hair=red, minimum size=1.5cm] at (0,0) ;</code>					
<code>hair=red</code>	<code>skin=red</code>	<code>shirt=red</code>	<code>undershirt=green</code>	<code>tie=green</code>	<code>hat=red</code>

\tikz \node[guard,h ^{at} =red,minimum size=1.5cm] at (0,0) ;					
hat=red	skin=red	shirt=red	collar=red	lining=red	details=red

\tikz \node[jester,h ^{at} =red,minimum size=1.5cm] at (0,0) ;					
hair=red	skin=red	shirt=yellow	hat=red	pattern=yellow ²	details=blue

\tikz \node[judge,h ^{air} =red,minimum size=1.5cm] at (0,0) ;				
hair=red	skin=red	shirt=red	undershirt=red	hairshadow=red

\tikz \node[mexican,h ^{air} =red,minimum size=1.5cm] at (0,0) ;						
hair=red	skin=red	shirt=red	hat=green	ringtop=red	ringmid=red	ringbot=yellow

\tikz \node[nun,plaid=red,minimum size=1.5cm] at (0,0) ;		
plaid=red	skin=red	shirt=red

\tikz \node[nurse,h ^{air} =red,minimum size=1.5cm] at (0,0) ;						
hair=red	skin=red	shirt=red	badgeclip=green	redcross=green	badge=red	badgename=red





\tikz \node[physician, hair=red, minimum size=1.5cm] at (0,0) ;					
hair=red	skin=red	shirt=red	hat=red	stethoscope=red	tube=red






\tikz \node[pilot, hat=red, minimum size=1.5cm] at (0,0) ;						
hat=red	skin=red	shirt=red	undershirt=red	visor=red	straps=red	decoration=red

\tikz \node[police, hair=red, minimum size=1.5cm] at (0,0) ;			
hair=red	skin=red	shirt=red	hat=red
badge=red	hatbadge=red	hatshield=red	undershirt=red

\tikz \node[priest, hair=red, minimum size=1.5cm] at (0,0) ;					
hair=red	skin=red	shirt=red	hat=red	collar=red	cross=red


\tikz \node[sailor, hair=red, minimum size=1.5cm] at (0,0) ;						
hair=red	skin=red	shirt=red	hat=red	undershirt=red	stripes=red	details=red

<code>\tikz \node[santa,h^{at}=green,minimum size=1.5cm] at (0,0) ;</code>				
				
<code>hat=green</code>	<code>skin=green</code>	<code>shirt=green</code>	<code>beard=green</code>	<code>details=green</code>




<code>\tikz \node[surgeon,h^{at}=red,minimum size=1.5cm] at (0,0) ;</code>				
				
<code>hat=red</code>	<code>skin=red</code>	<code>shirt=red</code>	<code>hair=red</code>	<code>mask=red</code>










21.2 Ducks

Load package : `\usepackage{tikzducks}` [5]



















21.2.1 Options



				
[tshirt]	[tie]	[jacket]	[cape]	[tshirt,tie ,jacket ,cape]
By defaultwhite	By defaultblue	By defaultblue	By defaultred	
				
[tshirt=red]	[tie=red]	[jacket=red]	[cape=blue]	






				
[water]	[alien]	[hat]	[tophat]	[cap]
				
[santa]	[graduate]	[graduate,tassel]	[beret]	[peakedcap]
				
[crown]	[queencrown]	[kingcrown]	[sheep]	[horsetail]
				
[crozier]	[unicorn]	[bunny]	[bunny=red,inear=blue]	[witch]
				
[magicwand]	[magihat]	[magihat, magicstars]	[glasses]	[sunglasses]

				
[squareglasses]	[signpost=42]	[signpost=XXX, signcolour=green]	[signpost=XXX, signback=green]	[speech={XXX}]
				
[speech=XXX, bubblecolour=green]	[think={XXX}]	[think=XXX, bubblecolour=green]	[book={XXX}]	
				
[book=XXX, bookcolour=green]	<pre>\tikz \duck[book= \scalebox{0.5}{XXX}]</pre>	<pre>\tikz \duck[signpost=\scalebox{0.4}{ \parbox{2cm} \centering XXX ; XXXXXX}]</pre>		
				
[cricket]	[hockey]	[football]	[lightsaber]	[torch]
				
[prison]	[necklace]	[icecream]	[icecream, flavoura=green]	[icecream, flavourb=green]
				
[icecream, flavourc=green]	[chef]	[rollingpin]	[cake]	[pizza]
				
[baguette]	[milkshake]	[wine]	[mask]	[buttons]


				
<code>[basket]</code>	<code>[easter]</code>	<code>[easter, egga=red]</code>	<code>[easter, eggb=red]</code>	<code>[easter, eggc=red]</code>

<code>\tikz \duck \path[preaction={fill,green},pattern=dots, pattern color=red] \duckpathbody ;</code>			
			
<code>\duckpathbody</code>	<code>\duckpathgrumpybill</code>	<code>\duckpathbill</code>	<code>\duckpathtshirt</code>
			
<code>\duckpathjacket</code>	<code>\duckpathcape</code>	<code>\duckpathshorthair</code>	<code>\duckpathlonghair</code>
			
<code>\duckpathcrazyhair</code>	<code>\duckpathrecedinghair</code>	<code>\duckpathcrown</code>	<code>\duckpathmohican</code>
			
<code>\duckpathmullet</code>	<code>\duckpathqueencrown</code>	<code>\duckpathkingcrown</code>	<code>\duckpathdarthvader</code>
			
<code>\duckpathhorsetail</code>			


21.2.2 Random ducks

<code>\tikz \randuck ; \tikz \randuck ; \tikz \randuck ; \tikz \randuck ; \tikz \randuck ;</code>				
				

```
\tikz \shuffleducks \duck[\randomhead] ;
```




```
\tikz \shuffleducks \duck[\randomaccessories] ;
```




21.2.3 Coordinates


```
\tikz \duck \fill[red] (wing) circle (3pt);
```













```
\tikz \duck[name=XXX]
\begin{scope} [xshift=4cm] \duck[name=YYY] \end{scope}
\draw[red] (XXX-wing) - - (YYY-bill) ;
```




21.2.4 Stripes






<code>\tikz \[duck] \stripes[color=red];</code>			
			
<code>[color=red]</code>	<code>[distance=.5]</code>	<code>[width=.05]</code>	<code>[height=1]</code>
By default black	By default 0.3	By default 0.15	By default 2.7
			
<code>[rotate=45]</code>	<code>[initialx=1]</code>	<code>[initialy=1]</code>	
By default -10	By default 0.1	By default -0.3	

























<code>\tikz \[duck] \stripes[emblem=XXX];</code>		
		
<code>[emblem=XXX]</code>	<code>[emblem={\includegraphics width=6mm}{LogoIUT} }]</code>	<code>[emblem={\DFR}]</code>
		<code>\DFR : see page 88</code>


<code>\tikz \duck[stripes={ \stripes \stripes[rotate=45] }] ;</code>

21.3 symbol

Load package : `\usepackage{tikzsymbols}` [6]

		
<code>\Smiley</code>	<code>\Smiley[3]</code>	<code>\Smiley[5][green]</code>

				
	<code>\Kochtopf[5]</code>	<code>\Bratpfanne[5]</code>	<code>\Schneebeesen[5]</code>	<code>\Sieb[5]</code>
	<code>\pot[5]</code>	<code>\fryingpan[5]</code>	<code>\eggbeater[5]</code>	<code>\sieve[5]</code>
				
	<code>\Purierstab[5]</code>	<code>\Dreizack[5]</code>	<code>\Backblech[5]</code>	<code>\Ofen[5]</code>
	<code>\blender[5]</code>	<code>\trident[5]</code>	<code>\bakingplate[5]</code>	<code>\oven[5]</code>
				
	<code>\Pfanne[5]</code>	<code>\Herd[5]</code>	<code>\Saftpresse[5]</code>	<code>\Schussel[5]</code>
	<code>\pan[5]</code>	<code>\cooker[5]</code>	<code>\squeezer[5]</code>	<code>\bowl[5]</code>
				
	<code>\Schaler[5]</code>	<code>\Reibe[5]</code>	<code>\Flasche[5]</code>	<code>\Nudelholz[5]</code>
	<code>\peeler[5]</code>	<code>\grater[5]</code>	<code>\bottle[5]</code>	<code>\rollingpin[5]</code>



<code>\Smiley[5]</code>	<code>\Sadey[5]</code>	<code>\Neutrey[5]</code>	<code>\Changey[5]{0}</code>	<code>\cChangey[5]{0}</code>
<code>\Annoey[5]</code>	<code>\Laughey[5]</code>	<code>\Winkey[5]</code>	<code>\oldWinkey[5]</code>	<code>\Sey[5]</code>
<code>\Xey[5]</code>	<code>\Innocey[5]</code>	<code>\wInnocey[5]</code>	<code>\Cooley[5]</code>	<code>\Tongey[5]</code>
<code>\Nursey[5]</code>	<code>\Vomey[5]</code>	<code>\Walley[5]</code> <code>\rWalley[5]</code>	<code>\Cat[5]</code>	
<code>\SchrodingersCat[5]{0}</code>	<code>\Ninja[5]</code>	<code>\Sleepy[5]</code>	<code>\NiceReapey[5]</code>	





















<code>\Changey[5]{-2}</code>	<code>\Changey[5]{-1}</code>	<code>\Changey[5]{0}</code>	<code>\Changey[5]{1}</code>	<code>\Changey[5]{2}</code>




<code>\cChangey[5]{-2}</code>	<code>\cChangey[5]{-1}</code>	<code>\cChangey[5]{0}</code>	<code>\cChangey[5]{1}</code>	<code>\cChangey[5]{2}</code>






<code>\SchrodingersCat[5]{-1}</code>	<code>\SchrodingersCat[5]{0}</code>	<code>\SchrodingersCat[5]{1}</code>








<code>\Laughey[5][green][red]</code>	<code>\Innocey[5][green][red]</code>	<code>\Tongey[5][green][red]</code>	<code>\Nursey[5][green][red]</code>
<code>\Vomey[5][green][red]</code>	<code>\Walley[5][green][red]</code>	<code>\rWalley[5][green][red]</code>	



	
<code>\Ninja[5][green][red][blue]</code>	<code>\Sleepy[5][green][red][blue]</code>










				
<code>\dSmiley[5]</code>	<code>\dSadey[5]</code>	<code>\dNeutrey[5]</code>	<code>\dChangey[5]{0}</code>	<code>\dcChangey[5]{0}</code>
				
<code>\dAnnoey[5]</code>	<code>\dLaughey[5]</code>	<code>\dWinkey[5]</code>	<code>\dSey[5]</code>	<code>\dXey[5]</code>
				
<code>\dInnocey[5]</code>	<code>\dCooley[5]</code>	<code>\dNinja[5]</code>	<code>\drWalley[5]</code>	<code>\dWalley[5]</code>
				
<code>\dVomey[5]</code>	<code>\dNursey[5]</code>	<code>\dTongey[5]</code>	<code>\dSleepy[5]</code>	<code>\olddWinkey[5]</code>






				
<code>\dChangey[5]{-2}</code>	<code>\dChangey[5]{-1}</code>	<code>\dChangey[5]{0}</code>	<code>\dChangey[5]{1}</code>	<code>\dChangey[5]{2}</code>


				
<code>\dcChangey[5]{-2}</code>	<code>\dcChangey[5]{-1}</code>	<code>\dcChangey[5]{0}</code>	<code>\dcChangey[5]{1}</code>	<code>\dcChangey[5]{2}</code>



			
<code>\dLaughey[5][green][red]</code>	<code>\dInnocey[5][green][red]</code>	<code>\dTongey[5][green][red]</code>	<code>\dNursey[5][green][red]</code>
			
<code>\dVomey[5][green][red]</code>	<code>\dWalley[5][green][red]</code>	<code>\drWalley[5][green][red]</code>	






	
<code>\dNinja[5][green][red][blue]</code>	<code>\dSleepy[5][green][red][blue]</code>

				
<code>\Strichmaxerl[5]</code>	<code>\Candle[5]</code>	<code>\Fire[5]</code>	<code>\Coffeecup[5]</code>	<code>\Chair[5]</code>
				
<code>\Bed[5]</code>	<code>\Tribar[5]</code>	<code>\Moai[5]</code>	<code>\Snowman[5]</code>	

<code>\Strichmaxerl[10][0][0][0][0]</code>				
				
<code>[0][0][0][0]</code>	<code>[45][0][0][0]</code>	<code>[0][45][0][0]</code>	<code>[0][0][45][0]</code>	<code>[0][0][0][-45]</code>


<code>\Tribar[10][green][red][blue]</code>


	
<code>\BasicTree[10]{black}{red}{blue}{leaf}</code>	<code>\BasicTree[10]{black}{red}{blue}{}</code>

				
<code>\Springtree[10]</code>	<code>\Summertree[10]</code>	<code>\Autumntree[10]</code>	<code>\Wintertree[10]</code>	<code>\WorstTree[10]</code>

22 Creating Graphs


22.1 Graph with TikZ

22.1.1 From a list of points











PGFmanual section : 22-2


22.1.2 From a data file







content of the file table.dat	
0.0	0.3
0.3	0.6
0.6	0.9
0.9	1.5
1.2	0.6
1.5	1.2
1.8	1.5
2.1	2.0
2.4	3.0


22.1.3 Graph types





<code>\tikz \draw plot[mark=*,const plot] file {table.dat} ;</code>			
			
const plot	const plot mark left	const plot mark right	jump mark left
			
jump mark right	ycomb	xcomb	only marks






```
\tikz \draw plot[polar comb,mark=*]coordinates
{(0:1) (60:0.5) (120:1.5) (180:3) (240:.5) (300:1) (0:1)};
```

<code>\tikz \draw plot[ybar] file {table.dat} ;</code>			
			
[ybar]	[ybar interval]	[ybar interval,x=2cm]	[ybar interval,y=.5cm]





	<pre> \begin{tikzpicture} \draw[red,fill=cyan,ybar,bar width=.5cm] plot coordinates {(0,1) (1,1.2) (2,.6) (3,.7) (4,.9)}; \draw[blue,fill=green,ybar,bar width=.5cm,bar shift=.3cm] plot coordinates {(0,1.2) (1,1.3) (2,.5) (3,.2) (4,.5)}; \end{tikzpicture} </pre>
---	---

<code>\tikz \draw plot[xbar interval] file {table.dat} ;</code>			
			
<code>[xbar]</code>	<code>[xbar interval]</code>	<code>[xbar interval,x=.5cm]</code>	<code>[xbar interval,y=.5cm]</code>



22.1.4 Graph of a function

<code>\draw [color=red] plot (\x,\x);</code>		
		
(\x,\x)	$(\x,\{\sin(\x r)\})$ x en radian	$(\x,\{\sin(\x)\})$ x en degré

Options





<code>\draw[color=red,dashed] plot(\x,\{\sin(\x r)\});</code>	
<code>\draw[color=blue,samples=5,mark=*,ultra thick] plot(\x,\{\sin(\x r)\});</code>	
	
<code>[color=blue,samples=5,mark=*]</code>	<code>[color=blue,domain=0:4]</code>
	
<code>[color=blue,domain=1:5]</code>	<code>[color=blue,samples at={1,2,4,5},mark=*]</code>







22.1.5 Parametric function

<code>\draw[domain=-3.141:3.141,smooth,variable=\t]plot ({sin(\t r)},{sin(2 *\t r)});</code>	
<code>\draw[domain=0:720,smooth,variable=\t]plot ({sin(\t)},{\t/360},{cos(\t)});</code>	
	
$(\{\sin(\t r)\},\{\sin(2 *\t r)\})$	$(\{\sin(\t)\},\t/360,\{\cos(\t)\})$





22.2 Marks

22.2.1 Marks with TikZ

			
<code>mark=+</code>	<code>mark=x</code>	<code>mark=*</code>	<code>mark=ball</code>

	
<code>[color=blue,mark repeat=3,mark=*]</code>	<code>[color=blue,mark repeat=3,mark phase=5,mark=*]</code>
	
<code>[color=blue,mark indices=1,4,...,15,17,20,mark=*]</code>	<code>[color=blue,mark size=5pt,mark=*]</code>
	
<code>mark options={color=magenta},mark=+</code>	<code>mark options={rotate=10},mark=+</code>

22.2.2 Marks with text mark

<code>\draw[mark=text ,text mark=A,mark size=5pt] coordinates {(0,0) (1,1) (2,0)};</code>		
		
<code>text mark=A</code>	<code>text mark=Texte</code>	<code>text mark=\DFR 88</code>
		
<code>text mark={\includegraphics[width=.5cm]{tiger}}</code>		

22.2.3 Marks with plotmarks library

```
Load package : \usetikzlibrary{plotmarks}
```

PGFmanual section : 63

mark=-	mark=	mark=o	mark=asterisk
mark==star	mark==10-pointed star	mark=oplus	mark=oplus*
mark=otimes	mark=otimes*	mark=square	mark=square*
mark=triangle	mark=triangle*	mark=diamond	mark=diamond*
mark=halfdiamond*	mark=halfsquare*	mark=halfsquare right*	mark=halfsquare left*
mark=pentagon	mark=pentagon*	mark=Mercedes star	mark=Mercedes star flipped
mark=halfcircle	mark=halfcircle*	mark=heart	mark=text

```
\draw[mark=halfcircle,mark color=red,mark size=5pt] coordinates {(0,0) (1,1) (2,0)};
```

mark=halfcircle	mark=halfcircle*	mark=halfdiamond*	mark=halfsquare*

22.3 Graph with Gnuplot

```
\draw[color=red] plot[id=sin] function{sin(x)} ;
```





==> plot[id=sin] create the file "sin.gnuplot"
 ==> Open the file "sin.gnuplot" with the program gnuplot : creation of the file "sin.table"
 ==> Use the datafile "sin.table"

23 Creation of a graph with pgfplots






Load package : `\usepackage{pgfplots}` [2]



23.1 2D Graph

23.1.1 Axes


pgfplots section : 4-1			
			
<code>\axis</code>	<code>\semilogxaxis</code>	<code>\semilogyaxis</code>	<code>\loglogaxis</code>
<code>\end{axis}</code>	<code>\end{semilogxaxis}</code>	<code>\end{semilogyaxis}</code>	<code>\end{loglogaxis}</code>

23.2 Drawing of the graph


pgfplots section : 4-2		
		
<code>\addplot coordinates</code> <code>{(0,0) (1,1) (2,0) (3,1) (4,1) (5,2)};</code>	<code>\addplot {x^2 - x + 4};</code>	<code>\addplot gnuplot[id=sin]{sin(x)};</code>
		
axes : semilogxaxis	axes : semilogxaxis	axes : semilogyaxis
<code>\addplot coordinates</code> <code>{(0,0) (1,1) (2,0) (3,1) (4,1) (5,2)};</code>	<code>\addplot {x^2 - x + 4};</code>	<code>\addplot {x^2 - x + 4};</code>













23.2.1 Xunit and Yunit



23.2.2 Graph type












23.3 Graph information




23.3.1 Titles




		
<code>\begin{axis}[xlabel=axe X]</code>	<code>\begin{axis}[ylabel=axe Y]</code>	<code>\begin{axis}[title=Titre du graphe]</code>

23.3.2 Legend


	<pre>\begin{axis} \addplot {x^2 - x + 4}; \addplot {x^2 - x + 2}; \addplot {x^2 - x}; \addplot {x^2 - x - 2}; \addplot {x^2 - x - 4}; \legend{\$x^2 - x + 4\$, \$x^2 - x + 2\$, \$x^2 - x\$, \$x^2 - x - 2\$, \$x^2 - x - 4\$} \end{axis}</pre>
	<pre>\begin{axis}[legend entries = { \$ x^2 - x + 4 \$, \$ x^2 - x + 2 \$, \$ x^2 - x \$, \$ x^2 - x - 2 \$, \$ x^2 - x - 4 \$ }] \addplot {x^2 - x + 4}; \addplot {x^2 - x + 2}; \addplot {x^2 - x}; \addplot {x^2 - x - 2}; \addplot {x^2 - x - 4}; \end{axis}</pre>

Options


		
<code>legend style={font=\tiny}</code>	<code>legend style={draw=none}</code>	<code>legend style={shape=ellipse}</code>




23.3.3 Size of the graph




23.3.4 Grids









```
\beginACaxis[nodes near coords,samples=10]
\addplot {x^2-x+4};
```





```
\beginACaxis[nodes near coords]
\addplot file table2.dat;
```

24 3D graph

24.0.1 Axes






24.0.2 Graph drawing




content of the file table3.dat		
0	0	0
0	0.5	0
0	1	1
1	1	5
1	0.5	0
1	0	0

24.0.3 Aspect







[surf,colormap/greenyellow]	[surf,colormap/hot]	[surf,colormap/jet]
-----------------------------	---------------------	---------------------



[surf,colormap/blackwhite]	[surf,colormap/hot2]	[surf,colormap/bluered]
----------------------------	----------------------	-------------------------



[surf,colormap/cool]	[surf,colormap/redyellow]	[surf,colormap/violet]
----------------------	---------------------------	------------------------



24.0.4 Viewpoint

Azimuth
view/az= angle from - 50 to +50

Elevation
view/el= angle from - 50 to +50

25 Table of a function variation

Load package : `\usepackage{tkz-tab}` [3]

25.1 Creation of the table

1° ligne	a	b	c
2° ligne			

```
\begin{tikzpicture}
\tkzTabInit{1° ligne / 1 ,2° ligne /1 } { a , b , c }
\end{tikzpicture}
```

25.1.1 Options

Row width			
1° ligne	a	b	c
2° ligne			
3° ligne			

```
\tikz \tkzTabInit{1° ligne '/1 , 2° ligne /.5 , 3° ligne /1.5 }{a , b , c };
```

First column width			
x	a	b	c

```
\tkzTabInit[lgt=4]{  $x$  / 1}{ a , b , c };
```

By default: `lgt==2 cm`

Space between two values			
x	a	b	c

```
\tkzTabInit[espcl=1]{  $x$  / 1}{ a , b , c };
```

By default: `espcl=2 cm`

Margin			
x	a	b	c

```
\tkzTabInit[deltacl=1]{  $x$  / 1}{ a , b , c };
```

By default: `deltacl=0.5 cm`

Line width			
x	a	b	c
$\backslash\text{tkzTabInit}[\text{dlw}=2\text{pt}]\{x / 1\}\{a, b, c\};$ By default: lw=0,4 pt			

No cadre			
x	a	b	c
$\backslash\text{tkzTabInit}[\text{nocadre}]\{x / 1\}\{a, b, c\};$ By default: nocadre=false			

Coloring			
$\backslash\text{tkzTabInit}[\text{color},\text{colorT} = \text{yellow}]\{1^\circ\text{ligne}/1, 2^\circ\text{ligne}/1\}\{a, b\}$			
1°ligne	a	b	
2°ligne			
[color,colorT = yellow]		[color,colorC = cyan]	
1°ligne	a	b	
2°ligne			
[color,colorL = green]		[color,colorV = magenta]	
1°ligne	a	b	
2°ligne			
By default: color = false		colorT=colorC=colorL=colorV =white	

25.2 Creation of a sign row

x	a	b	c	x	a	b	c		
$f(x)$	2	4		$f(x)$	0	2	0	4	0
$\backslash\text{tkzTabLine}\{t, 2,t,4,t\}$				$\backslash\text{tkzTabLine}\{z, 2,z,4,z\}$					
x	a	b	c	x	a	b	c		
$f(x)$	2	4		$f(x)$	1	3	4	5	
$\backslash\text{tkzTabLine}\{d, 2,d,4,d\}$				$\backslash\text{tkzTabLine}\{1, h, 3,4,5\}$					

Example					
x	$-\infty$	-4	4	10	$+\infty$
$f(x)$	⋮	+	▨	- 0 +	⋮





```

\begin{tikzpicture}
\tkzTabInit[espc1=1.5]{ $x$  / 1 ,  $f(x)$  / 1 } {  $-\infty$  ,  $-4$  ,  $4$  ,  $10$  ,  $+\infty$  }
\tkzTabLine{ t,+ , d , h , d,-,z,+ }
\end{tikzpicture}

```

25.3 Creation of a variation row

x	a	b	c	x	a	b	c
$f(x)$	1	→	2	$f(x)$	1	→	2
$\backslash\text{tkzTabVar}\{ +/1 , -/2 \}$				$\backslash\text{tkzTabVar}\{ -/1 , +/2 \}$			
x	a	b	c	x	a	b	c
$f(x)$	1	→	2	$f(x)$	1	→	2
$\backslash\text{tkzTabVar}\{-/1 , -/2 \}$				$\backslash\text{tkzTabVar}\{ +/1 , +/2 \}$			
x	a	b	c	x	a	b	c
$f(x)$	1	→	2	$f(x)$	1	→	2
$\backslash\text{tkzTabVar}\{ +C/1 , -/2 \}$				$\backslash\text{tkzTabVar}\{ -C/1 , +/2 \}$			
x	a	b	c	x	a	b	c
$f(x)$	1	→	2	$f(x)$	1	→	2
$\backslash\text{tkzTabVar}\{-/1 , -C/2 \}$				$\backslash\text{tkzTabVar}\{ +/1 , +C/2 \}$			
x	a	b	c	x	a	b	c
$f(x)$	1	▨	2	$f(x)$	1	▨	2
$\backslash\text{tkzTabVar}\{ +H/1 , -/2 \}$				$\backslash\text{tkzTabVar}\{ -H/1 , +/2 \}$			
x	a	b	c	x	a	b	c
$f(x)$	1	→	▨	$f(x)$	1	→	▨
$\backslash\text{tkzTabVar}\{-/1 , -H/2 \}$				$\backslash\text{tkzTabVar}\{ +/1 , +H/2 \}$			

x	a	b	c	x	a	b	c
$f(x)$	1	→	2	$f(x)$	1	↗	2
$\backslash\text{tkzTabVar}\{ +D/1 , -/2\}$				$\backslash\text{tkzTabVar}\{ -D/1 , +/2\}$			
x	a	b	c	x	a	b	c
$f(x)$	1	↘	2	$f(x)$	1	↖	2
$\backslash\text{tkzTabVar}\{-/1 , -D/2\}$				$\backslash\text{tkzTabVar}\{ +/1 , +D/2\}$			
x	a	b	c	x	a	b	c
$f(x)$		1	↘	$f(x)$		1	↖
$\backslash\text{tkzTabVar}\{ D+/1 , -/2\}$				$\backslash\text{tkzTabVar}\{ D-/1 , +/2\}$			
x	a	b	c	x	a	b	c
$f(x)$	1	→	2	$f(x)$	1	↗	2
$\backslash\text{tkzTabVar}\{-/1 , D-/2\}$				$\backslash\text{tkzTabVar}\{ +/1 , D+/2\}$			
x	a	b	c	x	a	b	c
$f(x)$	1		2	$f(x)$	1		2
$\backslash\text{tkzTabVar}\{ +DH/1 , -/2\}$				$\backslash\text{tkzTabVar}\{ -DH/1 , +/2\}$			
x	a	b	c	x	a	b	c
$f(x)$	1	↘	2	$f(x)$	1	↖	2
$\backslash\text{tkzTabVar}\{-/1 , -DH/2\}$				$\backslash\text{tkzTabVar}\{ +DH/1 , +/2\}$			
x	a	b	c	x	a	b	c
$f(x)$	1		2	$f(x)$	1		2
$\backslash\text{tkzTabVar}\{ +CH/1 , -/2\}$				$\backslash\text{tkzTabVar}\{ -CH/1 , +/2\}$			
x	a	b	c	x	a	b	c
$f(x)$	1	↘	2	$f(x)$	1	↖	2
$\backslash\text{tkzTabVar}\{-/1 , -CH/2\}$				$\backslash\text{tkzTabVar}\{ +/1 , +CH/2\}$			

x	a	b	c
$f(x)$	1	2	3

`\tkzTabVar{-/1, +D-/2, +/3}`

x	a	b	c
$f(x)$	1	2	3

`\tkzTabVar{+/1, -D+/2, -/3}`

x	a	b	c
$f(x)$	1	2	3

`\tkzTabVar{+/1, -D-/2, +/3}`

x	a	b	c
$f(x)$	1	2	3

`\tkzTabVar{-/1, +D+/2, -/3}`

x	a	b	c
$f(x)$	1	2	3

`\tkzTabVar{-/1, +CD-/2, +/3}`

x	a	b	c
$f(x)$	1	2	3

`\tkzTabVar{+/1, -CD+/2, -/3}`

x	a	b	c
$f(x)$	1	2	3

`\tkzTabVar{+/1, -CD-/2, +/3}`

x	a	b	c
$f(x)$	1		3

`\tkzTabVar{-/1, +CD+/2, -/3}`

x	a	b	c
$f(x)$	1	2	3

`\tkzTabVar{-/1, +DC-/2, +/3}`

x	a	b	c
$f(x)$	1	2	3

`\tkzTabVar{+/1, -DC+/2, -/3}`

x	a	b	c
$f(x)$	1	2	3

`\tkzTabVar{+/1, -DC-/2, +/3}`

x	a	b	c
$f(x)$	1	2	3

`\tkzTabVar{-/1, +DC+/2, -/3}`

x	a	b	c
$f(x)$	1	2	3

`\tkzTabVar{-/1, +V-/2, +/3}`

x	a	b	c
$f(x)$	1	2	3

`\tkzTabVar{+/1, -V+/2, -/3}`

x	a	b	c
$f(x)$	1	2	3

`\tkzTabVar{+/1, -V-/2, +/3}`

x	a	b	c
$f(x)$	1	2	3

`\tkzTabVar{-/1, +V+/2, -/3}`

Emphasizing a value			
x	a	b	c
$f(x)$	1	→ 2 2 →	3

`\tkzTabVar{+/1 , -V-/\colorbox{yellow}{2} , +/3}`

Multicolumn variation			
x	a	b	c
$f(x)$	1 → 3		

`\tkzTabVar{-/1 , R/ , +/3}`

Intermediate values									
x	a	A	b	c	x	a	b	A	c
$f(x)$	1 \xrightarrow{x} 3				$f(x)$	1 \xrightarrow{x} 3			

`\tkzTabVal{1}{3}{0.25}{A}{x}` `\tkzTabVal{1}{3}{0.75}{A}{x}`

x	a	A	b	c
		⋮		
$f(x)$	1 \xrightarrow{x} 3			

`\tkzTabVal[draw]{1}{3}{0.25}{A}{x}`


Picture insertion									
x	a	b	c	d	x	a	b	c	d
$f(x)$	1 \xrightarrow{x} 3				$f(x)$	1 \xrightarrow{x} 3			

`\tkzTabIma{1}{4}{2}{x}` `\tkzTabIma{1}{4}{3}{x}`


26 Repetitions


Package used : “pgffor” (automatically loaded with TikZ)



26.1 One variable repetition


<code>\tikz \foreach \x in {1,...,10} \fill[blue](\x,0) circle (0.4cm);</code>
Variable <code>\x</code> : position en X

26.2 Two variables repetition


Numerical variables	
	
<code>\tikz \foreach \pos/\y in {1/10,2/20,3/30,4/40,5/50,6/60,7/70,8/80,9/90,10/100} \fill[color=blue!\y](\pos,0) circle (0.5cm);</code>	
Variable <code>\pos</code> : position en X	Variable <code>\y</code> : couleur

Composite variables	
	
<code>\tikz \foreach \x/\col in 1/red,3/green,5/magenta,7/blue \shade[ball color=\col](\x,0) circle (1);</code>	
Variable <code>\x</code> : position en X	Variable <code>\col</code> : couleur

Variables with a step							
							
<code>\begin{tikzpicture}</code>							
<code>\foreach \x in {1,2,...,4,7,8,...,10}</code>							
<code>\foreach \y in {1,...,3}</code>							
<code>{ \draw (\x,\y) ++(-.5,-.5) rectangle ++(.5,.5); \draw (\x,\y)</code>							
<code>node\x,\y; }</code>							
<code>\end{tikzpicture}</code>							
Variable <code>\x</code> : position en X				Variable <code>\y</code> : position en Y			

List example	
1, 2, 3, 4, 5, 6,	<code>\foreach \x in {1,...,6} {\x, }</code>
1, 3, 5, 7, 9, 11,	<code>\foreach \x in {1,3,...,11} {\x, }</code>
Z, X, V, T, R, P, N,	<code>\foreach \x in {Z,X,...,M} {\x, }</code>
$2^1, 2^2, 2^3, 2^4, 2^5, 2^6, 2^7,$	<code>\foreach \x in {2^1,2^2,...,2^7} {\x, }</code>
0cm, 0.5cm, 1cm, 1.5cm, 2cm, 2.5cm, 3cm,	<code>\foreach \x in {0cm,0.5cm,...cm,3cm} {\x, }</code>
$A_1, B_1, C_1, D_1, E_1, F_1, G_1, H_1,$	<code>\foreach \x in {A_1,..._1,H_1} {\x, }</code>

Calculation on variables





```
\begin{tikzpicture}
\foreach \x in 0,20,...,360{ \filldraw[red] (0,0) .. controls (\x+10:1)
.. (\x:1) .. controls (\x-10:1) .. (0,0);}
\foreach \x in 10,30,...,370{ \filldraw[blue] (0,0) .. controls (\x+10:3)
.. (\x:3) .. controls (\x-10:3) .. (0,0);}
\end{tikzpicture}
```

Variable $\backslash x$: angle


26.3 Nested loops

Order of the nested loops




```
\begin{tikzpicture}
\draw (0,0)
\foreach \x in {1,2,3}
\foreach \y in {0,1,2}
{- (\x,\y) node{X}};
\end{tikzpicture}
```

```
\begin{tikzpicture}
\draw (0,0)
\foreach \y in {0,1,2}
\foreach \x in {1,2,3}
{- (\x,\y) node{X}};
\end{tikzpicture}
```

```
\filldraw[turtle/distance=2cm,thick,blue,fill=red!20]
[ turtle=home ]
\foreach \i in {1,...,5}
[ turtle={forward,right=144} ] ;
```






```
\draw[thick,blue]
[ turtle=home ]
\foreach \i in {1,...,25}
[ turtle={forward=\i/5,right=120} ] ;
```


28 Tree diagram







PGFmanual section : 21


28.1 Structure



28.2 Orientation





		
<code>\node {père}[grow=up]</code>	<code>\node {père}[grow=left]</code>	<code>\node {père}[grow=right]</code>
		
<code>\node {père}[grow=north]</code>	<code>\node {père}[grow=east]</code>	<code>\node {père}[grow=north east]</code>

	<pre> \node {père} child[grow=right,red] {node {frère}} child {node {moi}} child {node {fils}} child {node {fille}} child[grow=north west,red] {node{soeur}}; </pre>
--	--

28.3 Distance

28.4 Parent-child distance

	
<code>\node {père}[level distance=3cm,red]</code>	<pre> child[level distance=3cm,red] {node {frère}} child[level distance=.5cm,red] {node {fille}} </pre>
By default : level distance=15 mm	

<code>\node {père}[level 1/.style={level distance=1cm}]</code>	<code>\node {père}[level 2/.style={level distance=.5cm}]</code>

28.5 Two children distance

<code>\node {père}[sibling distance=1cm,red]</code>	<code>\node {père}[sibling distance=3cm,red]</code>
By default : sibling distance=15 mm	

Problem	solution
<code>[sibling distance=2cm]</code>	<code>[level 1/.style=sibling distance=2cm, level 2/.style=sibling distance=1cm]</code>



28.6 Nodes customization

	<pre> \node[starburst¹,draw] {père}[grow=right] child {node[diamond,draw] frère} child {node[diamond,draw] moi} child {node[ellipse,draw] fils} child {node[ellipse,draw] fille}} child {node[diamond,draw] soeur}; </pre>
	<pre> \node[rectangle,double,draw,text width=1cm,text centered] {père}[grow=right,level distance=2cm] child {node[red,ultra thick,draw,rotate=45] {frère}} child {node[blue,dashed, draw] {moi}} child {node[ellipse,draw] {fils}} child {node [ellipse,fill] {fille}}}} child {node [magenta,pattern=dots,draw] {soeur}}}; </pre>


28.6.1 Nodes name

	<pre> \node (a) {a} child child { child {child child} child {child } }; \node at (a-1) {a-1}; \node at (a-2) {a-2}; \node at (a-2-2) {a-2-2}; \node at (a-2-1) {a-2-1}; \node at (a-2-1-2) {a-2-1-2}; \draw[red,ultra thick] (a-1) - (a-2); </pre>
--	---


¹Other types of nodes see section 17



28.6.2 Missing a node



28.6.3 Attachment point modification



<pre>\node {père} [parent anchor=east,red] child {node {frère}} child { node {moi}} child {node {fils}} child {node {fille}} };</pre>	<pre>\node {père} child {node {frère}} child { node {moi}} child [parent anchor=west,red] {node {fils}} child {node {fille}} };</pre>

28.6.4 Links




<pre>child {node {moi}} edge from parent[red,ultra thick]</pre>	<pre>child {node {fils}} edge from parent[red,ultra thick] }</pre>	<pre>child { node {fille}} edge from parent[draw=none] }</pre>

<pre>[edge from parent/.style={draw,red,ultra thick}] \node {père}</pre>

28.6.5 Labels on link

<pre>\node {père} child {node {fils}} edge from parent node[left,red] {texte}};</pre>			
<pre>node[left,red]</pre>	<pre>node[right,red]</pre>	<pre>node[near end,red]</pre>	<pre>node[draw,red]</pre>

28.6.6 Links customization

<code>[edge from parent path= {(\tikzparentnode.south) .. controls +(0,-1) and +(0,1) .. (\tikzchildnode.north)}]</code>		
		
<code>.. controls +(0,-1) and +(0,1) ..</code>	<code>- </code>	<code>to[in=90,out=-90]</code>
see links available : section 7.6		


28.7 More options with « library trees »

Load package : `\usetikzlibrary{trees}`


PGFmanual section : 72

28.7.1 One child and two childrenn position


`grow via three points={ one child at (0,1) and two children at (-.5,1) and (.5,1)}`




`grow via three points={ one child at (0,1) and two children at (0,1) and (1,1)}`




`grow via three points={ one child at (0,1) and two children at (-.5,1) and (.5,1.5)}`






28.7.2 Angular linking





28.7.3 Forking links






















29 Electrical Engineering Circuits










Load package : `\usepackage{circuits.ee.IEC}`

29.1 Symbols

PGFmanual section : 47-4

On a node	On a path
	
<code>\node [circuit ee IEC] at (1,0.5) to [resistor] {} ;</code>	<code>\draw [circuit ee IEC](0,0.5) to [resistor] (2,.5) ;</code>

Basic Elements			
<code>\draw [circuit ee IEC] (0,.5) to [resistor] (2,.5) ;</code>			
PGFmanual section : 47-4-3			
			
<code>[resistor]</code>	<code>[inductor]</code>	<code>[capacitor]</code>	<code>[battery]</code>
			
<code>[bulb]</code>	<code>[current source]</code>	<code>[voltage source]</code>	<code>[ground]</code>
PGFmanual section : 47-4-4			
			
<code>[diode]</code>	<code>[Zener diode]</code>	<code>[Schottky diode]</code>	<code>[tunnel diode]</code>
			
<code>[backward diode]</code>	<code>[breakdown diode]</code>		
PGFmanual section : 47-4-5			
			
<code>[contact]</code>	<code>[make contact]</code>	<code>[break contact]</code>	

Alternate appearance		
<code>\draw [circuit ee IEC,set resistor graphic=var resistor IEC graphic] (0,0.5) to [resistor] (2,0.5) ;</code>		
		
resistor	inductor	diode
		
Zener diode	Schottky diode	tunnel diode
		
backward diode	breakdown diode	make contact

Symbol Size				
PGFmanual section : 47-2-1				
\draw [circuit ee IEC] (0,0.5) to [diode,large circuit symbols] (2,0.5) ;				
huge circuit symbols (10pt)	large circuit symbols (8pt)	medium circuit symbols (7pt)	small circuit symbols (6pt)	tiny circuit symbols (5pt)


\draw [circuit ee IEC,circuit symbol unit=14pt] (0,0.5) to [diode] (2,0.5) ;		
circuit symbol unit=14pt	circuit symbol size=width 3 height 1	circuit symbol size=width 1 height 5 <small>don't work !</small>

Declaring New Symbols			
PGFmanual section : 47-2-2			
	<pre>\begin{tikzpicture} [circuit declare symbol=xxx, set xxx graphic={draw,shape=rectangle,minimum size=5mm}] \node [xxx] at (.5,.5) ; \draw[circuit ee IEC] (1,.5) to [xxx] (3,.5) ; \end{tikzpicture}</pre>		
shape=circle	shape=dart	shape=star	shape=forbidden sign
voir les "different shape libraries"see the different shape libraries			

Placement of symbol on a path	
\draw [circuit ee IEC] (0,0.5) to [contact={at start},make contact={very near start},voltage source={near end},resistor, bulb={near end}, bulb={very near end},contact={at end}] (12,0.5) ;	
\draw [circuit ee IEC] (0,0.5) to [contact={ pos=0 },make contact={pos=0.2},voltage source={pos=0.3},resistor={ pos=0.5 }, bulb={pos=0.75 },contact={pos =1 }] (12,0.5) ;	

Symbol orientation			
PGFmanual section : 47-2-3			
\node [circuit ee IEC] at (1,.5) [diode,point up] {} ;			
[diode,point up]	[diode,point down]	[diode,point left]	[diode,point right]

Automatic orientation



```
\draw [circuit ee IEC] (0,0)
to [voltage source] (1,1)
to [resistor] (2,0)
to [bulb] (1,-1)
to [diode] (0,0) ;
```

29.2 Annotations

Indicating Current Directions

[PGFmanual section : 47-4-2](#)

```
\draw [circuit ee IEC] (0,0.5) to [current direction] (2,0.5) ;
```



[current direction]

[current direction']

Units available

[PGFmanual section : 47-4-6](#)


```
\node [draw,circuit ee IEC] at(1,,5) [ampere=5] {}
```

5A <input type="checkbox"/>	5V <input type="checkbox"/>	5 <input type="checkbox"/>	5S <input type="checkbox"/>	5H <input type="checkbox"/>
[ampere=5]	[volt=5]	[ohm=5] don't work !	[siemens=5]	[henry=5]
5F <input type="checkbox"/>	5C <input type="checkbox"/>	5VA <input type="checkbox"/>	5W <input type="checkbox"/>	5Hz <input type="checkbox"/>
[farad=5]	[coulomb=5]	[voltampere=5]	[watt=5]	[hertz=5]
5kA <input type="checkbox"/>	5mA <input type="checkbox"/>	5 μ A <input type="checkbox"/>	5kW <input type="checkbox"/>	5MW <input type="checkbox"/>
[ampere=5k]	[ampere=5m]	[ampere=5 μ]	[watt=5k]	[watt=5M]

Declare unit

[PGFmanual section : 47-2-4](#)

```
\tikz[circuit ee IEC,circuit declare unit={xxx}]{ Unit}
\draw (0,0) to[resistor={xxx' sloped=3}] (3,2) to [resistor={xxx= 10\mu}] (5,2) to [resistor={xxx= 10M}]
```











Annotations			
PGFmanual section : 47-4-7			
\draw [circuit ee IEC] (0,0.5) to [resistor=light emitting] (2,0.5) ;			
[resistor=light emitting]	[resistor=light dependent]	[resistor=direction info]	[resistor=adjustable]
[diode=light emitting]	[diode=light dependent]	[diode=direction info]	[diode=adjustable]
[diode=light emitting']	[diode=light dependent']	[diode=direction info']	[diode=adjustable']




Units position	
PGFmanual section : 47-2-4	
\draw [circuit ee IEC] (0,0) to [capacitor={farad=5\mu}] (2,2) ;	
[capacitor={farad=5\mu}]	[capacitor={farad'=5\mu}]
[capacitor={farad sloped=5\mu}]	[capacitor={farad' sloped=5\mu}]

Info Labels		
PGFmanual section : 47-2-4		
\draw [circuit ee IEC] (0,0.5) to [diode={light emitting={info=D1}}] (2,0.5) ;		
[diode={light emitting={info=D1}}]	[diode={light emitting={info'=D2}}]	[diode={light emitting,info'=D3}]

On a node	On a path
[resistor,info=\$3\Omega\$,info'=R1]	[resistor={info=\$3\Omega\$,info'=R1}]

3Ω	3Ω
<code>[resistor,point up,info=center:\$3\Omega\$]</code>	<code>[resistor,point up,info=center:\$3\Omega\$]</code>




<code>\node [voltage source,direction info={volt=10}] {}</code>		<code>\node [voltage source,direction info'={volt=10}] {}</code>	
			
<code>{volt=10}</code> or <code>{->,volt=10}</code>	<code>{volt'=10}</code> or <code>{->,volt'=10}</code>	<code>{volt=10}</code> or <code>{->,volt=10}</code>	<code>{volt'=10}</code> or <code>{->,volt'=10}</code>
			
<code>{<-,volt=10}</code>	<code>{<-,volt=10}</code>	<code>{<-,volt=10}</code>	<code>{<-,volt'=10}</code>

Declare annotation	
PGFmanual section : 47-2-5	
	<code>\tikzset{circuit declare annotation={XXX}{9pt}</code> <code>{ (-0.5cm,0.5cm) edge[to path={- -(0pt,2pt) - - (8pt,8pt)}] () }</code> <code>\tikz[blue,circuit ee IEC] \draw (0,0) to [resistor=XXX] (3,0);</code>
	<code>\tikzset{circuit declare annotation={xxx}{9pt}</code> <code>{ (-0.5cm,0.5cm) edge[to path={- -(0pt,2pt) - - (8pt,8pt)}] () }</code> <code>\tikz[blue,circuit ee IEC] \draw (0,0) to [resistor={xxx={info=abc}}] (3,0);</code>
	<code>\tikzset{circuit declare annotation={xxx}{1cm}</code> <code>{ (-0.5,0.5) edge[to path={- -(0pt,2pt) - - (8pt,8pt)}] () }</code> <code>\tikz[blue,circuit ee IEC] \draw (0,0) to [resistor={xxx={info=abc}}] (3,0);</code>

Theming Symbols	
PGFmanual section : 47-2-6	
<pre>\draw[circuit symbol lines/.style={draw,red,very thick}] (0,0) to [capacitor={near start},resistor, make contact={near end}] (5,0);</pre>	
<pre>\draw[circuit symbol wires/.style={draw,red,very thick}] (0,0) to [capacitor={near start},resistor, make contact={near end}] (5,0);</pre>	
<pre>\draw[circuit symbol open/.style={thick,draw,red,fill=yellow}] (0,0) to [capacitor={near start},resistor, make contact={near end}] (5,0);</pre>	

<pre>\tikz[blue,circuit ee IEC, every info/.style=red] \draw (0,0) to[resistor={info={3\Omega},info'={R_1}}] (3,0) to[resistor={info={4\Omega},info'={R_2}}] (3,2);</pre>	
<pre>every info/.style=red</pre>	<pre>every info/.style={font=\tiny}</pre>

29.3 Example

3 methods for the same circuit	
	<pre>\begin{tikzpicture}[blue,circuit ee IEC] \draw (0,0) to [voltage source={direction info={->,volt=10}}] (0,2) to [resistor={info=center:\$3 k\Omega\$}] (2,2) to [diode=light emitting] (2,0) to [make contact] (0,0); \end{tikzpicture}</pre>
	<pre>\begin{tikzpicture}[blue,circuit ee IEC] \draw (0,0) to [voltage source={direction info={->,volt=10}}] ++(up:2) to [resistor={info=center:\$ 3 k\Omega\$}] ++(right:2) to [diode=light emitting] ++(down:2) to [make contact] ++(left:2) ; \end{tikzpicture}</pre>
	<pre>\begin{tikzpicture}[blue,circuit ee IEC] \node (A) at (0,1) [voltage source,point up,volt=10]{}; \node (B) at (1,2) [resistor,ohm=10k] {}; \node (C) at (2,1) [diode=light emitting,point down] {} ; \node (D) at (1,0) [make contact] {}; \draw (A) - (B) - (C) - (D) - (A); \end{tikzpicture}</pre>

30 Logical circuits

International Electrotechnical Commission :

























Load package : `\usepackage{circuits.logic.IEC}`




American logic gates :










Load package : `\usepackage{circuits.logic.US}`



logic symbols used in A. Croft, R. Davidson, and M. Hargreaves (1992), Engineering Mathematics, Addison-Wesley, 82–95 :



Load package : `\usepackage{circuits.logic.CDH}`




Basic Elements		
<code>\node [circuit logic IEC] at (1,.5) [and gate] {A} ;</code> PGFmanual section : 47-3-2		
		
[circuit logic IEC] and gate	[circuit logic US] and gate	[circuit logic CDH] and gate
		
[circuit logic IEC] nand gate	[circuit logic US] nand gate	[circuit logic CDH] nand gate
		
[circuit logic IEC] or gate	[circuit logic US] or gate	[circuit logic CDH] or gate
		
[circuit logic IEC] nor gate	[circuit logic US] nor gate	[circuit logic CDH] nor gate
		
[circuit logic IEC] xor gate	[circuit logic US] xor gate	[circuit logic CDH] xor gate
		
[circuit logic IEC] xnor gate	[circuit logic US] xnor gate	[circuit logic CDH] xnor gate
		
[circuit logic IEC] not gate	[circuit logic US] not gate	[circuit logic CDH] not gate
		
[circuit logic IEC] buffer gate	[circuit logic US] buffer gate	[circuit logic CDH] buffer gate




Labelled		
<pre>\node [circuit logic IEC] at (1,.5) [and gate] {A} ;</pre> <p style="text-align: center;">PGFmanual section : 47-3-1</p>		
		
<code>[circuit logic IEC]</code>	<code>[circuit logic US]</code>	<code>[circuit logic CDH]</code>

Orientation		
<pre>\node [circuit logic IEC] at (1,.5) [and gate,point down] {A} ;</pre> <p style="text-align: center;">PGFmanual section : 47-3-1</p>		
		
<code>[circuit logic IEC]</code>	<code>[circuit logic US]</code>	<code>[circuit logic CDH]</code>
<pre>\node [circuit logic IEC] at (1,.5) [and gate,point up] {A} ;</pre>		
		
<code>[circuit logic IEC]</code>	<code>[circuit logic US]</code>	<code>[circuit logic CDH]</code>
<pre>\node [circuit logic IEC] at (1,.5) [and gate,point left] {A} ;</pre>		
		
<code>[circuit logic IEC]</code>	<code>[circuit logic US]</code>	<code>[circuit logic CDH]</code>

inputs exit	
<p style="text-align: center;">PGFmanual section : 47-3-3</p>	
	<pre>\node [and gate IEC, draw, logic gate inputs={inverted ,normal , inverted }] at (1,.5) (A) {} ; \draw [red] (A.input 1) - (0,0.5); \draw[green] (A.input 2) - (0,0.5); \draw[cyan] (A.input 3) - (0,0.5); \draw (A.output) - (2,0.5);</pre>
	<pre>\node [and gate IEC, draw, logic gate inputs={ini}] at (1,.5) (A) {} ; \draw [red] (A.input 1) - (0,0.5); \draw[green] (A.input 2) - (0,0.5); \draw[cyan] (A.input 3) - (0,0.5); \draw (A.output) - (2,0.5);</pre>


input parameter	
<code>\node [and gate IEC, draw, logic gate inputs=ini,logic gate inverted radius=4pt] at (1,.5) (A) {};</code> PGFmanual section : 47-3-3	
	
logic gate inverted radius=4pt	logic gate input sep=0.5cm

symbol parameter		
<code>\node [circuit logic IEC,and gate IEC symbol=AND] at (1,.5) [and gate] {}</code> PGFmanual section : 47-3-5		
		
and gate IEC symbol =AND	logic gate IEC symbol color =red	logic gate IEC symbol align ={bottom, right}

Composant parameter		
<code>\node [circuit logic IEC,very thick] at (1,.5) [and gate] {}</code> PGFmanual section : 47-3-5		
		
very thick	fill=blue!10	fill=blue!10, logic gate IEC symbol color=black


















31 Optics

Load package : `\usepackage{optics}` [8]





	<pre>\begin{tikzpicture}[blue,line width=2pt] \draw[help lines] (-1,-1) grid (1,1); \node[use optics,lens] (L) at (0,0) ; \end{tikzpicture}</pre>
---	---



31.1 Optic components



31.1.1 Components available





Éléments optiques				
<code>\tikz[use optics,blue] \node[lens] (L) at (0,0) {};</code>				
				
lens	slit	double slit	mirror	
				
convex mirror	concave mirror	polarizer	beam splitter	double amici prism
				
thin optics element	thick optics element	heat filter	screen	
				
diffraction grating	grid	semi-transparent mirror	diaphragm	





31.1.2 Parameters



<code>\node[lens,object height=1cm] (L) at (0,0) {};</code>			
			
object height=1cm By default 2cm	draw focal points By default empty	focal length=1.5cm By default 1cm	focal height=0.5 By default 0.8 (80%)

Lens type	
\node[lens, lens type=converging] (L) at (0,0) {};	
	
lens type=converging	lens type=diverging

slit parameters	
\node[slit, slit height=0.5] (L) at (0,0) {};	
	
slit height=0.5	slit height=0.5cm
By default 0.075 (7.5%)	

Double slit parameters			
\node[double slit, slit height=0.15] (L) at (0,0) {};			
			
slit height=0.15	slit height=0.25cm	slit separation=0.5	double slit, slit separation=1cm
By default 0.075 (7.5% x 2cm = 1.5 mm)		By default 0.2 (20% x 2cm = 4mm)	

mirror parameters	
\node[mirror, mirror decoration separation=0.25] (L) at (0,0) {};	
	
mirror decoration separation=0.25	mirror decoration separation=0.5cm
By default 0.15cm	
	
mirror decoration amplitude=0.25	mirror decoration amplitude=1cm
By default 0.125cm	

spherical mirror type	
\node[convex mirror] (L) at (0,0) {};	
	
convex mirror	concave mirror
spherical mirror, spherical mirror type=convex	spherical mirror, spherical mirror type=concave



spherical mirror orientation	
<code>\node[convex mirror, spherical mirror orientation=ltr](L) at (0,0) {};</code>	
convex mirror, spherical mirror orientation=ltr	convex mirror, spherical mirror orientation=rtl
concave mirror spherical mirror orientation=ltr	concave mirror, spherical mirror orientation=rtl




<code>\node[spherical mirror, spherical mirror angle=240](L) at (0,0) {};</code>		
spherical mirror angle=240 By default 150	mirror decoration separation=0.25 By default 0.15cm	mirror decoration amplitude=0.5cm By default 0.125cm

<code>\node[spherical mirror, spherical mirror angle=from_radius(2cm)](L) at (0,0) {};</code>






<code>\node[polarizer, object height=1.5cm](L) at (0,0) {};</code>		
object height=1.5cm By default 2cm	object aspect ratio=0.5 By default 0.2	object aspect ratio=2




<code>\node[beam splitter, object height=1.5cm](L) at (0,0) {};</code>		
object height=1.5cm	object aspect ratio=.5	object aspect ratio=2







<code>\node[double amici prism,prism height=1cm](L) at (0,0) {};</code>	
	
<code>prism height=1cm</code> By default 1.5cm	<code>prism apex angle=90</code> By default 60








<code>\node[thick optics element,object height=1.5cm](L) at (0,0) {};</code>		
		
<code>object height=1.5cm</code>	<code>object aspect ratio=0.5</code>	<code>object aspect ratio=1.5</code>

31.1.3 Anchors

<code>\node[lens](L) at (0,0) {};</code> <code>\node[red,fill](L.lens north) circle (2pt) ;</code>				
				
<code>(L.lens north)</code>	<code>(L.lens south)</code>	<code>(L.east focus)</code>	<code>(L.west focus)</code>	<code>(L.center)</code>









<code>\node[slit, slit height=0.5](L) at (0,0) {};</code> <code>\node[red,fill](L.slit north) circle (2pt) ;</code>		
		
<code>(L.slit north)</code>	<code>(L.slit south)</code>	<code>(L.slit center)</code>

<code>\node[double slit,slit height=0.2,slit separation=0.5](L) at (0,0) {};</code> <code>\node[red,fill](L.slit 1 north) circle (2pt) ;</code>					
					
<code>(L.slit 1 north)</code>	<code>(L.slit 1 south)</code>	<code>(L.slit 1 center)</code>	<code>(L.slit 2 north)</code>	<code>(L.slit 2 south)</code>	<code>(L.slit 2 center)</code>












\backslash node[spherical mirror] (L) at (0,0) {}; \backslash node[red,fill] (L.mirror center) circle (2pt) ;						
						
L.mirror center	L.focus	L.arc start	L.arc center	L.arc end	L.45	L.-45







31.2 Lights and sensors

31.2.1 Available



















\backslash tikz[use optics,scale=.5,blue] \backslash node[generic optics io] (L) at (0,0) {};			
			
generic optics io	sensor line	generic sensor	generic lamp
			
halogen lamp	spectral lamp	laser ;	laser'














31.2.2 Parameters

\node[generic optics io , io body height=1.5cm](L) at (0,0) {};		
Same parameters for generic sensor , generic lamp , halogen lamp , spectral lamp , laser		
		
io body height=1.5cm By default 0.75cm	io body aspect ratio=4 By default 2	io body width=4
		
io body width=3cm	io aperture width=1	io aperture width=1cm By default 0.33
		
io aperture height=2 By default 0.66	io aperture height=1cm	io aperture shift=0.25 By default 0
		
io orientation=ltr By default ltr	io orientation=rtl	

\node[sensor line , sensor line height=1.5cm](L) at (0,0) {};		
		
sensor line height=1.5cm By default 2cm	sensor line aspect ratio=0.5 By default 0.2	sensor line pixel number=10 By default 5
		
sensor line pixel width=0.8 By default 0.4	sensor line pixel width=0.2cm	sensor line inner ysep=0.2 By default 0.05







31.2.3 Anchors





				
s.body north	s.body south	s.body east	s.body west	s.body cent
				
s.body north east	s.body north west	s.body south east	s.body south west	
				
s.aperture north	s.aperture south	s.aperture east	s.aperture west	s.aperture cen
				
s.aperture north east	s.aperture north west	s.aperture south east	s.aperture south west	




				
s.pixel 1 center	s.pixel 2 center	s.pixel 3 center	s.pixel 4 center	s.pixel 5 center
				
s.pixel 3 east	s.pixel 3 west	s.pixel 3 south	s.pixel 3 north	
				
s.pixel 3 north east	s.pixel 3 north west	s.pixel 3 south east	s.pixel 3 south west	

31.3 Tools

31.3.1 Marks on the ray

<code>\draw [->-] (0,0) - (1.5,1;</code>					
					
<code>[->-]</code>	<code>[-<-]</code>	<code>[-> >-]</code>	<code>[->n={n=4}]</code>	<code>[->n={n=5,at=0.25}]</code>	<code>[-> >-=at=0.25, ->-=at=0.75]</code>

<code>\draw [put arrow] (0,0) to[bend left=120] (2,0);</code>			
			
<code>[put arrow]</code>	<code>[put arrow={arrow'}]</code>	<code>[put arrow={at=0.2}]</code>	<code>[put arrow={style=red}]</code>

		
<code>[red,put arrow={arrow=latex}]</code>	<code>[put arrow={arrow'=Kite}]</code>	<code>[put arrow={pos=.25}]</code> By default pos=0.5





<pre>\draw[red, put arrow/ every arrow/.style={blue}, put arrow={at=0.2}, put arrow={at=0.5}, put arrow={at=0.8}] (0,0) - (5,0);</pre>

	<pre>\begin{tikzpicture}[use optics,blue] \draw[put coordinate=A at 0.1,put coordinate=B at 0.9] (0,0) - - (1.5,1) - - (3, 0) - - (4.5,1); \draw[red] (A) - - (B); \fill(A) circle (2pt) node[above] {A} ; \fill(B) circle (2pt) node[above] {B} ; \end{tikzpicture}</pre>
	Point A à 10% , point B à 90%

	<pre>\begin{tikzpicture}[use optics] \node[halogen lamp] (quartz iode) at (0,0) {Q.I.}; \node[heat filter,right=0.5cm of quartz iode.aperture east] (AC) {}; \node[slit,right=0.75cm of AC] (fente) {}; \node[lens,right=2cm of fente] (L) {}; \node[screen,right=3cm of fente] (screen) {}; \end{tikzpicture}</pre>
--	--

31.3.2 Dimensions indicating



<pre>\draw (0,0) to[short dim arrow={label=2cm}] (2,0);</pre>		
[dim arrow={label=2cm}]	to[dim arrow={label'=2cm}]	[dim arrow={label=2cm label style/.append style=r
[dim arrow={label=2cm,raise=1cm}] By default raise = 0.5cm	[dim arrow={label=2cm,no raise},red]	[dim arrow'={label=2cm

<code>\draw (0,0) to[short dim arrow={label=2cm}] (2,0);</code>	
	
<code>[short dim arrow={label=2cm}]</code>	<code>[short dim arrow={label=2cm,arrow length=1cm}]</code>
By default arrow length= 5mm	
	
<code>[short dim arrow={label=2cm,label near end}]</code>	<code>[short dim arrow={label=2cm,label near middle}]</code>
By default label near start	

32 Animate a TikZ picture

Load package : `\usepackage{animate}` [7]

32.1 Animation from picture files

first frame	second and last frame
	
<code>\includegraphics{XXX1}</code>	<code>\includegraphics{XXX2}</code>

<code>\animategraphics:</code>	
<code>[controls,</code>	<code>:Inserts control buttons</code>
<code>loop</code>	<code>:animation restarts automatically</code>
<code>autoplay]</code>	<code>:Start animation automatically</code>
<code>{4}</code>	<code>:4 frame per second</code>
<code>{XXX}</code>	<code>:file base name</code>
<code>{1}</code>	<code>:number of the first frame</code>
<code>{2}</code>	<code>:number of the last frame</code>

32.2 Animateinline

```

\animateinline[controls,loop,autoplay]{5}

% first frame
\begin{tikzpicture} \fill[blue] (45:2) -- (135:.5) -- (225:2) -- (315:.5)
-- cycle; \fill[blue] (45:.5) -- (135:2) -- (225:.5) -- (315:2) -- cycle;
\end{tikzpicture}
% second frame
\newframe
\begin{tikzpicture}
\fill[blue] (0:2) -- (90:.5) -- (180:2) -- (270:.5) -- cycle;
\fill[blue] (0:.5) -- (90:2) -- (180:.5) -- (270:2) -- cycle;
\end{tikzpicture}

\end{animateinline}

```


32.3 Multiframe

```

\begin{animateinline}[poster=first,controls, palindrome]{12}
\multiframe{29}{iAngle=80+10, Rdim=2.0+-0.2}{
\begin{tikzpicture}
\fill[blue] (\iAngle+45:\Rdim) - - (\iAngle+135:.5) - -
(\iAngle+225:\Rdim) - - (\iAngle+315:.5) - - cycle;
\fill[blue] (\iAngle+45:.5) - - (\iAngle+135:\Rdim) - - (\iAn-
gle+225:.5) - - (\iAngle+315:\Rdim) - - cycle;
\end{tikzpicture} }
\end{animateinline}

```

The first letter of the variable name determines his type


entier	initiale : i ou I
réelles	initiale : n, N, r ou R
longueurs	initiale : d ou D








```

\begin{animateinline}[autoplay,loop]{12}
\multiframe{24}{iAngle=0+15,icol=0+5}{\begin{tikzpicture}
\draw[line width=0pt] (-2,-3) rectangle(6,3);
\draw (0,0) node[fill=white,circle,rotate=\iAngle]
{\includegraphics[width=2cm]{LogoIUT}} (0,0) circle (1);
\draw (0,0) circle (1);
\coordinate (abc) at ($\sqrt{9-\sin(\iAngle)*\sin(\iAngle))+\cos(\iAngle)}*(1,0)$
;
\coordinate (xyz) at (\iAngle:1);
\draw[ultra thick] (0,0) - -(xyz);
\draw[ultra thick] (xyz) - - (abc) ;
\fill[color=blue!\icol] (abc)++(0.5,-1) rectangle (5,1) ;
\draw[ultra thick] (abc) ++(0,-1) rectangle ++(.5,2) ;
\draw[ultra thick] (1.5,1) - - (5,1) - - (5,-1) - - (1.5,-1);
\fill[red] (xyz) circle (4pt);
\fill[red] (abc) circle (4pt);
\end{tikzpicture}}
\end{animateinline}

```

33 Packages studied in this document

Basic TikZ package :		
name	Load package	documentation ¹
tikz	<code>\usepackage{tikz}</code>	pgfmanual.pdf 

Other packages			
name	see page	documentation ²	
animate	216	animate.pdf	
tikz-optics	206	tikz-optics.pdf	
pgfplots	166	pgfplots.pdf	
tikzpeople	143	tikzpeople.pdf	
tikzducks	150	tikzducks-doc.pdf	
tikzsymbols	156	tikzsymbols.pdf	
tkz-tab	177	tkz-tab-screen.pdf	

Optional library (documentation : pgfmanual.pdf)		
name	see page	Load package
angles	37	\usetikzlibrary{angles}
arrows.meta	21	\usetikzlibrary{arrows.meta}
bending	34	\usetikzlibrary{bending}
backgrounds	79	\usetikzlibrary{backgrounds}
calc	45	\usetikzlibrary{calc}
chains	67	\usetikzlibrary{chains}
circuits.ee.IEC	196	\usetikzlibrary{circuits.ee.IEC}
circuits.logic.IEC	202	\usetikzlibrary{circuits.logic.IEC}
circuits.logic.US	202	\usetikzlibrary{circuits.logic.US}
circuits.logic.CDH	202	\usetikzlibrary{circuits.logic.CDH}
fit	58	\usetikzlibrary{fit}
decorations.footprints	130	\usetikzlibrary{decorations.footprints}
decorations.fractals	137	\usetikzlibrary{decorations.fractals}
decorations.markings	127	\usetikzlibrary{decorations.markings}
decorations.pathmorphing	116	\usetikzlibrary{decorations.pathmorphing}
decorations.pathreplacing	122	\usetikzlibrary{decorations.pathreplacing}
decorations.shapes	131	\usetikzlibrary{decorations.shapes}
decorations.text	135	\usetikzlibrary{decorations.text}
fadings	84	\usetikzlibrary{fadings}
intersections	43	\usetikzlibrary{intersections}
matrix	64	\usetikzlibrary{matrix}
patterns	17	\usetikzlibrary{patterns}
plotmarks	165	\usetikzlibrary{plotmarks}
positioning	56	\usetikzlibrary{positioning}
scopes	76	\usetikzlibrary{scopes}
shadings	20	\usetikzlibrary{shadings}
shapes.arrows	96	\usetikzlibrary{shapes.arrows}
shapes.callouts	98	\usetikzlibrary{shapes.callouts}
shapes.geometric	91	\usetikzlibrary{shapes.geometric}
shapes.misc	100	\usetikzlibrary{shapes.misc}
shapes.multipart	102	\usetikzlibrary{shapes.multipart}
shapes.symbols	94	\usetikzlibrary{shapes.symbols}
through	60	\usetikzlibrary{through}
trees	194	\usetikzlibrary{trees}
through	185	\usetikzlibrary{turtle}








¹look in repertory : \texlive\2016\tesmf-dist\doc\generic\pgf

²search in repertory : \texlive\2016\tesmf-dist\doc\latex

In a a future update

automata	PGFmanual section : 41
babel	PGFmanual section : 42
calendar	PGFmanual section : 45
circular graph drawing library	PGFmanual section : 32
curvilinear library	PGFmanual section : 103-4-7
datavisualization library	PGFmanual section : 75
datavisualization.formats.functions library	PGFmanual section : 76-4
datavisualization.polar library	PGFmanual section : 80
er	PGFmanual section : 49
examples graph drawing library	PGFmanual section : 35-8
external	PGFmanual section : 50
fixedpointarithmetic	PGFmanual section : 53
folding	PGFmanual section : 59
force graph drawing library	PGFmanual section : 31
fpv	PGFmanual section : 54
graph.standard library	PGFmanual section : 19-10
graphdrawing library	PGFmanual section : 27
graphs library	PGFmanual section : 19
layered graph drawing library	PGFmanual section : 30
lindenmeyersystems	PGFmanual section : 55
mindmap	PGFmanual section : 58
petri	PGFmanual section : 61
phylogenetics graph drawing library	PGFmanual section : 33
plotters	PGFmanual section : 62
profiler	PGFmanual section : 64
quotes library	PGFmanual section : 17-10-4
routing graph drawing library	PGFmanual section : 34
shadows	PGFmanual section : 66
spy	PGFmanual section : 68
svg.path	PGFmanual section : 69
topaths	PGFmanual section : 70
trees graph drawing library	

References

- [1] pgfmanual.pdf version 3.0.1a 1161 pages 
- [2] pgfplots.pdf version 1.80 439 pages 
- [3] tkz-tab-screen.pdf version 1.1c 83 pages 
- [4] tikzpeople.pdf 19 pages 
- [5] tikzducks-doc.pdf version 0.6 28 pages 
- [6] tikzsymbols.pdf version sept 2017 15 pages 
- [7] animate.pdf 26 pages 
- [8] tikz-optics.pdf version 0.2.2 39 pages 